



GAS COMPONENTS



ELECTRIC COMPONENTS



WATER TECHNOLOGY



MECHANICAL COMPONENTS



TOOLS

Spare parts suitable for

ADANDE

Find the complete and up-to-date range of products in our GEV Webshop



Manufacturer catalogue

The most important spare parts and accessories arranged clearly for every manufacturer

- ✓ Complete product range and all appliance data always up to date in the GEV Webshop
- ✓ Alphabetical Index at the end of the catalogue

GEV Webshop

www.gev-online.co.uk

www.gev-online.com



- 🔍 Add to Favourites
- 🔍 Sign In with email address and usual password
- 🔍 Easy-order – place several items in your basket at the same time
- 🔍 Quick Item search – no login needed



switches and momentary switches

microswitches

with push button

switches with snap-fit



1

GEV No.	347163	Ref. No.	102923
description	microswitch with push button 250V 1A 1NO connection male faston 6.3mm L 16x12mm ambient temperature max. 85°C mounting distance 26x12mm type actuating force: 250g		
For models:	VCR, VCS		

transformers

power supplies



1

GEV No.	402169	Ref. No.	103512
description	power supply primary 100-240VAC secondary 12VDC 24VA secondary 2A H 35mm L 88mm W 50mm connection plug-in connection 50/60Hz type STD-12020T		
For models:	VCR, VCS		



1

GEV No.	402170	Ref. No.	103531
description	power supply primary 100-240VAC secondary 24VDC 90VA secondary 3.75A connection cable 50/60Hz		

electronic controllers

DIXELL

refrigeration controllers

built-in version



1

GEV No.	378254	Ref. No.	103060
description	electronic controller DIXELL XB570L-5R0C1-X mounting measurements 150x30mm built-in depth 65.5mm 230V voltage AC NTC relay outputs 6 NO-20A(8) NO-8A(3) NO-8A(3) NO-16A(5) NO-8A(3) NO-16A(5) NTC NTC DI DI yes yes yes protection IP65 preprogrammed -50 up to +99°C display 3½ digits		
accessories for	378254		
	GEV No.	378261	Ref. No.
			—
	temperature probe NTC 10kOhm cable thermoplastic probe -40 up to +110°C cable -40 up to +110°C probe ø6x35mm cable length 3m without screw connection 2-wire		

accessories for	378254		
	GEV No.	379057	Ref. No.
			—
	temperature probe NTC 10kOhm cable PVC probe -20 up to +80°C cable -10 up to 100°C probe ø6x25mm cable length 3m 2-wire		
	GEV No.	379160	Ref. No.
			103063 103355
	temperature probe NTC 10kOhm cable thermoplastic probe -40 up to +110°C cable -40 up to +110°C probe ø6x14mm cable length 1.5m without screw connection 2-wire		
	GEV No.	379161	Ref. No.
			—
	temperature probe NTC 10kOhm cable thermoplastic probe -40 up to +110°C cable -40 up to +110°C probe ø6x14mm cable length 3m without screw connection 2-wire		
	GEV No.	379342	Ref. No.
			—
	temperature probe NTC 10kOhm cable PVC probe -20 up to +80°C cable -10 up to 100°C probe ø6x25mm cable length 1.5m 2-wire protection IP67		
	GEV No.	379343	Ref. No.
			—
	temperature probe NTC 10kOhm cable silicone probe -40 up to +110°C cable -50 up to +180°C probe ø6x40mm cable length 3m 2-wire		
	GEV No.	379458	Ref. No.
			—
	temperature probe NTC 10kOhm cable silicone probe -40 up to +110°C cable -50 up to +180°C probe ø6x40mm cable length 1.5m without screw connection 2-wire		
	GEV No.	379784	Ref. No.
			—
	temperature probe NTC 2kOhm cable thermoplastic probe -40 up to +110°C cable -40 up to +110°C probe ø6x35mm cable length 2m without screw connection 2-wire resistor 2kOhm		
	GEV No.	379860	Ref. No.
			—
	temperature probe NTC 10kOhm cable PVC probe -20 up to +80°C cable -10 up to 100°C probe ø6x40mm cable length 1.5m without screw connection 2-wire		
	GEV No.	402818	Ref. No.
			—
	programming key 4K for electronic controller DIXELL		

LAE

refrigeration controllers

built-in version






1

GEV No.	378252	Ref. No.	102924
description	electronic controller LAE type AT2-5BS4E-AG(P) mounting measurements 71x29mm 230V voltage AC NTC/PTC relay outputs 2 relays -50 up to +150°C display 3 digits		
For models:	VCS		






built-in version 2-piece



GEV No.	379771	Ref. No.	103555
description	keypad unit LAE type LCD5-S mounting measurements 71x29mmV voltage relay outputs front measurements 77x35x20mm built-in depth 20mm protection IP55°C display 3 digits		
accessories for	379771		
	GEV No.	378253	Ref. No. 103554
	load module LAE type BD1-28C1S5W-B mounting measurements 107x95x47mm 230V voltage AC NTC relay outputs 5 NO-16A(12) NO-16A(4) NO-16A(4) NO-7A(2) NO-7A(2) NTC NTC DI DI built-in depth 47mm protection IP40 yes yes -50 to +120°C display		
	GEV No.	403458	Ref. No. —
	load module LAE type BIT25B1S3E-A mounting measurements 88x85mm 230V voltage AC NTC relay outputs 3 NO-20A(8) NO-16A(4) NO-7A(2) NTC NTC DI DI front measurementsmm built-in depth 40mm protection IP55 yes yes -50 up to +110°C display		
	GEV No.	403459	Ref. No. —
	connection cable LAE type FC06-20M01		



GEV No.	378253	Ref. No.	103554
description	load module LAE type BD1-28C1S5W-B mounting measurements 107x95x47mm 230V voltage AC NTC relay outputs 5 NO-16A(12) NO-16A(4) NO-16A(4) NO-7A(2) NO-7A(2) NTC NTC DI DI built-in depth 47mm protection IP40 yes yes -50 to +120°C display		
accessories for	378253		
	GEV No.	379771	Ref. No. 103555
	keypad unit LAE type LCD5-S mounting measurements 71x29mmV voltage relay outputs front measurements 77x35x20mm built-in depth 20mm protection IP55°C display 3 digits		
	GEV No.	379784	Ref. No. —
	temperature probe NTC 2kOhm cable thermoplastic probe -40 up to +110°C cable -40 up to +110°C probe ø6x35mm cable length 2m without screw connection 2-wire resistor 2kOhm		
	GEV No.	403459	Ref. No. —
	connection cable LAE type FC06-20M01		

probes

universal probes

temperature probes

GEV No.	379160	Ref. No.	103063 103355
description	temperature probe NTC 10kOhm cable thermoplastic probe -40 up to +110°C cable -40 up to +110°C probe ø6x14mm cable length 1.5m without screw connection 2-wire		

evaporation and condensing trays

evaporation trays heated

GEV No.	750279	Ref. No.	103009 103009,103082,103491
description	evaporation tray heated L 480mm W 197mm H 11mm 230V 150W		
For models:	VCR, VCS		

GEV No.	750280	Ref. No.	103079 103105 103105,103079,103491 104292
description	evaporation tray heated L 680mm W 197mm H 11mm 230V 200W		
For models:	VCR, VCS		

fans

axial fans

ebm-papst



GEV No.	601656 ¹	Ref. No.	103110
description	axial fan L 119mm W 119mm H 38mm 24VDC 12.5W bearing ball bearing manuf. no. 4114NHH connection cable 1500mm ebm-papst		

¹with ball bearings



import



1	GEV No.	601080 ¹	Ref. No.	103008
description	axial fan L 119mm W 119mm H 38mm 230VAC 50/60Hz 23/20W bearing ball bearing connection male faston 2.8mm metal ADDA fan wheel ø 110mm temp.-resist. 70°C			
For models:	VCR, VCS			
accessories for	601080			
	GEV No.	550898	Ref. No.	—
description	connecting cable cable length 2000mm connection F 2.8 connection distance 7.9mm for axial flow fan			
	GEV No.	692519	Ref. No.	—
description	guard L 120mm W 120mm plastic			

¹with ball bearings



1	GEV No.	601655 ¹	Ref. No.	102508 106483
description	axial fan L 40mm W 40mm H 20mm 12VDC 1.6W bearing ball bearing connection cable cable length 1300mm SUNON			
For models:	VCR, VCS			

¹with ball bearings

electric accessories

cables

power supply cables



1	GEV No.	550726	Ref. No.	103053
description	low temperature appliance supply cable CEE7/7 - C15 3-pole contacts P+N+E 1mm ² max. 10A max 250V 2.0m H05VVF T70 2-pole + earthing insulation PVC			

extension cables




1	GEV No.	550824	Ref. No.	103036
description	extension cable C13 - C14 3-pole contacts P+N+E 1mm ² max. 10A max 250V 1m T70 for equipment inlet			


equipment-specific units

for refrigerated counters

housing and bezels



1	GEV No.	691991	Ref. No.	103494 103494+103584
description	fan plate			




1	GEV No.	691989	Ref. No.	102907 102907+103583 103729
description	fan plate L 700mm W 550mm H 80mm			
For models:	VCR, VCS			

for dishwashers

spare parts and accessories




1	GEV No.	691983	Ref. No.	103582
description	drain pipe L 190mm			



1

GEV No.	691984	Ref. No.	103581
description	drain pipe L 730mm		
For models:	VCS		



1

GEV No.	901144	Ref. No.	103580
description	refrigeration gasket W 620mm L 785mm plug size heated		

handles and hand wheels

recessed handles



1

GEV No.	691985	Ref. No.	103257 104675
description	recessed handle W 123mm H 64mm		
For models:	VCR, VCS		

gaskets

refrigeration gaskets

plug-in gaskets

plug-in gaskets, heated



1

GEV No.	901143	Ref. No.	102745 106794
description	refrigeration gasket W 600mm L 755mm plug size heated		
For models:	VCR, VCS		

A

axial fans 4

C

cables 5

E

electric accessories 5

electronic controllers 3

evaporation trays heated 4

extension cables 5

F

fans 4

M

microswitches 3

P

plug-in gaskets 6

power supply cables 5

probes 4

R

refrigeration gaskets 6

S

switches and momentary switches 3

T

temperature probes 4

transformers 3

U

universal probes 4