



**GAS COMPONENTS**



**ELECTRIC COMPONENTS**



**WATER TECHNOLOGY**



**MECHANICAL COMPONENTS**



**TOOLS**

Spare parts suitable for

**BREMER**

Find the complete and up-to-date range of products in our GEV Webshop



# Manufacturer catalogue

The most important spare parts and accessories arranged clearly for every manufacturer

- ✓ Complete product range and all appliance data always up to date in the GEV Webshop
- ✓ Alphabetical Index at the end of the catalogue

## GEV Webshop

[www.gev-online.co.uk](http://www.gev-online.co.uk)

[www.gev-online.com](http://www.gev-online.com)









- 🔍 Add to Favourites
- 🔍 Sign In with email address and usual password
- 🔍 Easy-order – place several items in your basket at the same time
- 🔍 Quick Item search – no login needed





# heating elements

## heating elements for coffee machine

 <p>1</p>			
<b>GEV No.</b>	415436	<b>Ref. No.</b>	381268
<b>description</b>	heating element 1600W 220V L 240mm W 33mm H 30mm L1 65mm L2 175mm mounting distance 25mm thread M12x1 stainless steel connection M4 tube ø 8.5mm 2 hole fixing immersion heater		
<b>accessories for</b>	415436		
	GEV No. 510413	Ref. No.	—
	flat gasket L 43mm W 19mm hole ø 12mm hole distance 24mm copper thickness 2.3mm for heating element		
	GEV No. 510901	Ref. No.	—
	O-ring EPDM thickness 2mm ID ø 13mm Qty 1 pcs		
	GEV No. 520229	Ref. No.	—
	nut thread M12x1 H 4mm WS 16 zinc-coated steel Qty 1 pcs		
	GEV No. 521103	Ref. No.	—
	nut thread M4 H 3mm WS 7 brass Qty 20 pcs		
	GEV No. 521104	Ref. No.	—
	washer ID ø 4.3mm ED ø 8mm thickness 0.5mm brass Qty 20 pcs for thread M4		
	GEV No. 521110	Ref. No.	—
	flat gasket fibre ED ø 20mm ID ø 13mm thickness 2mm Qty 1 pcs		
	GEV No. 521131	Ref. No.	—
	nut thread M12x1 H 3.5mm WS 17 SS Qty 1 pcs		
	GEV No. 560111	Ref. No.	—
	plain washer ID ø 4.3mm ED ø 9mm thickness 0.8mm SS Qty 20 pcs DIN 125A for thread M4		
	GEV No. 560131	Ref. No.	—
	hexagonal nut thread M4 H 3.2mm WS 7 SS DIN/ISO DIN 934 / ISO 4032/8673 Qty 20 pcs		

 <p>1</p>			
<b>GEV No.</b>	415439	<b>Ref. No.</b>	378577
<b>description</b>	heating element 2000W 230V heating circuits 1 L 342mm W 33mm H 26mm mounting distance 25mm thread M12x1 connection M4 tube ø 8.5mm 2 hole fixing immersion heater		
<b>spare parts for</b>	415439		
	GEV No. 532009	Ref. No.	—
	O-ring EPDM thickness 1.78mm ID ø 14mm Qty 10 pcs		
<b>accessories for</b>	415439		
	GEV No. 520228	Ref. No.	—
	tooth lock washer ID ø 15.3mm ED ø 24mm steel Qty 1 pcs for thread M14		
	GEV No. 520229	Ref. No.	—
	nut thread M12x1 H 4mm WS 16 zinc-coated steel Qty 1 pcs		
	GEV No. 521103	Ref. No.	—
	nut thread M4 H 3mm WS 7 brass Qty 20 pcs		
	GEV No. 521104	Ref. No.	—
	washer ID ø 4.3mm ED ø 8mm thickness 0.5mm brass Qty 20 pcs for thread M4		

<b>accessories for</b>	415439		
	GEV No. 560111	Ref. No.	—
	plain washer ID ø 4.3mm ED ø 9mm thickness 0.8mm SS Qty 20 pcs DIN 125A for thread M4		
	GEV No. 560131	Ref. No.	—
	hexagonal nut thread M4 H 3.2mm WS 7 SS DIN/ISO DIN 934 / ISO 4032/8673 Qty 20 pcs		

 <p>1</p>			
<b>GEV No.</b>	415437	<b>Ref. No.</b>	017299 378585
<b>description</b>	heating element 3000W 220V heating circuits 1 L 350mm W 33mm H 32mm L1 10mm L2 30mm mounting distance 25mm thread M12x1 connection M4 tube ø 8.6mm 2 hole fixing immersion heater L3 303mm connection length 20mm		
<b>accessories for</b>	415437		
	GEV No. 510413	Ref. No.	—
	flat gasket L 43mm W 19mm hole ø 12mm hole distance 24mm copper thickness 2.3mm for heating element		
	GEV No. 510901	Ref. No.	—
	O-ring EPDM thickness 2mm ID ø 13mm Qty 1 pcs		
	GEV No. 520229	Ref. No.	—
	nut thread M12x1 H 4mm WS 16 zinc-coated steel Qty 1 pcs		
	GEV No. 521103	Ref. No.	—
	nut thread M4 H 3mm WS 7 brass Qty 20 pcs		
	GEV No. 521104	Ref. No.	—
	washer ID ø 4.3mm ED ø 8mm thickness 0.5mm brass Qty 20 pcs for thread M4		
	GEV No. 521110	Ref. No.	—
	flat gasket fibre ED ø 20mm ID ø 13mm thickness 2mm Qty 1 pcs		
	GEV No. 521131	Ref. No.	—
	nut thread M12x1 H 3.5mm WS 17 SS Qty 1 pcs		
	GEV No. 560111	Ref. No.	—
	plain washer ID ø 4.3mm ED ø 9mm thickness 0.8mm SS Qty 20 pcs DIN 125A for thread M4		
	GEV No. 560131	Ref. No.	—
	hexagonal nut thread M4 H 3.2mm WS 7 SS DIN/ISO DIN 934 / ISO 4032/8673 Qty 20 pcs		














 <p>1</p>			
<b>GEV No.</b>	415440	<b>Ref. No.</b>	372749
<b>description</b>	heating element 3300W 220V heating circuits 1 L 255mm W 67mm H 20mm L1 20mm L2 25mm L3 210mm W1 16mm W2 33mm mounting distance 25mm thread M12x1 stainless steel connection cable tube ø 8.5mm 2 hole fixing immersion heater cable length 365mm		
<b>accessories for</b>	415440		
	GEV No. 520229	Ref. No.	—
	nut thread M12x1 H 4mm WS 16 zinc-coated steel Qty 1 pcs		
	GEV No. 521110	Ref. No.	—
	flat gasket fibre ED ø 20mm ID ø 13mm thickness 2mm Qty 1 pcs		

Table continues overleaf






<b>accessories for</b> 415440	
	GEV No. 521131 Ref. No. — nut thread M12x1 H 3.5mm WS 17 SS Qty 1 pcs
	GEV No. 528110 Ref. No. — O-ring EPDM thickness 2.62mm ID ø 12.37mm Qty 1 pcs

 <b>1</b>	
<b>GEV No.</b> 415438	<b>Ref. No.</b> 187003 381233
<b>description</b>	heating element 4000W 220V L 430mm W 30mm H 37mm mounting distance 22mm thread M12x1 connection M4 tube ø 8.5mm 2 hole fixing immersion heater

<b>accessories for</b> 415438	
	GEV No. 510413 Ref. No. — flat gasket L 43mm W 19mm hole ø 12mm hole distance 24mm copper thickness 2.3mm for heating element
	GEV No. 520229 Ref. No. — nut thread M12x1 H 4mm WS 16 zinc-coated steel Qty 1 pcs
	GEV No. 521103 Ref. No. — nut thread M4 H 3mm WS 7 brass Qty 20 pcs
	GEV No. 521104 Ref. No. — washer ID ø 4.3mm ED ø 8mm thickness 0.5mm brass Qty 20 pcs for thread M4
	GEV No. 521110 Ref. No. — flat gasket fibre ED ø 20mm ID ø 13mm thickness 2mm Qty 1 pcs
	GEV No. 521131 Ref. No. — nut thread M12x1 H 3.5mm WS 17 SS Qty 1 pcs
	GEV No. 528110 Ref. No. — O-ring EPDM thickness 2.62mm ID ø 12.37mm Qty 1 pcs
	GEV No. 560111 Ref. No. — plain washer ID ø 4.3mm ED ø 9mm thickness 0.8mm SS Qty 20 pcs DIN 125A for thread M4
	GEV No. 560131 Ref. No. — hexagonal nut thread M4 H 3.2mm WS 7 SS DIN/ISO DIN 934 / ISO 4032/8673 Qty 20 pcs

immersion heating elements

 <b>1</b>	
<b>GEV No.</b> 415438	<b>Ref. No.</b> 187003 381233
<b>description</b>	heating element 4000W 220V L 430mm W 30mm H 37mm mounting distance 22mm thread M12x1 connection M4 tube ø 8.5mm 2 hole fixing immersion heater
<b>accessories for</b> 415438	
	GEV No. 510413 Ref. No. — flat gasket L 43mm W 19mm hole ø 12mm hole distance 24mm copper thickness 2.3mm for heating element
	GEV No. 520229 Ref. No. — nut thread M12x1 H 4mm WS 16 zinc-coated steel Qty 1 pcs

<b>accessories for</b> 415438	
	GEV No. 521103 Ref. No. — nut thread M4 H 3mm WS 7 brass Qty 20 pcs
	GEV No. 521104 Ref. No. — washer ID ø 4.3mm ED ø 8mm thickness 0.5mm brass Qty 20 pcs for thread M4
	GEV No. 521110 Ref. No. — flat gasket fibre ED ø 20mm ID ø 13mm thickness 2mm Qty 1 pcs
	GEV No. 521131 Ref. No. — nut thread M12x1 H 3.5mm WS 17 SS Qty 1 pcs
	GEV No. 528110 Ref. No. — O-ring EPDM thickness 2.62mm ID ø 12.37mm Qty 1 pcs
	GEV No. 560111 Ref. No. — plain washer ID ø 4.3mm ED ø 9mm thickness 0.8mm SS Qty 20 pcs DIN 125A for thread M4
	GEV No. 560131 Ref. No. — hexagonal nut thread M4 H 3.2mm WS 7 SS DIN/ISO DIN 934 / ISO 4032/8673 Qty 20 pcs


thermostats

control and safety thermostats

EGO

safety thermostats

55.31\_ series

 <b>1</b>	
<b>GEV No.</b> 375072	<b>Ref. No.</b> 041254
<b>description</b>	safety thermostat switch-off temp. 170°C 3-pole 20A probe ø 3.1mm probe L 524mm capillary pipe 350mm capillary pipe isolated 350mm gland nut probe SS




## switches and momentary switches

### rocker/momentary rocker switches

30x22mm



1

<b>GEV No.</b>	301003	<b>Ref. No.</b>	053295
<b>description</b>	rocker switch mounting measurements 30x22mm green 2NO 250V 16A illuminated 0-I connection male faston 6.3mm ambient temperature max. 125/55°C protection IP65		
<b>accessories for</b>	301003		
	<b>GEV No.</b>	301036	<b>Ref. No.</b>
			—
<b>description</b>	protective cover internal size 30x22mm for rocker switch mounting measurementsmm		

## lamps

### indicator lights

#### indicator lights (complete)

30x22mm



1

<b>GEV No.</b>	359156	<b>Ref. No.</b>	053317
<b>description</b>	indicator light mounting measurements 30x22mm 230V yellow connection male faston 6.3mm temp.-resist. 125/55°C type RL2		

## contactors

### ISKRA (FANAL)

#### power contactors



1

<b>GEV No.</b>	380212	<b>Ref. No.</b>	307491
<b>description</b>	power contactor resistive load 20A 230VAC (AC3/400V) 8.5A/5.5kW main contacts 3NO auxiliary contacts 1NC connection screw connection type Fanal K07M 01 type ISKRA DSL7 01		



1

<b>GEV No.</b>	380423	<b>Ref. No.</b>	181498
<b>description</b>	power contactor resistive load 35A 230VAC (AC3/400V) 25A/11kW main contacts 3NO auxiliary contacts connection screw connection type Fanal DSL22 type ISKRA KNL22		

## electronics

### PCBs



1

<b>GEV No.</b>	400013	<b>Ref. No.</b>	214582
<b>description</b>	PCB combi-steamer 6x1/1 5x2/3 level control		

## solenoïd valves

### solenoïd valves (water)

#### metal

#### MÜLLER

#### 2-way



1

<b>GEV No.</b>	370069 <sup>1</sup>	<b>Ref. No.</b>	374806
<b>description</b>	solenoïd valve 2-ways 230VAC inlet 1/8" IT outlet 1/8" IT L 30mm water MÜLLER DN10		

<sup>1</sup>with adjusting screw



1

<b>GEV No.</b>	370037 <sup>1</sup>	<b>Ref. No.</b>	079561
<b>description</b>	solenoïd valve 2-ways 230VAC inlet 1/8" IT outlet M16x1 outer steam MÜLLER		

<sup>1</sup>with adjusting screw





## pressure switches

### for coffee machines

ø 45mm



1

<b>GEV No.</b>	541015	<b>Ref. No.</b>	030422
<b>description</b>	pressure control ø 45mm pressure range 400/360mbar pressure range 0.4/0.36bar p max 1.02bar pressure connection vertical coffee machine parts connection 1/4" 1CO suitable for Palux, Bremer pressure connection 1/4"		

### for steam control



1

<b>GEV No.</b>	541015	<b>Ref. No.</b>	030422
<b>description</b>	pressure control ø 45mm pressure range 400/360mbar pressure range 0.4/0.36bar p max 1.02bar pressure connection vertical coffee machine parts connection 1/4" 1CO suitable for Palux, Bremer pressure connection 1/4"		

## flow meters and flow sensors

### flow meters

GICAR



1

<b>GEV No.</b>	400642	<b>Ref. No.</b>	027790
<b>description</b>	flow meter thread 1/4" plastic plug-in connection approval NSF		

**C**

contactors 5

**F**

flow meters 6

**H**

heating elements 3

heating elements for coffee machine 3

**I**

immersion heating elements 4

indicator lights 5

indicator lights (complete) 5

**L**

lamps 5

**P**

pressure switches 6

**R**

rocker/momentary rocker switches 5

**S**

safety thermostats 4

solenoid valves 5

switches and momentary switches 5

**T**

thermostats 4