



GAS COMPONENTS



ELECTRIC COMPONENTS



WATER TECHNOLOGY



MECHANICAL COMPONENTS



TOOLS

Spare parts suitable for

COMPAK

Find the complete and up-to-date range of products in our GEV Webshop



Manufacturer catalogue

The most important spare parts and accessories arranged clearly for every manufacturer

- ✓ Complete product range and all appliance data always up to date in the GEV Webshop
- ✓ Alphabetical Index at the end of the catalogue

GEV Webshop

www.gev-online.co.uk

www.gev-online.com



- 🔍 Add to Favourites
- 🔍 Sign In with email address and usual password
- 🔍 Easy-order – place several items in your basket at the same time
- 🔍 Quick Item search – no login needed



switches and momentary switches

rocker/momentary rocker switches


30x22mm




GEV No.	345056	Ref. No.	K00069
description	rocker switch mounting measurements 30x22mm orange 2NO 250V 8A illuminated cup connection male faston 6.3mm ambient temperature max. 85°C protection IP40		
For models:	K5, K6, K6-Silenzio, K6-Silenzio-Telescopico, K6-Telescopico, K8-Silenzio, K8-Silenzio-Telescopico		

ø20mm




GEV No.	347243	Ref. No.	K02015
description	rocker switch mounting ø 20mm black 1CO 250V 10A I O II connection male faston 4.8mm with neutral position		
For models:	K3-Push, K3-Shop, K3-Touch		
accessories for	347243		
	GEV No.	347331	Ref. No. —
	protective cover ED ø 24mm H 8mm		



GEV No.	347242	Ref. No.	K02014 K02014c
description	rocker switch mounting ø 20mm black/red 1NO 250V 6A I O connection male faston 4.8mm ambient temperature max. 125°C protection IP40		
For models:	K3		
accessories for	347242		
	GEV No.	347331	Ref. No. —
	protective cover ED ø 24mm H 8mm		



GEV No.	347241	Ref. No.	K02013
description	rocker switch mounting ø 20mm red 1NO/indicator light 250V 10A connection male faston 4.8mm ambient temperature max. 85°C protection IP40		
For models:	K3-Elite		
accessories for	347241		
	GEV No.	347331	Ref. No. —
	protective cover ED ø 24mm H 8mm		

microswitches

lever actuated



GEV No.	347244	Ref. No.	K02093
description	microswitch with lever 250V 0.1A 1NO connection cable ambient temperature max. 120°C lever length 51.5mm		
For models:	K3-Push, K3-Shop, K3-Touch		



GEV No.	347245	Ref. No.	K02505
description	microswitch with lever 250V 10.1A 1NO connection cable L 48mm ambient temperature max. 120°C mounting distance 10mm type CHERRY DB2 actuating force: 15g lever length 51.5mm		
For models:	K3-Push, K3-Shop, K3-Touch		

pin-plunger actuated



GEV No.	345105	Ref. No.	K00733
description	microswitch with plunger 250V 16A 1CO connection male faston 6.3mm L 28mm ambient temperature max. 125°C mounting distance 22mm type SM-51 actuating force: 280g black		
For models:	K3, K3-Elite, K5, K6, K6-Silenzio, K6-Silenzio-Telescopico, K6-Telescopico, K8-Silenzio, K8-Silenzio-Telescopico		

condensators & interference suppression filters

operating capacitors

plastic



GEV No.	365013	Ref. No.	K00254
description	operating capacitor capacity 8µF 400V tolerance 5%Hz ambient temperature max. -25 to +85°C ø 31.5mm L 55mm M8 plastic connection male faston 6.3mm protection		
For models:	K5, K6, K6-Silenzio, K6-Silenzio-Telescopico, K6-Telescopico, K8-Silenzio, K8-Silenzio-Telescopico		



metal



1

GEV No.	365114	Ref. No.	K05109
description	operating capacitor capacity 6 μ F 425/475V with metal case tolerance 5% ϕ 31mm L 60mm connection male faston 6.3mm		
For models:	K8-Silenzio, K8-Silenzio-Telescopic		



1

GEV No.	365113	Ref. No.	K00409 K01295
description	operating capacitor capacity 6 μ F 450V with metal case tolerance 5% 50/60Hz ϕ 43mm L 62mm M8 connection male faston 6.3mm		
For models:	K3, K3-Elite, K3-Push, K3-Shop, K3-Touch, K8-Silenzio, K8-Silenzio-Telescopic		



1

GEV No.	365004	Ref. No.	K01296
description	operating capacitor capacity 8 μ F 400V tolerance 5% 50/60Hz ambient temperature max. -25 to +85°C ϕ 30mm L 94mm M8 aluminium connection cable 300mm protection IP65		
For models:	K5, K6, K6-Silenzio, K6-Silenzio-Telescopic, K6-Telescopic		

electric accessories

cables

miscellaneous



1

GEV No.	344002	Ref. No.	K-02228
description	cable for rocker switch L 138mm connection male faston		
For models:	K3-Elite		

equipment-specific units

for coffee grinders

grinding burrs

grinding burrs straight

standard



1

GEV No.	525816	Ref. No.	K02058 K2058
description	grinding burrs pair turn direction right D1 ϕ 58mm ID ϕ 33.4mm H 8.5mm tooth spacing 3mm hole ϕ 5mm bore ϕ 8.5mm mounting ϕ 44 suitable for K3		
For models:	K3, K3-Elite, K3-Push, K3-Shop, K3-Touch		



1

GEV No.	527240	Ref. No.	K00246
description	grinding burrs pair turn direction right D1 ϕ 60mm ID ϕ 36mm H 8mm tooth spacing 4mm hole ϕ 5.5mm bore ϕ 8.3mm mounting ϕ 48 straight suitable for WEGA, COMPAK		



1

GEV No.	525815	Ref. No.	K00099 K99
description	grinding burrs pair turn direction right D1 ϕ 63.4mm ID ϕ 38.2mm H 9.2mm tooth spacing 3.5mm hole ϕ 5.5mm bore ϕ 8.6mm mounting ϕ 50		
For models:	K5, K6, K6-Silenzio, K6-Silenzio-Telescopic, K6-Telescopic		



1

GEV No.	526552	Ref. No.	N/A
description	grinding burrs pair turn direction right D1 ϕ 75mm ID ϕ 43mm H 10.5mm tooth spacing 3.5mm hole ϕ 5.5mm bore ϕ 8.5mm mounting ϕ 57		



1


GEV No.	526177	Ref. No.	K00812
description	grinding burrs pair turn direction right D1 ø 82.5mm ID ø 49.2mm H 9.5mm tooth spacing 3.5mm hole ø 6mm bore ø 10.2mm mounting ø 66 suitable for COMPAK		
For models:	K8-Silenzio-Telescopic		



1

GEV No.	526174	Ref. No.	K01223
description	grinding burr holder for model K6 Silenzio		
For models:	K6-Silenzio, K6-Silenzio-Telescopic, K8-Silenzio, K8-Silenzio-Telescopic		

grinding burrs conical



1

GEV No.	525457	Ref. No.	K03068 K03068C
description	grinding burrs pair turn direction right D1 ø 68mm suitable for COMPAK		
For models:	K10-Conic		



1

GEV No.	525817	Ref. No.	K01209 K1209
description	grinding burr holder turn direction right D1 ø 58mm D2 ø 63mm H 24mm mounting pos. lower suitable for COMPAK for model K3E		
For models:	K3, K3-Elite, K3-Push, K3-Shop, K3-Touch		
spare parts for	525817		
GEV No.	525816	Ref. No.	K02058 K2058
description	grinding burrs pair turn direction right D1 ø 58mm ID ø 33.4mm H 8.5mm tooth spacing 3mm hole ø 5mm bore ø 8.5mm mounting ø 44 suitable for K3		

grinding burrs holders



1

GEV No.	526175	Ref. No.	K01318
description	grinding burr holder for model K6		
For models:	K5, K6, K6-Telescopic		



1

GEV No.	526176	Ref. No.	K01203
description	grinding burr holder turn direction right D1 ø 63.5mm D2 ø 69mm H 21mm with grinding burr mounting pos. lower for model K6/K6 Silenzio		
For models:	K5, K6, K6-Silenzio, K6-Silenzio-Telescopic, K6-Telescopic		



1

GEV No.	526139	Ref. No.	K01320
description	grinding burr holder for model K-6		
For models:	K5, K6, K6-Silenzio, K6-Silenzio-Telescopic, K6-Telescopic		




1

GEV No.	525818	Ref. No.	K01208 K1208
description	grinding burr holder turn direction right for model K3E		
For models:	K3, K3-Elite, K3-Push, K3-Shop, K3-Touch		

			
1			
GEV No.	526178	Ref. No.	K02170
description	grinding burr holder turn direction right mounting pos. upper for model K3		
For models:	K3, K3-Elite, K3-Push, K3-Shop, K3-Touch		

screws

			
1			
GEV No.	560445	Ref. No.	K02078 K2078
description	flat-headed bolt thread M4 thread L 8mm zinc-coated steel Qty 1 pcs intake Phillips head ø 8mm head thickness 3mm		
For models:	K3, K3-Elite, K3-Push, K3-Shop, K3-Touch, K5, K6, K6-Silenzio, K6-Silenzio-Telescopic, K6-Telescopic		

spillage trays

			
1			
GEV No.	527038	Ref. No.	K00803
description	drain tray for coffee grinder		
For models:	K5, K6, K6-Silenzio, K6-Silenzio-Telescopic, K6-Telescopic, K8-Silenzio, K8-Silenzio-Telescopic		

dosing containers

dosing container lids

			
1			
GEV No.	526156	Ref. No.	K02053
description	lid for dosing container L 181mm W 134mm H 40mm		
For models:	K3, K3-Elite		



1

GEV No.	526173	Ref. No.	K00804
description	lid for dosing container L 199mm W 168mm H 50mm		
For models:	K5, K6, K6-Silenzio, K6-Silenzio-Telescopic, K6-Telescopic, K8-Silenzio, K8-Silenzio-Telescopic		

dosing units



1

GEV No.	526169	Ref. No.	K01113
description	dosing unit with lever and button mounting pos. left		
For models:	K10-Conic, K3, K3-Elite, K3-Push, K3-Shop, K3-Touch, K5, K6, K6-Silenzio, K6-Silenzio-Telescopic, K6-Telescopic, K8-Silenzio, K8-Silenzio-Telescopic		



1

GEV No.	526171	Ref. No.	K01118
description	dosing unit with lever and counter mounting pos. right aluminium		
For models:	K10-Conic, K3, K3-Elite, K3-Push, K3-Shop, K3-Touch, K5, K6, K6-Silenzio, K6-Silenzio-Telescopic, K6-Telescopic, K8-Silenzio, K8-Silenzio-Telescopic		



1

GEV No.	526170	Ref. No.	K01117
description	dosing unit with lever and counter plastic		
For models:	K10-Conic, K3, K3-Elite, K3-Push, K3-Shop, K3-Touch, K5, K6, K6-Silen-zio, K6-Silen-zio-Telescopic, K6-Telescopic, K8-Silen-zio-Telescopic		



1

GEV No.	526168	Ref. No.	K01112 K01227
description	dosing unit with lever mounting pos. left for A1/K3/K5/K6/K8/K10		
For models:	K10-Conic, K3, K3-Elite, K3-Push, K3-Shop, K3-Touch, K5, K6, K6-Silen-zio, K6-Silen-zio-Telescopic, K6-Telescopic, K8-Silen-zio, K8-Silen-zio-Telescopic		



1

GEV No.	526138	Ref. No.	K01111
description	dosing unit with lever mounting pos. left for A2/K3/K5/K6/K8/K10-Silen-zio		
For models:	K10-Conic, K3, K3-Elite, K3-Push, K3-Shop, K3-Touch, K5, K6, K6-Silen-zio, K6-Silen-zio-Telescopic, K6-Telescopic, K8-Silen-zio-Telescopic		



1

GEV No.	526172	Ref. No.	K01119
description	dosing unit with lever, button and counter mounting pos. right aluminium		
For models:	K10-Conic, K3, K3-Elite, K3-Push, K3-Shop, K3-Touch, K5, K6, K6-Silen-zio, K6-Silen-zio-Telescopic, K6-Telescopic, K8-Silen-zio, K8-Silen-zio-Telescopic		


springs

group 1



1


GEV No.	526144	Ref. No.	K00619
description	torsion spring \varnothing 38mm L2 18mm wire gauge \varnothing 1.8mm L1 9mm L3 57mm for dosing pump lever left		
For models:	K10-Conic, K3, K3-Elite, K3-Push, K3-Shop, K3-Touch, K5, K6, K6-Silen-zio, K6-Silen-zio-Telescopic, K6-Telescopic, K8-Silen-zio-Telescopic		



1

GEV No.	527150	Ref. No.	K00618
description	torsion spring \varnothing 38mm L2 18mm wire gauge \varnothing 1.8mm L1 9mm L3 57mm for dosing pump lever right		
For models:	K10-Conic, K3, K3-Elite, K3-Push, K3-Shop, K3-Touch, K5, K6, K6-Silen-zio, K6-Silen-zio-Telescopic, K6-Telescopic, K8-Silen-zio-Telescopic		

glass cylinders



1

GEV No.	526155	Ref. No.	K02052
description	cylinder \varnothing 125.5mm H 68.2mm		
For models:	K3, K3-Elite		

levers

levers



1

GEV No.	526150	Ref. No.	K01122
description	lever left dosing pump hole ø 18mm plastic		
For models:	K10-Conic, K3, K3-Elite, K3-Push, K3-Shop, K3-Touch, K5, K6, K6-Silen-zio, K6-Silenzio-Telescopic, K6-Telescopic, K8-Silenzio-Telescopic		



1

GEV No.	526145	Ref. No.	K01120
description	lever left dosing pump hole ø 19mm aluminium		
For models:	K10-Conic, K3, K3-Elite, K3-Push, K3-Shop, K3-Touch, K5, K6, K6-Silen-zio, K6-Silenzio-Telescopic, K6-Telescopic, K8-Silenzio-Telescopic		



1

GEV No.	526153	Ref. No.	K01128
description	lever left for dosing pump L 19mm aluminium		
For models:	K10-Conic, K3, K3-Elite, K3-Push, K3-Shop, K3-Touch, K5, K6, K6-Silen-zio, K6-Silenzio-Telescopic, K6-Telescopic, K8-Silenzio-Telescopic		



1

GEV No.	526152	Ref. No.	K01124
description	lever right dosing pump hole ø 18.5mm aluminium		
For models:	K10-Conic, K3, K3-Elite, K3-Push, K3-Shop, K3-Touch, K5, K6, K6-Silen-zio, K6-Silenzio-Telescopic, K6-Telescopic, K8-Silenzio-Telescopic		



1

GEV No.	526151	Ref. No.	K01123
description	lever right dosing pump hole ø 18mm plastic		
For models:	K10-Conic, K3, K3-Elite, K3-Push, K3-Shop, K3-Touch, K5, K6, K6-Silen-zio, K6-Silenzio-Telescopic, K6-Telescopic, K8-Silenzio-Telescopic		



1

GEV No.	526149	Ref. No.	K01121
description	lever right dosing pump hole ø 19mm aluminium		
For models:	K10-Conic, K3, K3-Elite, K3-Push, K3-Shop, K3-Touch, K5, K6, K6-Silen-zio, K6-Silenzio-Telescopic, K6-Telescopic, K8-Silenzio-Telescopic		

coffee powder dispenser



1

GEV No.	526158	Ref. No.	K00008
description	coffee discharge chute plastic for coffee machine		
For models:	K5, K6, K6-Telescopic		




1

GEV No.	527143	Ref. No.	K00635
description	coffee discharge chute rubber for coffee grinder		
For models:	K6-Silenzio, K6-Silenzio-Telescopic, K8-Silenzio, K8-Silenzio-Telescopic		

coffee presses

components

springs



1

GEV No.	527147	Ref. No.	K00509
description	compression spring ø 15.1mm L 85mm wire gauge ø 1.3mm		
For models:	K10-Conic, K3, K3-Elite, K3-Push, K3-Shop, K3-Touch, K5, K6, K6-Silen-zio, K6-Silenzio-Telescopic, K6-Telescopic, K8-Silenzio-Telescopic		

pressers



1


GEV No.	526161	Ref. No.	K00160
description	coffee press ø 50mm H 20mm plastic		
For models:	K10-Conic, K3, K3-Elite, K3-Push, K3-Shop, K3-Touch, K5, K6, K6-Silen-zio, K6-Silenzio-Telescopic, K6-Telescopic, K8-Silenzio-Telescopic		





1


GEV No.	526163	Ref. No.	K01249
description	coffee press ø 53mm H 13mm thread M8x1.25 plastic		
For models:	K10-Conic, K3, K3-Elite, K3-Push, K3-Shop, K3-Touch, K5, K6, K6-Silen-zio, K6-Silenzio-Telescopic, K6-Telescopic, K8-Silenzio-Telescopic		





			
1			
GEV No.	526159	Ref. No.	K00038
description	coffee press ø 53mm H 18.5mm thread M8x1.25 plastic		
For models:	K10-Conic, K3, K3-Elite, K3-Push, K3-Shop, K3-Touch, K5, K6, K6-Silenzio, K6-Silenzio-Telescopic, K6-Telescopic, K8-Silenzio-Telescopic		


			
1			
GEV No.	526162	Ref. No.	K01247
description	coffee press ø 57mm H 13mm thread M8x1.25 plastic		
For models:	K10-Conic, K3, K3-Elite, K3-Push, K3-Shop, K3-Touch, K5, K6, K6-Silenzio, K6-Silenzio-Telescopic, K6-Telescopic, K8-Silenzio-Telescopic		


			
1			
GEV No.	526164	Ref. No.	K01166
description	coffee press ø 57mm H 28mm thread M8x1.25 aluminium		
For models:	K10-Conic, K3, K3-Elite, K3-Push, K3-Shop, K3-Touch, K5, K6, K6-Silenzio, K6-Silenzio-Telescopic, K6-Telescopic, K8-Silenzio-Telescopic		

			
1			
GEV No.	527047	Ref. No.	K00166
description	coffee press ø 57mm thread M8 plastic for coffee grinder		
For models:	K10-Conic, K3, K3-Elite, K3-Push, K3-Shop, K3-Touch, K5, K6, K6-Silenzio, K6-Silenzio-Telescopic, K6-Telescopic, K8-Silenzio-Telescopic		


buttons			
			
1			
GEV No.	526160	Ref. No.	K00064
description	counterflange for coffee press thread M6 L 41mm W 15mm thickness 2mm		
For models:	K10-Conic, K3, K3-Elite, K3-Push, K3-Shop, K3-Touch, K5, K6, K6-Silenzio, K6-Silenzio-Telescopic, K6-Telescopic, K8-Silenzio-Telescopic		


			
1			
GEV No.	527099	Ref. No.	K00505
description	frame for push-button plastic		
For models:	K10-Conic, K3, K3-Elite, K3-Push, K3-Shop, K3-Touch, K5, K6, K6-Silenzio, K6-Silenzio-Telescopic, K6-Telescopic, K8-Silenzio-Telescopic		

			
1			
GEV No.	527091	Ref. No.	K00506
description	push button		
For models:	K10-Conic, K3, K3-Elite, K3-Push, K3-Shop, K3-Touch, K5, K6, K6-Silenzio, K6-Silenzio-Telescopic, K6-Telescopic, K8-Silenzio-Telescopic		

coffee presses			
			
1			
GEV No.	530520	Ref. No.	K00040C
description	coffee press ø 57mm L 76mm plastic		

bodies			
			
1			
GEV No.	527042	Ref. No.	K00221
description	retaining ring polished ø 130mm		
For models:	K3-Elite, K5, K6, K6-Silenzio, K6-Silenzio-Telescopic, K6-Telescopic, K8-Silenzio, K8-Silenzio-Telescopic		

automatic grinding			
			
1			
GEV No.	526157	Ref. No.	K02732
description	housing for microswitch with switch mechanism H 60mm for model K3		
For models:	K3, K3-Elite		

			
1			
GEV No.	527139	Ref. No.	K00732
description	housing for microswitch with switch mechanism H 68mm for model K5/K6/K8		
For models:	K5, K6, K6-Silenzio, K6-Silenzio-Telescopic, K6-Telescopic, K8-Silenzio, K8-Silenzio-Telescopic		

stars

complete



1

GEV No.	526167	Ref. No.	K01110
description	star complete ø 118mm aluminium		
For models:	K10-Conic, K3, K3-Elite, K3-Push, K3-Shop, K3-Touch, K5, K6, K6-Silen- zio, K6-Silenzio-Telescopic, K6-Telescopic, K8-Silenzio-Telescopic		



1

GEV No.	526166	Ref. No.	K01109
description	star complete ø 118mm plastic		
For models:	K10-Conic, K3, K3-Elite, K3-Push, K3-Shop, K3-Touch, K5, K6, K6-Silen- zio, K6-Silenzio-Telescopic, K6-Telescopic, K8-Silenzio-Telescopic		

coffee beans containers

container lids



1

GEV No.	526154	Ref. No.	K02027
description	lid for coffee beans container ø 162mm suitable for K3		
For models:	K3, K3-Elite, K3-Push, K3-Shop, K3-Touch		



1

GEV No.	527039	Ref. No.	K00004
description	lid for coffee beans container ø 182mm		
For models:	K5, K6, K6-Silenzio, K6-Silenzio-Telescopic, K6-Telescopic, K8-Silenzio, K8-Silenzio-Telescopic		

gaskets



1

GEV No.	526165	Ref. No.	K00570
description	gasket for coffee beans container ED ø 60mm ID ø 48mm plastic thickness 4mm		
For models:	K6-Silenzio, K6-Silenzio-Telescopic, K8-Silenzio, K8-Silenzio-Telescopic		

coffee beans containers



1

GEV No.	526136	Ref. No.	K02028
description	coffee beans container ø 163mm H 193mm seat ø 47mm		
For models:	K3, K3-Elite, K3-Push, K3-Shop, K3-Touch		




1


GEV No.	526137	Ref. No.	K01358
description	coffee beans container ø 187mm H 251mm seat ø 47mm		
For models:	K5, K6, K6-Silenzio, K6-Silenzio-Telescopic, K6-Telescopic, K8-Silenzio, K8-Silenzio-Telescopic		



locks


 <p>1</p>			
GEV No.	527088	Ref. No.	K00827
description	catch for coffee beans container L 51mm W 42.5mm thickness 3mm plastic		
For models:	K3, K3-Elite, K3-Push, K3-Shop, K3-Touch, K5, K6, K6-Silen-zio, K6-Silen-zio-Telescopic, K6-Telescopic, K8-Silen-zio, K8-Silen-zio-Telescopic		

support for filter holder

 <p>1</p>			
GEV No.	527037	Ref. No.	K00815
description	bracket for filter holder short L 125mm W 82mm H 24mm plastic		
For models:	K3, K3-Elite, K5, K6, K6-Silen-zio, K6-Silen-zio-Telescopic, K6-Telescopic, K8-Silen-zio, K8-Silen-zio-Telescopic		


equipment feet and end caps


bolting feet

 <p>1</p>			
GEV No.	527181	Ref. No.	K00022
description	equipment foot ø 28mm H 14mm rubber bore ø 6.5mm Qty 1 pcs		
For models:	K3, K3-Elite, K3-Push, K3-Shop, K3-Touch, K5, K6, K6-Silen-zio, K6-Silen-zio-Telescopic, K6-Telescopic, K8-Silen-zio, K8-Silen-zio-Telescopic		


springs

torsion springs

 <p>1</p>			
GEV No.	526144	Ref. No.	K00619
description	torsion spring ø 38mm L2 18mm wire gauge ø 1.8mm L1 9mm L3 57mm for dosing pump lever left		
For models:	K10-Conic, K3, K3-Elite, K3-Push, K3-Shop, K3-Touch, K5, K6, K6-Silen-zio, K6-Silen-zio-Telescopic, K6-Telescopic, K8-Silen-zio-Telescopic		

 <p>1</p>			
GEV No.	527150	Ref. No.	K00618
description	torsion spring ø 38mm L2 18mm wire gauge ø 1.8mm L1 9mm L3 57mm for dosing pump lever right		
For models:	K10-Conic, K3, K3-Elite, K3-Push, K3-Shop, K3-Touch, K5, K6, K6-Silen-zio, K6-Silen-zio-Telescopic, K6-Telescopic, K8-Silen-zio-Telescopic		


compression springs


 <p>1</p>			
GEV No.	527147	Ref. No.	K00509
description	compression spring ø 15.1mm L 85mm wire gauge ø 1.3mm		
For models:	K10-Conic, K3, K3-Elite, K3-Push, K3-Shop, K3-Touch, K5, K6, K6-Silen-zio, K6-Silen-zio-Telescopic, K6-Telescopic, K8-Silen-zio-Telescopic		

fastening material


screws

countersunk screws

 <p>1</p>			
GEV No.	560040	Ref. No.	K02079
description	countersunk screw thread M5 L 12mm WS 3 SS DIN 7991/ISO 10642 Qty 20 pcs intake hexagonal		
For models:	K3-Elite, K5, K6, K6-Silen-zio, K6-Silen-zio-Telescopic, K6-Telescopic, K8-Silen-zio, K8-Silen-zio-Telescopic		

 <p>1</p>			
GEV No.	560386	Ref. No.	K00065
description	countersunk screw thread M6 WS 4 DIN 7991/ISO 10642 Qty 1 pcs ED ø 12mm hardend thread L 16mm		
For models:	K10-Conic, K3, K3-Elite, K3-Push, K3-Shop, K3-Touch, K5, K6, K6-Silen-zio, K6-Silen-zio-Telescopic, K6-Telescopic, K8-Silen-zio-Telescopic		

flat-headed bolts

 <p>1</p>			
GEV No.	560445	Ref. No.	K02078 K2078
description	flat-headed bolt thread M4 thread L 8mm zinc-coated steel Qty 1 pcs intake Phillips head ø 8mm head thickness 3mm		
For models:	K3, K3-Elite, K3-Push, K3-Shop, K3-Touch, K5, K6, K6-Silen-zio, K6-Silen-zio-Telescopic, K6-Telescopic		

cylinder head bolts

DIN 912/ISO 4762



1

GEV No.	560388	Ref. No.	K00077
description	cylinder head bolt thread M4 thread L 25mm WS 3 Qty 1 pcs intake hexagonal DIN 912/ISO 4762		
For models:	K10-Conic		

nuts

hexagonal nuts

DIN 934 / ISO 4032/8673



1

GEV No.	560387	Ref. No.	K00115
description	hexagonal nut thread M10L H 8.15mm WS 17 brass DIN/ISO DIN 934 / ISO 4032/8673 Qty 1 pcs		
For models:	K5, K6, K6-Silenzio, K6-Silenzio-Telescopic, K6-Telescopic, K8-Silenzio, K8-Silenzio-Telescopic		

washers

spring washers



1

GEV No.	696352	Ref. No.	K00127
description	spring washer ID ø 11mm ED ø 21mm DIN 137B Qty 1 pcs		
For models:	K5, K6, K6-Silenzio, K6-Silenzio-Telescopic, K6-Telescopic, K8-Silenzio, K8-Silenzio-Telescopic		



1

GEV No.	696353	Ref. No.	K02017
description	spring washer ID ø 8.5mm ED ø 15mm DIN 137A Qty 1 pcs		
For models:	K3, K3-Elite, K3-Push, K3-Shop, K3-Touch		

C

cables	4
condensators & interference suppression filters	3
countersunk screws	11
cylinder head bolts	12

E

electric accessories	4
----------------------	---

F

fastening material	11
flat-headed bolts	11

H

hexagonal nuts	12
----------------	----

M

microswitches	3
---------------	---

N

nuts	12
------	----

O

operating capacitors	3
----------------------	---

R

rocker/momentary rocker switches	3
----------------------------------	---

S

screws	11
spring washers	12
switches and momentary switches	3