



**GAS COMPONENTS**



**ELECTRIC COMPONENTS**



**WATER TECHNOLOGY**



**MECHANICAL COMPONENTS**



**TOOLS**

Spare parts suitable for

**CONTI**

Find the complete and up-to-date range of products in our GEV Webshop



# Manufacturer catalogue

The most important spare parts and accessories arranged clearly for every manufacturer

- ✓ Complete product range and all appliance data always up to date in the GEV Webshop
- ✓ Alphabetical Index at the end of the catalogue

## GEV Webshop

[www.gev-online.co.uk](http://www.gev-online.co.uk)

[www.gev-online.com](http://www.gev-online.com)





- 🔍 Add to Favourites
- 🔍 Sign In with email address and usual password
- 🔍 Easy-order – place several items in your basket at the same time
- 🔍 Quick Item search – no login needed





## heating elements


### heating elements for coffee machine



			
<b>GEV No.</b>	417254	<b>Ref. No.</b>	411004 411004+408714
<b>description</b>	heating element 2500W 230V heating circuits 1 thread 1" L 200mm W 20mm H 20mm tube ø 8.3mm connection M4 connection length 27mm immersion heater flange with thread WS 30 coffee machine		
<b>For models:</b>	Club		


			
<b>GEV No.</b>	417100	<b>Ref. No.</b>	N/A
<b>description</b>	heating element 2800W 230V heating circuits 3 mounting ø 66mm hole distance 66mm L 245mm W 43mm H 71mm L1 25mm L2 45mm L3 180mm H1 47mm H2 24mm hole ø 11mm tube ø 8.3mm connection male faston 6.3mm immersion heater 4 hole flange		

			
<b>GEV No.</b>	417255	<b>Ref. No.</b>	411431
<b>description</b>	heating element 3400W 230V heating circuits 1 thread 1" L 555mm W 20mm H 22mm tube ø 8.3mm connection M4 connection length 27mm immersion heater flange with thread WS 30 coffee machine		
<b>For models:</b>	Club		


			
<b>GEV No.</b>	417763	<b>Ref. No.</b>	425030
<b>description</b>	heating element 3600W 230V heating circuits 1 thread 1" L 330mm W 20mm H 22mm tube ø 8.3mm connection M4 connection length 27mm immersion heater flange with thread WS 30 coffee machine		

			
<b>GEV No.</b>	417257	<b>Ref. No.</b>	165800 1658001 165900 1659001
<b>description</b>	heating element 3660/4355W 220/240V heating circuits 3 mounting ø 67mm hole distance 66.5mm L 425mm W 40mm H 69mm L1 33mm L2 42mm L3 350mm H1 44mm H2 25mm hole ø 11mm tube ø 8.5mm connection M6 immersion heater 4 hole flange copper		
<b>For models:</b>	Classica-PM, Classica-SA, Club, XeosEvolution2		

			
<b>GEV No.</b>	417256	<b>Ref. No.</b>	410884
<b>description</b>	heating element 4500W 230V heating circuits 3 mounting ø 57.5mm hole distance 72mm L 320mm W 37mm H 50mm hole ø 8mm tube ø 8.5mm connection male faston 6.3mm immersion heater 3 hole flange		
<b>For models:</b>	TwinStar2		
<b>accessories for</b>	417256		
			
<b>GEV No.</b>	526108	<b>Ref. No.</b>	4108841
O-ring silicone thickness 6.3mm ID ø 56.5mm Qty 1 pcs			


			
<b>GEV No.</b>	417101	<b>Ref. No.</b>	N/A
<b>description</b>	heating element 5000W 230V heating circuits 3 mounting ø 66mm hole distance 64mm L 480mm W 42mm H 68mm L1 25mm L2 40mm L3 410mm H1 47mm H2 21mm hole ø 11mm connection M6x1 immersion heater 4 hole flange		


### heating cartridges

			
<b>GEV No.</b>	417283	<b>Ref. No.</b>	411261
<b>description</b>	heating cartridge ø 10mm L 51mm cable length 145mm coffee machine		
<b>For models:</b>	TwinStar2		

### accessories

#### flange gaskets


			
<b>GEV No.</b>	528437	<b>Ref. No.</b>	N/A
<b>description</b>	gasket fibre D1 ø 99mm D2 ø 66mm thickness 2mm hole ø 11mm hole distance 69/65mm for heating element suitable for CONTI ID ø 66mm		

			
<b>GEV No.</b>	528438	<b>Ref. No.</b>	N/A
<b>description</b>	gasket PTFE D1 ø 99mm D2 ø 68mm thickness 2mm hole ø 12mm hole distance 68mm ID ø 68mm		


### thermostats

#### bi-metal thermostats


##### safety bi-metal thermostats

			
<b>GEV No.</b>	375493	<b>Ref. No.</b>	410633
<b>description</b>	bi-metal safety thermostat hole distance 28mm switch-off temp. 230°C 1NC 1-pole 16A connection F6.3		
<b>For models:</b>	TwinStar2		



			
1			
<b>GEV No.</b>	390693	<b>Ref. No.</b>	410634
<b>description</b>	bi-metal safety thermostat switch-off temp. 160°C 1NC 1-pole 16A connection F6.3 screw mounting thread M4		
<b>For models:</b>	Club, TwinStar2, XeosEvolution2		



## bi-metal thermostats



			
1			
<b>GEV No.</b>	390128	<b>Ref. No.</b>	411308
<b>description</b>	bi-metal thermostat hole distancemm switch-off temp. 95°C 1NC 1-pole 16A connection F6.3 M4		
<b>For models:</b>	TwinStar2		

## control and safety thermostats

## various


## safety thermostats

			
1			
<b>GEV No.</b>	376045	<b>Ref. No.</b>	415526
<b>description</b>	safety thermostat switch-off temp. 140°C 16A probe ø 6mm probe L 112mm capillary pipe 410mm capillary pipe isolated 20mm 400V		

			
1			
<b>GEV No.</b>	375496	<b>Ref. No.</b>	4069131 410634+410993
<b>description</b>	safety thermostat switch-off temp. 150°C temperature range 100°C 1-pole 1NC 20A probe ø 6mm probe L 64mm capillary pipe 1020mm		

## accessories

## miscellaneous



			
1			
<b>GEV No.</b>	390776	<b>Ref. No.</b>	410993
<b>description</b>	screw connection for contact thermostat thread 3/8" hole ø M4mm WS 21		
<b>For models:</b>	Club		

## switches and momentary switches


## rocker/momentary rocker switches

## 30x22mm

## labelled


			
1			
<b>GEV No.</b>	301200	<b>Ref. No.</b>	408501
<b>description</b>	rocker switch mounting measurements 30x22mm black 2NO 230V 16A 0-1 connection male faston 6.3mm ambient temperature max. 85°C protection IP65 with cover cap		
<b>For models:</b>	Club, XeosEvolution2		
<b>accessories for</b>	301200		
		<b>GEV No.</b>	301036
		<b>Ref. No.</b>	—
	protective cover internal size 30x22mm for rocker switch mounting measurementsmm		

## miscellaneous

			
1			
<b>GEV No.</b>	347247	<b>Ref. No.</b>	406956
<b>description</b>	rocker switch anthracite 1NO 250V 10A flush-mounted connection plug		
<b>For models:</b>	Classica-SA		

## push/momentary push switches

## 30x22mm

			
1			
<b>GEV No.</b>	301086	<b>Ref. No.</b>	411429
<b>description</b>	push switch mounting measurements 30x22mm black 2NO 250V 12A 0-1 connection male faston 6.3mm ambient temperature max. 85/55°C protection IP54 with protective collar		
<b>For models:</b>	Classica-SA		



ø25mm



<b>GEV No.</b>	347222	<b>Ref. No.</b>	411509
<b>description</b>	push switch mounting ø 25mm blue 2NO 250V 16A illuminated connection male faston 6.3mm ambient temperature max. 125°C protection IP40		

key lock switches



<b>GEV No.</b>	400297	<b>Ref. No.</b>	410989
<b>description</b>	key lock switch 1 group thread M12x1 1NO mounting ø 12mm cable length 300mm		
<b>For models:</b>	TwinStar2		

lamps

indicator lights

indicator lights (complete)

ø 8mm



<b>GEV No.</b>	359479	<b>Ref. No.</b>	408322 4083221
<b>description</b>	indicator light ø 8mm 230V green cable length 240mm temp.-resist. 90°C		
<b>For models:</b>	Club, XeosEvolution2		



<b>GEV No.</b>	359477	<b>Ref. No.</b>	415534
<b>description</b>	indicator light ø 8mm 230V green connection plug cable length 240mm temp.-resist. 90°C		



<b>GEV No.</b>	359478	<b>Ref. No.</b>	408323 4083231
<b>description</b>	indicator light ø 8mm 230V red cable length 240mm temp.-resist. 90°C		
<b>For models:</b>	Club, XeosEvolution2		



<b>GEV No.</b>	359480	<b>Ref. No.</b>	408597
<b>description</b>	indicator light ø 8mm 230V red/green connection plug cable length 230mm temp.-resist. 90°C		
<b>For models:</b>	XeosEvolution2		

ø12mm

with screw socket



<b>GEV No.</b>	359026	<b>Ref. No.</b>	411430
<b>description</b>	indicator light ø 12mm 230V red connection male faston 6.3mm model CM/5		
<b>For models:</b>	Classica-SA		

contactors

ABB

power contactors



<b>GEV No.</b>	381017	<b>Ref. No.</b>	405892
<b>description</b>	power contactor resistive load 30A 230VAC (AC3/400V) 17A/7.5kW main contacts 4NO auxiliary contacts connection screw connection type A16-40-00		
<b>For models:</b>	Club, TwinStar2, XeosEvolution2		

auxiliary contactors



<b>GEV No.</b>	380899	<b>Ref. No.</b>	408932
<b>description</b>	auxiliary contactor 230VAC AC1 5A AC15 3A connection screw connection contacts 2NO/2NC K6-22Z 220-240V		
<b>For models:</b>	Club		





## auxiliary contacts



1

<b>GEV No.</b>	381031	<b>Ref. No.</b>	408324
<b>description</b>	auxiliary contact contacts 1NO/1NC AC1 16A AC15 3A connection screw connection for contactors B6/B7/VB7		
<b>For models:</b>	TwinStar2, XeosEvolution2		

<b>accessories for</b>	380348		
	<b>GEV No.</b>	380505	<b>Ref. No.</b> —
	relay socket 2CO 40.52 dimensions 81.9x15.5x75mm 250V voltage AC 10A FINDER manuf. no. 95.95.3		
	<b>GEV No.</b>	381181	<b>Ref. No.</b> —
	relay socket 2-pole 40.51/40.52/40.61 connection screw clamp dimensions 15.8x78.6mm 250V voltage AC 10A FINDER manuf. no. 95.75		

## solid state relays

## CRYDOM



1

<b>GEV No.</b>	403540	<b>Ref. No.</b>	466092
<b>description</b>	solid state relay CRYDOM 1 phase 25A 240V 3-32VDC L 57mm W 45mm screw type CSW2425G		

## electronics

## PCBs



1


<b>GEV No.</b>	402248	<b>Ref. No.</b>	410877
<b>description</b>	display coffee machine L 80mm W 36mm		
<b>For models:</b>	TwinStar2		



1

<b>GEV No.</b>	402301	<b>Ref. No.</b>	415086
<b>description</b>	display L 135mm W 44mm		

## miscellaneous



1

<b>GEV No.</b>	402316	<b>Ref. No.</b>	410626 411850
<b>description</b>	solid state relay unit for Twin Star 2 2/3 groups		
<b>For models:</b>	TwinStar2		



1


<b>GEV No.</b>	402300	<b>Ref. No.</b>	410900
<b>description</b>	display L 159mm W 41mm with housing		
<b>For models:</b>	TwinStar2		


## relays


## plug-in/print relays





1



<b>GEV No.</b>	380348	<b>Ref. No.</b>	411627
<b>description</b>	print relay 12VDC 1CO at 250V 16A connection pins raster size 5mm Italiana Relè manuf. no. E61-12DC 95.65/95.75		
<b>accessories for</b>	380348		
	<b>GEV No.</b>	380340	<b>Ref. No.</b> —
	relay socket dimensions 62x36x15mm 250V voltage AC 10A Italiana Relè manuf. no. ZMEM/5		

	<b>GEV No.</b>	402310	<b>Ref. No.</b>	415088
<b>description</b>	PCB blue LED 2 groups			

	<b>GEV No.</b>	402311	<b>Ref. No.</b>	415089
<b>description</b>	PCB blue LED 3 groups			

1

<b>GEV No.</b>	402317	<b>Ref. No.</b>	415087
<b>description</b>	PCB transformer 9V voltage DC supply 230VAC		



1

<b>GEV No.</b>	381315	<b>Ref. No.</b>	410626
<b>description</b>	relay shroud for heating L 91mm W 56mm suitable for CONTI 3x400V 6 relays supply 12VDC		

central units



1

<b>GEV No.</b>	402313	<b>Ref. No.</b>	409837
<b>description</b>	central unit 2 groups CONTICLUB 220V type SDE3X CO3A voltage AC		
<b>For models:</b>	Club, XeosEvolution2		




1

<b>GEV No.</b>	402312	<b>Ref. No.</b>	410885
<b>description</b>	central unit 2/3 groups edition 2002 type TS2		
<b>For models:</b>	TwinStar2		




1

<b>GEV No.</b>	402314	<b>Ref. No.</b>	415085
<b>description</b>	central unit 230V type 3d5 MAESTRO DELUXE per SLAVE 6T „XEOS“ voltage AC		





1

<b>GEV No.</b>	402315	<b>Ref. No.</b>	411901
<b>description</b>	central unit 230V type SDE3P CO2A voltage AC		



1

<b>GEV No.</b>	402296	<b>Ref. No.</b>	4098374 411576 411900	
<b>description</b>	central unit set edition ESIKA central unit SDE3P CO2A solid state relay cable fixing sheet			
<b>spare parts for</b>	402296			
	<b>GEV No.</b>	402062	<b>Ref. No.</b>	—
	solid state relay CELDUC 1 phase 25A 12-280V 3-32VDC L 59mm W 46mm screw type SO942460			
	<b>GEV No.</b>	402315	<b>Ref. No.</b>	411901
	central unit 230V type SDE3P CO2A voltage AC			



## keypads

## keypad units



1

<b>GEV No.</b>	402307	<b>Ref. No.</b>	410887
<b>description</b>	keypad unit buttons 1 lighting blue L 51mm W 61mm with LED		
<b>For models:</b>	TwinStar2		



1

<b>GEV No.</b>	402309	<b>Ref. No.</b>	411844V
<b>description</b>	keypad unit buttons 5 black ESSIKA		



1

<b>GEV No.</b>	402308	<b>Ref. No.</b>	411244V
<b>description</b>	keypad unit buttons 5 blue ESSIKA		



1

<b>GEV No.</b>	402305	<b>Ref. No.</b>	409838 411259
<b>description</b>	keypad unit buttons 5 L 107mm W 44mm with LED 3d5		



1

<b>GEV No.</b>	402302	<b>Ref. No.</b>	410886
<b>description</b>	keypad unit buttons 5 lighting blue L 187mm W 50mm with LED		
<b>For models:</b>	TwinStar2		



1

<b>GEV No.</b>	402303	<b>Ref. No.</b>	410103
<b>description</b>	keypad unit buttons 5 lighting yellow L 187mm W 50mm with LED		
<b>For models:</b>	Club, XeosEvolution2		



1

<b>GEV No.</b>	402304	<b>Ref. No.</b>	410813
<b>description</b>	keypad unit buttons 5 lighting yellow/red complete		
<b>For models:</b>	Club		



1

<b>GEV No.</b>	402306	<b>Ref. No.</b>	411001
<b>description</b>	keypad unit hot water buttons 1 lighting yellow L 51mm W 61mm with LED		
<b>For models:</b>	XeosEvolution2		

## accessories



1

<b>GEV No.</b>	347229	<b>Ref. No.</b>	410273
<b>description</b>	button external size 12mm internal size 4mm white		
<b>For models:</b>	TwinStar2, XeosEvolution2		



1


<b>GEV No.</b>	347231	<b>Ref. No.</b>	410640
<b>description</b>	button suitable for CONTI		
<b>For models:</b>	XeosEvolution2		







			
1			
<b>GEV No.</b>	347230	<b>Ref. No.</b>	410872
<b>description</b>	button suitable for CONTI grey		
<b>For models:</b>	TwinStar2		
<b>accessories for</b>	347230		
	<b>GEV No.</b>	347229	<b>Ref. No.</b> 410273
	button external size 12mm internal size 4mm white		
	<b>GEV No.</b>	347232	<b>Ref. No.</b> 410874
	light guide suitable for CONTI		
	<b>GEV No.</b>	402302	<b>Ref. No.</b> 410886
	keypad unit buttons 5 lighting blue L 187mm W 50mm with LED		
	<b>GEV No.</b>	526087	<b>Ref. No.</b> 410635
	compression spring ø 10.7mm L 14.5mm wire gauge ø 0.7mm		

			
1			
<b>GEV No.</b>	347233	<b>Ref. No.</b>	405345
<b>description</b>	frame for push-button external size 28mm internal size 21mm black		
<b>For models:</b>	Club		

			
1			
<b>GEV No.</b>	347232	<b>Ref. No.</b>	410874
<b>description</b>	light guide suitable for CONTI		
<b>For models:</b>	TwinStar2		

			
1			
<b>GEV No.</b>	347228	<b>Ref. No.</b>	410782
<b>description</b>	push button external size 23.5mm grey mounting ø 20.6mm		
<b>For models:</b>	Club		

			
1			
<b>GEV No.</b>	347227	<b>Ref. No.</b>	406206
<b>description</b>	push button external size 23.5mm red mounting ø 20.6mm		
<b>For models:</b>	Club		

			
1			
<b>GEV No.</b>	347234	<b>Ref. No.</b>	405348
<b>description</b>	rubber pad for push-button ø 16mm L 13mm		
<b>For models:</b>	Club, TwinStar2, XeosEvolution2		

## solenoid valves


### solenoid valves (water)

metal

ODE

solenoid valves steam (water)

130A series

			
1			
<b>GEV No.</b>	370557 <sup>1</sup>	<b>Ref. No.</b>	410615
<b>description</b>	solenoid valve stainless steel 230VAC connection 1/8" / M22x1 3-way -10 up to 140°C membranes FKM (water/steam) 60Hz		
<b>For models:</b>	TwinStar2		


<sup>1</sup>SS housing


131K series


			
1			
<b>GEV No.</b>	370556 <sup>1</sup>	<b>Ref. No.</b>	405620 4056201
<b>description</b>	solenoid valve stainless steel 230VAC connection M22x1 2-way slide-on receptacle DIN coil type BDV08220BW 50-60Hz		
<b>For models:</b>	Classica-SA, Club, TwinStar2, XeosEvolution2		


<sup>1</sup>SS housing









21A series			
			
1			
<b>GEV No.</b>	370836	<b>Ref. No.</b>	367910 480347
<b>description</b>	solenoid valve brass 2-ways 230VAC inlet 1/4" outlet 1/4" L 40mm 21A2KE20 DN 2mm coil type BDP p max 22bar p min 0bar		
<b>For models:</b>	Club, XeosEvolution2		



4171K series			
			
1			
<b>GEV No.</b>	370560	<b>Ref. No.</b>	367920
<b>description</b>	solenoid valve brass 2-ways 220-230V/50-60Hz inlet 1/4" outlet 1/4" connection 1/4" L 44mm ODE-4171-ZA DN 2.5mm slide-on receptacle DIN -10 up to 140°C coil type BDF membranes FKM (water/steam) p max 14bar p min 0bar 60Hz 220V voltage AC		
<b>For models:</b>	Club, TwinStar2		


			
1			
<b>GEV No.</b>	370559	<b>Ref. No.</b>	367910 (old version)
<b>description</b>	solenoid valve brass 2-ways 230VAC inlet 1/4" outlet 1/4" connection 1/4" L 44mm ODE-4171-F44 DN 2.5mm -10 up to 140°C coil type BDP membranes FKM (water/steam) p max 14bar p min 0bar		

PARKER			
solenoid valves (various)			
			
1			
<b>GEV No.</b>	370497	<b>Ref. No.</b>	411476
<b>description</b>	solenoid valve 2-ways 230VAC connection 1/8" L 30mm DN 1.5mm PARKER brass		
<b>For models:</b>	TwinStar2		

spare parts and accessories				
valve bodies				
				
1				
<b>GEV No.</b>	370062	<b>Ref. No.</b>	CON01	
<b>description</b>	solenoid valve body PARKER 3-ways outer cone			
<b>accessories for</b>	370062			
	<b>GEV No.</b>	371029	<b>Ref. No.</b>	—
	solenoid coil PARKER 230VAC 9VA coil type ZB09 seat ø 14mm H 33mm W 34mm D 43mm			
	<b>GEV No.</b>	371030	<b>Ref. No.</b>	—
	solenoid coil 24VDC 12VA coil type ZB12 seat ø 14mm			
	<b>GEV No.</b>	371033	<b>Ref. No.</b>	—
	solenoid coil PARKER 230VAC 9VA coil type YB09 with cable seat ø 14mm			
	<b>GEV No.</b>	371036	<b>Ref. No.</b>	—
	solenoid coil 24VAC 9VA coil type ZB09 seat ø 14mm			
	<b>GEV No.</b>	371095	<b>Ref. No.</b>	—
	O-ring Viton thickness 1.78mm ID ø 6.07mm Qty 1 pcs			
	<b>GEV No.</b>	371100	<b>Ref. No.</b>	—
	O-ring silicone thickness 1.78mm ID ø 6.07mm Qty 1 pcs			

## pressure switches for coffee machines

ø 34mm				
				
1				
<b>GEV No.</b>	541699	<b>Ref. No.</b>	4301611 4651611	
<b>description</b>	pressure control ø 34mm pressure range 1.5-4bar with pipe NC 15A/ NO 9A 250V connection male faston 6.3mm 1CO difference 0.1-0.8bar pressure connection 1/4"			
<b>For models:</b>	TwinStar2			
<b>spare parts for</b>	541699			
	<b>GEV No.</b>	541020	<b>Ref. No.</b>	—
	pressure control ø 38mm pressure range 0.5-1.2bar coffee machine parts pressure connection vertical preset at 1bar 16A 250V connection 1/4" pressure connection 1/4" GAS			

ø 38mm			
			
1			
<b>GEV No.</b>	541700	<b>Ref. No.</b>	4119311
<b>description</b>	pressure control ø 38mm pressure range 0.5-1.2bar with pipe pressure connection vertical 16A 250V ambient temperature max. 125°C pressure connection 1/4"		




## flow meters and flow sensors

### flow meters

#### GICAR



<b>GEV No.</b>	400004	<b>Ref. No.</b>	403466
<b>description</b>	flow meter thread 1/4" stainless steel with LED plug connection approval NSF		
<b>For models:</b>	Club, TwinStar2, XeosEvolution2		
<b>accessories for</b>	400004		
	<b>GEV No.</b>	400256	<b>Ref. No.</b> —
	plug GICAR for flow meter		


## pumps

### booster pumps II

#### pump heads

#### FLUID-O-TECH



<b>GEV No.</b>	500174	<b>Ref. No.</b>	4057225
<b>description</b>	pump head PA104 FLUID-O-TECH L 82mm 100l/h connection 3/8" GAS with bypass brass clip connection for coffee machine shaft ø 4.8x11mm NSF		
<b>accessories for</b>	500174		
	<b>GEV No.</b>	520126	<b>Ref. No.</b> —
	clamp for pump/motor		

## fuses

### line circuit breakers

#### ABL SURSUM

1

<b>GEV No.</b>	358121	<b>Ref. No.</b>	411020
<b>description</b>	line circuit breaker 1-pole 25A tripping type C rated 240/415V nominal 25A		
<b>For models:</b>	TwinStar2		

## electric accessories

### cables

#### ribbon cables

##### group 1

1

<b>GEV No.</b>	400706	<b>Ref. No.</b>	409839
<b>description</b>	ribbon cable 16-pole L 1100mm plug type FC-16P raster size 2.54mm		
<b>For models:</b>	Club, TwinStar2, XeosEvolution2		

1

<b>GEV No.</b>	400707	<b>Ref. No.</b>	409840
<b>description</b>	ribbon cable 16-pole L 1400mm plug type FC-16P raster size 2.54mm		
<b>For models:</b>	Club, XeosEvolution2		

1

<b>GEV No.</b>	400228	<b>Ref. No.</b>	410629
<b>description</b>	ribbon cable 16-pole L 600mm plug type FC-16P raster size 2.54mm		
<b>For models:</b>	TwinStar2		

## equipment-specific units

## for espresso machines






## filter holders

## filter holders standard

## filter holders (complete)



1

<b>GEV No.</b>	526085	<b>Ref. No.</b>	409999 411611 411965
<b>description</b>	filter holder double ID $\phi$ 61.7mm outlet distance 48mm		
<b>For models:</b>	Classica-PM, Classica-SA, Club, XeosEvolution2		
<b>accessories for</b>	526085		
	<b>GEV No.</b>	529013	<b>Ref. No.</b> —
	coffee filter $\phi$ 70mm mounting $\phi$ 60.5mm H 25.5mm cups 2 amount of coffee 14g perforation $\phi$ 0.3x0.3mm square		
	<b>GEV No.</b>	529014	<b>Ref. No.</b> —
	coffee filter $\phi$ 70mm mounting $\phi$ 60mm H 21mm cups 2 amount of coffee 12g perforation $\phi$ 0.3mm round		
	<b>GEV No.</b>	529023	<b>Ref. No.</b> —
	blind filter $\phi$ 70mm mounting $\phi$ 60mm H 18mm		
	<b>GEV No.</b>	529079	<b>Ref. No.</b> —
	filter holder spring L 70mm W 60mm wire gauge $\phi$ 1.3mm for espresso filter holder		
	<b>GEV No.</b>	529229	<b>Ref. No.</b> —
	coffee filter $\phi$ 70mm mounting $\phi$ 60mm H 28mm cups 3 amount of coffee 21g		



1

<b>GEV No.</b>	526084	<b>Ref. No.</b>	409998 411612 411964
<b>description</b>	filter holder single without filter mounting $\phi$ 83.5mm ID $\phi$ 61.7mm wedge height 11.2mm wedge position horizontal number of wedges 2		
<b>For models:</b>	Classica-PM, Classica-SA, Club, XeosEvolution2		



1

<b>GEV No.</b>	523044	<b>Ref. No.</b>	4056791 4099998
<b>description</b>	filter holder suitable for CONTI complete mounting $\phi$ 84mm ID $\phi$ 62mm outlet distance mm wedge height 8mm number of wedges 2		
<b>For models:</b>	Classica-PM, Classica-SA, Club, XeosEvolution2		

## filters

## for 1 cup



1

<b>GEV No.</b>	527631	<b>Ref. No.</b>	N/A
<b>description</b>	coffee filter $\phi$ 70mm mounting $\phi$ 60.7mm H 17mm cups 1 amount of coffee 8g		

## brewing units

## shower screens

## with upstand and central hole



1

<b>GEV No.</b>	528472	<b>Ref. No.</b>	355900
<b>description</b>	shower screen $\phi$ 58mm H 11mm hole $\phi$ 6mm		
<b>For models:</b>	Classica-SA, Club, TwinStar2, XeosEvolution2		

## filter holder gaskets

## flat

## standard





1


<b>GEV No.</b>	526141	<b>Ref. No.</b>	002710
<b>description</b>	filter holder gasket D1 $\phi$ 73.3mm D2 $\phi$ 57.1mm H 8.3mm NBR 80+5 Qty 1 pcs		
<b>For models:</b>	Classica-PM, Classica-SA, Club, XeosEvolution2		




			
1			
<b>GEV No.</b>	526140	<b>Ref. No.</b>	002700
<b>description</b>	filter holder gasket D1 ø 73.3mm D2 ø 57.1mm H 8mm NBR 80+5 Qty 1 pcs		
<b>For models:</b>	TwinStar2		


shim gaskets			
			
1			
<b>GEV No.</b>	531250	<b>Ref. No.</b>	—
<b>description</b>	shim gasket D1 ø 73mm D2 ø 59mm thickness 0.5mm paper Qty 20 pcs		


brewing units with solenoid valve			
nozzles			
			
1			
<b>GEV No.</b>	526131	<b>Ref. No.</b>	411552
<b>description</b>	nozzle hole ø 2mm thread 1/4" brass		
<b>For models:</b>	XeosEvolution2		


nozzle holders			
			
1			
<b>GEV No.</b>	528466	<b>Ref. No.</b>	403456
<b>description</b>	nozzle holder thread 1/4" brass WS 17		
<b>For models:</b>	Classica-SA, Club, XeosEvolution2		

components			
nozzles			
with thread			
			
1			
<b>GEV No.</b>	531071	<b>Ref. No.</b>	410704
<b>description</b>	nozzle bore ø 0.7mm thread M6x1 L 60mm		
<b>For models:</b>	TwinStar2		

washers			
			
1			
<b>GEV No.</b>	526135	<b>Ref. No.</b>	411328
<b>description</b>	nozzle bore ø 0.75mm ED ø 7.5mm thickness 2mm		
<b>For models:</b>	XeosEvolution2		

screws			
			
1			
<b>GEV No.</b>	560373	<b>Ref. No.</b>	401983
<b>description</b>	cylinder head bolt thread M4 thread L 12mm WS 3 SS Qty 1 pcs intake internal hexagon DIN 912/ISO 4762		
<b>For models:</b>	Classica-SA, Club, XeosEvolution2		

water dispersions			
water dispersions			
group 2			
			
1			
<b>GEV No.</b>	526148	<b>Ref. No.</b>	411969
<b>description</b>	water distributor ø 30mm hole ø 1.2mm H 5.9mm grooves 6		

group 3			
			
1			
<b>GEV No.</b>	526114	<b>Ref. No.</b>	4047401
<b>description</b>	water distributor ø 56.4mm H 10.2mm 6 holes hole ø 1.5mm thread M5 mounting ø 5.3mm bore ø 8.75mm brass		

			
1			
<b>GEV No.</b>	528471	<b>Ref. No.</b>	404740
<b>description</b>	water distributor ø 56.4mm H 9.2mm 6 holes hole ø 1.5mm thread M5 mounting ø 5.3mm bore ø 8.75mm brass MK10		
<b>For models:</b>	Classica-SA, Club, XeosEvolution2		



1

<b>GEV No.</b>	531069	<b>Ref. No.</b>	411968
<b>description</b>	water distributor ø 56.5mm H 12.5mm 4 holes hole ø 1mm thread M5 mounting ø 5.2mm bore ø 8.7mm brass		

expansion valves

with hose connection



1

<b>GEV No.</b>	526452	<b>Ref. No.</b>	409774
<b>description</b>	expansion valve T1: 1/4" ET hose ø 9.5mm BL 42mm		
<b>For models:</b>	Classica-PM, Classica-SA, Club, XeosEvolution2		

drain pans

drain units



1

<b>GEV No.</b>	526118	<b>Ref. No.</b>	411307
<b>description</b>	drain unit connections 4x hose/1x 3/8" hose ø 8mm outlet 1/2" ESPRESSO		
<b>For models:</b>	TwinStar2		



1

<b>GEV No.</b>	526117	<b>Ref. No.</b>	410983
<b>description</b>	drain unit connections 5x hose/1x 3/8" hose ø 8mm outlet 1/2" MUG		
<b>For models:</b>	TwinStar2		



1

<b>GEV No.</b>	531068	<b>Ref. No.</b>	411775
<b>description</b>	drain unit hose ø 21mm		

drain pans





1

<b>GEV No.</b>	526101	<b>Ref. No.</b>	405386
<b>description</b>	drain pan ø 102mm H 41mm hole ø 14.5mm hose ø 19mm		
<b>For models:</b>	Classica-PM, Classica-SA, Club, XeosEvolution2		




1


<b>GEV No.</b>	526103	<b>Ref. No.</b>	408390	
<b>description</b>	drain pan set ø 102mm H 41mm hole ø 14.5mm suitable for XEOS			
<b>For models:</b>	Classica-PM, Classica-SA, Club, XeosEvolution2			
<b>spare parts for</b>	526103			
	<b>GEV No.</b>	526101	<b>Ref. No.</b>	405386
	<b>description</b>	drain pan ø 102mm H 41mm hole ø 14.5mm hose ø 19mm		
	<b>GEV No.</b>	526102	<b>Ref. No.</b>	408160
	<b>description</b>	drain pipe connection 9mm T1: 1/2" plastic		




			
1			
<b>GEV No.</b>	526104	<b>Ref. No.</b>	409834
<b>description</b>	drain pan set ø 102mm H 41mm hole ø 14.5mm suitable for XEOS		


pipes			
			
1			
<b>GEV No.</b>	526102	<b>Ref. No.</b>	408160
<b>description</b>	drain pipe connection 9mm T1: 1/2" plastic		
<b>For models:</b>	Classica-PM, Classica-SA, Club, XeosEvolution2		


boilers			
drain taps/drain valves			
			
1			
<b>GEV No.</b>	526125	<b>Ref. No.</b>	409147
<b>description</b>	drain tap for boiler connection 3/8" brass		
<b>For models:</b>	XeosEvolution2		


steam/water taps			
steam/water taps			
steam/water taps			
			
1			
<b>GEV No.</b>	526124	<b>Ref. No.</b>	430100V
<b>description</b>	steam/water tap inlet 3/8" ET outlet 3/8" ET		


			
1			
<b>GEV No.</b>	528451	<b>Ref. No.</b>	4095901
<b>description</b>	steam/water tap inlet 3/8" outlet M16x1.5 suitable for CONTI		
<b>For models:</b>	Classica-PM, Classica-SA, Club		

steam taps			
steam taps (complete)			
			
1			
<b>GEV No.</b>	526110	<b>Ref. No.</b>	410952 430012
<b>description</b>	steam tap complete inlet 3/8" outlet M16x1.5 steam		
<b>For models:</b>	TwinStar2		

components			
bushes			
			
1			
<b>GEV No.</b>	526123	<b>Ref. No.</b>	410703
<b>description</b>	bush for solenoid valve ID ø 1.7mm H 9.7mm thread M7x1		
<b>For models:</b>	TwinStar2		

			
1			
<b>GEV No.</b>	526122	<b>Ref. No.</b>	406316
<b>description</b>	bush for solenoid valve ID ø 2.65mm thread M7x1		
<b>For models:</b>	Classica-SA, TwinStar2		

gaskets			
			
1			
<b>GEV No.</b>	526119	<b>Ref. No.</b>	407502
<b>description</b>	gasket D1 ø 13mm ID ø 5mm thickness 4mm EPDM		
<b>For models:</b>	Classica-PM, Classica-SA, Club, TwinStar2, XeosEvolution2		

			
1			
<b>GEV No.</b>	528452	<b>Ref. No.</b>	181100
<b>description</b>	sealing disc D1 ø 14mm thickness 3.5mm rubber		
<b>For models:</b>	Classica-PM, Classica-SA, Club, XeosEvolution2		

tap bodies



1			
<b>GEV No.</b>	526121	<b>Ref. No.</b>	405618
<b>description</b>	tap body T1: 3/8" IT T2: 3/8" ET		
<b>For models:</b>	XeosEvolution2		



1			
<b>GEV No.</b>	526134	<b>Ref. No.</b>	405586
<b>description</b>	tap body T1: 3/8" T2: 3/8" with solenoid valve 230V		
<b>For models:</b>	XeosEvolution2		



1			
<b>GEV No.</b>	531152	<b>Ref. No.</b>	470160V
<b>description</b>	tap body T1: 3/8" T2: 3/8" with solenoid valve 230V		

solenoid valves



1			
<b>GEV No.</b>	370556 <sup>1</sup>	<b>Ref. No.</b>	405620 4056201
<b>description</b>	solenoid valve stainless steel 230VAC connection M22x1 2-way slide-on receptacle DIN coil type BDV08220BW 50-60Hz		
<b>For models:</b>	Classica-SA, Club, TwinStar2, XeosEvolution2		

<sup>1</sup>SS housing

union screws



1			
<b>GEV No.</b>	526120	<b>Ref. No.</b>	409594
<b>description</b>	union screw thread M22x1.25 ID ø 10mm WS 24		
<b>For models:</b>	Classica-PM, Classica-SA, Club		

steam/water pipes

steam pipes



1			
<b>GEV No.</b>	526112	<b>Ref. No.</b>	410229 411063 411920
<b>description</b>	steam pipe thread M16x1.5 H 140mm tube ø 10mm		
<b>For models:</b>	TwinStar2, XeosEvolution2		



1			
<b>GEV No.</b>	531070	<b>Ref. No.</b>	410834
<b>description</b>	steam pipe thread M16x1.5 H 175mm L 190mm tube ø 8mm stainless steel suitable for CONTI		
<b>For models:</b>	TwinStar2, XeosEvolution2		


water pipes





1			
<b>GEV No.</b>	528460	<b>Ref. No.</b>	410135
<b>description</b>	water pipe		
<b>For models:</b>	TwinStar2, XeosEvolution2		







			
1			
<b>GEV No.</b>	526111	<b>Ref. No.</b>	411930
<b>description</b>	water pipe thread M16x1.5 ø 23.5mm L 45mm WS 22		


accessories			
bushes			
			
1			
<b>GEV No.</b>	526146	<b>Ref. No.</b>	401320
<b>description</b>	bush D1 ø 13.6mm D2 ø 10.7mm H 3.6mm PTFE ID ø 7.05mm		
<b>For models:</b>	Classica-PM, Classica-SA, Club, TwinStar2, XeosEvolution2		


fine filters			
fine filters			
			
1			
<b>GEV No.</b>	528468	<b>Ref. No.</b>	403458
<b>description</b>	fine filter ø 8mm H 13.2mm		
<b>For models:</b>	Classica-SA, Club, XeosEvolution2		


intake valves			
intake valves			
			
1			
<b>GEV No.</b>	526133	<b>Ref. No.</b>	409790
<b>description</b>	intake valve water with non-return valve inlet 1/4" outlet 3/8"		
<b>For models:</b>	Club		


			
1			
<b>GEV No.</b>	528450	<b>Ref. No.</b>	406090
<b>description</b>	intake valve water with solenoid valve		
<b>For models:</b>	Classica-SA		


accessories			
gaskets			
			
1			
<b>GEV No.</b>	526119	<b>Ref. No.</b>	407502
<b>description</b>	gasket D1 ø 13mm ID ø 5mm thickness 4mm EPDM		
<b>For models:</b>	Classica-PM, Classica-SA, Club, TwinStar2, XeosEvolution2		

miscellaneous			
			
1			
<b>GEV No.</b>	528422	<b>Ref. No.</b>	403473
<b>description</b>	ball ø 8mm SS		
<b>For models:</b>	Classica-PM, Classica-SA, Club, TwinStar2, XeosEvolution2		


level glasses			
level glasses			
gaskets			
			
1			
<b>GEV No.</b>	528444	<b>Ref. No.</b>	233700
<b>description</b>	gasket D1 ø 17mm ID ø 11mm H 4mm rubber		
<b>For models:</b>	Classica-PM, Classica-SA		

			
1			
<b>GEV No.</b>	528441	<b>Ref. No.</b>	004700
<b>description</b>	gasket rubber ED ø 21mm ID ø 11mm thickness 10mm for level glass pipe Qty 1 pcs		

pressure rings			
			
1			
<b>GEV No.</b>	528445	<b>Ref. No.</b>	233600
<b>description</b>	press ring D1 ø 18mm D2 ø 12.15mm thickness 3mm brass level glass		
<b>For models:</b>	Classica-PM, Classica-SA		

level glass pipes			
			
1			
<b>GEV No.</b>	526143	<b>Ref. No.</b>	234000
<b>description</b>	water level tube ø 11mm H 114.5mm ID ø 8mm red		
<b>For models:</b>	Classica-PM, Classica-SA		



			
1			
<b>GEV No.</b>	528442	<b>Ref. No.</b>	405831
<b>description</b>	water level tube ø 11mm H 145mm MK10		


pipes


pipes


			
1			
<b>GEV No.</b>	526115	<b>Ref. No.</b>	411776
<b>description</b>	pipe ø 6mm T1: 1/8" cold water		

non-return valves

complete

			
1			
<b>GEV No.</b>	526127	<b>Ref. No.</b>	409835
<b>description</b>	non-return valve inlet 1/4" ET outlet 1/4" IT L 37.6mm		
<b>For models:</b>	Classica-PM, Classica-SA, Club, XeosEvolution2		

			
1			
<b>GEV No.</b>	526126	<b>Ref. No.</b>	409125
<b>description</b>	non-return valve inlet 1/4" outlet 3/8" L 67mm		
<b>For models:</b>	Club, XeosEvolution2		

			
1			
<b>GEV No.</b>	526129	<b>Ref. No.</b>	4030652
<b>description</b>	non-return valve inlet 1/8" outlet 1/8" L 54mm		

screw connections



end caps

			
1			
<b>GEV No.</b>	526100	<b>Ref. No.</b>	409832
<b>description</b>	end cap thread 1/2" L 15mm WS 26 plastic with gasket		
<b>For models:</b>	Classica-PM, Classica-SA, Club, XeosEvolution2		



<p>hose connectors</p> 			
1			
<b>GEV No.</b>	526116	<b>Ref. No.</b>	409831
<b>description</b>	hose connector thread 1/2" L 53mm hose ø 15mm with gasket		



knobs

steam/water taps

<p>steam/water taps</p> 			
1			
<b>GEV No.</b>	111291	<b>Ref. No.</b>	4081561
<b>description</b>	knob ø 47mm shaft ø 8.2mm black		
<b>For models:</b>	Classica-PM, Classica-SA, Club		
<b>spare parts for</b>	111291		
	<b>GEV No.</b>	111062	<b>Ref. No.</b> 405615
	knob spring L 20mm W 10mm H 11.5mm		

accessories

			
1			
<b>GEV No.</b>	111291	<b>Ref. No.</b>	4081561
<b>description</b>	knob ø 47mm shaft ø 8.2mm black		
<b>For models:</b>	Classica-PM, Classica-SA, Club		
<b>spare parts for</b>	111291		
	<b>GEV No.</b>	111062	<b>Ref. No.</b> 405615
	knob spring L 20mm W 10mm H 11.5mm		

			
1			
<b>GEV No.</b>	111290	<b>Ref. No.</b>	405284
<b>description</b>	knob selector switch 1/0/arrow ø 47mm shaft 6x6		
<b>For models:</b>	Classica-SA		
<b>accessories for</b>	111290		
	<b>GEV No.</b>	111062	<b>Ref. No.</b> 405615
	knob spring L 20mm W 10mm H 11.5mm		





miscellaneous

 <p>1</p>			
<b>GEV No.</b>	111290	<b>Ref. No.</b>	405284
<b>description</b>	knob selector switch 1/0/arrow ø 47mm shaft 6x6		
<b>For models:</b>	Classica-SA		
<b>accessories for</b>	111290		
 <p>GEV No. 111062 Ref. No. 405615</p> <p>knob spring L 20mm W 10mm H 11.5mm</p>			

accessories

button springs

 <p>1</p>			
<b>GEV No.</b>	526087	<b>Ref. No.</b>	410635
<b>description</b>	compression spring ø 10.7mm L 14.5mm wire gauge ø 0.7mm		
<b>For models:</b>	TwinStar2, XeosEvolution2		

 <p>1</p>			
<b>GEV No.</b>	111062	<b>Ref. No.</b>	405615
<b>description</b>	knob spring L 20mm W 10mm H 11.5mm		
<b>For models:</b>	Classica-PM, Classica-SA, Club		

handles and hand wheels

lever handles

 <p>1</p>			
<b>GEV No.</b>	526099	<b>Ref. No.</b>	410873
<b>description</b>	lever grey		
<b>For models:</b>	TwinStar2		

 <p>1</p>			
<b>GEV No.</b>	526098	<b>Ref. No.</b>	410099
<b>description</b>	lever steam		
<b>For models:</b>	XeosEvolution2		

 <p>1</p>			
<b>GEV No.</b>	111078	<b>Ref. No.</b>	405624
<b>description</b>	slide		
<b>For models:</b>	Classica-PM, Classica-SA		

accessories



miscellaneous


 <p>1</p>			
<b>GEV No.</b>	526086	<b>Ref. No.</b>	408157
<b>description</b>	end cap CONTI round red ø 23mm		
<b>For models:</b>	Classica-PM, Classica-SA, Club		

gaskets


O-rings

EPDM


  <p>1</p>			
<b>GEV No.</b>	526824	<b>Ref. No.</b>	087520
<b>description</b>	O-ring EPDM thickness 1.9mm ID ø 5.7mm Qty 1 pcs		
<b>For models:</b>	Classica-PM, Classica-SA, Club, TwinStar2, XeosEvolution2		



<b>GEV No.</b>	526107	<b>Ref. No.</b>	055300
<b>description</b>	O-ring EPDM thickness 2.7mm ID ø 12.1mm Qty 1 pcs		
<b>For models:</b>	Classica-PM, Classica-SA, Club, TwinStar2, XeosEvolution2		




<b>GEV No.</b>	525109	<b>Ref. No.</b>	061200
<b>description</b>	O-ring EPDM thickness 2.7mm ID ø 13.6mm Qty 1 pcs		
<b>For models:</b>	Classica-PM, Classica-SA, Club, TwinStar2, XeosEvolution2		




<b>GEV No.</b>	526109	<b>Ref. No.</b>	411621
<b>description</b>	O-ring EPDM thickness 2.7mm ID ø 18.4mm Qty 1 pcs		

## silicone




<b>GEV No.</b>	526108	<b>Ref. No.</b>	4108841
<b>description</b>	O-ring silicone thickness 6.3mm ID ø 56.5mm Qty 1 pcs		
<b>For models:</b>	TwinStar2		

## Viton




<b>GEV No.</b>	526105	<b>Ref. No.</b>	405650
<b>description</b>	O-ring Viton thickness 1.5mm ID ø 5mm Qty 1 pcs		
<b>For models:</b>	Club, XeosEvolution2		



<b>GEV No.</b>	526142	<b>Ref. No.</b>	409631
<b>description</b>	O-ring Viton thickness 2mm ID ø 12mm Qty 1 pcs		
<b>For models:</b>	Classica-PM, Classica-SA, Club, TwinStar2, XeosEvolution2		

## sealing washers


## rubber gaskets




<b>GEV No.</b>	528441	<b>Ref. No.</b>	004700
<b>description</b>	gasket rubber ED ø 21mm ID ø 11mm thickness 10mm for level glass pipe Qty 1 pcs		

## copper gaskets


## DIN-7603-A




<b>GEV No.</b>	528197	<b>Ref. No.</b>	406709
<b>description</b>	flat gasket copper ED ø 10mm ID ø 6mm thickness 1mm Qty 1 pcs		
<b>For models:</b>	Classica-SA, Club, TwinStar2, XeosEvolution2		




<b>GEV No.</b>	526090	<b>Ref. No.</b>	403475
<b>description</b>	flat gasket copper ED ø 11.7mm ID ø 8.5mm thickness 1.3mm Qty 1 pcs		
<b>For models:</b>	Classica-PM, Classica-SA, Club, TwinStar2, XeosEvolution2		



<b>GEV No.</b>	526147	<b>Ref. No.</b>	403459
<b>description</b>	flat gasket copper ED ø 16.7mm ID ø 13.4mm thickness 0.8mm Qty 1 pcs		





<b>GEV No.</b>	528467	<b>Ref. No.</b>	403459
<b>description</b>	flat gasket copper ED ø 18.5mm ID ø 13.5mm thickness 1mm		
<b>For models:</b>	Classica-SA, Club, XeosEvolution2		




<b>GEV No.</b>	526092	<b>Ref. No.</b>	403984
<b>description</b>	flat gasket copper ED ø 20.8mm ID ø 17.3mm thickness 1.4mm		
<b>For models:</b>	Club, XeosEvolution2		





			
1			
<b>GEV No.</b>	526091	<b>Ref. No.</b>	181300
<b>description</b>	flat gasket copper ED ø 21mm ID ø 18.1mm thickness 1.4mm		
<b>For models:</b>	Classica-PM, Classica-SA, Club, XeosEvolution2		


			
1			
<b>GEV No.</b>	526093	<b>Ref. No.</b>	411795
<b>description</b>	flat gasket copper ED ø 25.8mm ID ø 21.5mm thickness 1.3mm		

PTFE gaskets

			
1			
<b>GEV No.</b>	526094	<b>Ref. No.</b>	403081
<b>description</b>	flat gasket PTFE ED ø 17.3mm ID ø 12.2mm thickness 2.3mm Qty 1 pcs		
<b>For models:</b>	Classica-SA, Club, XeosEvolution2		


			
1			
<b>GEV No.</b>	526095	<b>Ref. No.</b>	408714
<b>description</b>	flat gasket PTFE ED ø 39.6mm ID ø 34.4mm thickness 2.9mm Qty 1 pcs		
<b>For models:</b>	Club, XeosEvolution2		


			
1			
<b>GEV No.</b>	526096	<b>Ref. No.</b>	410619
<b>description</b>	flat gasket PTFE ED ø 63.7mm ID ø 57.7mm thickness 2.5mm Qty 1 pcs		
<b>For models:</b>	TwinStar2		

			
1			
<b>GEV No.</b>	526097	<b>Ref. No.</b>	407709
<b>description</b>	flat gasket PTFE ED ø 75.8mm ID ø 68.4mm thickness 3.2mm Qty 1 pcs		
<b>For models:</b>	Classica-PM, Classica-SA, Club, XeosEvolution2		

special gaskets


group gaskets


			
1			
<b>GEV No.</b>	528465	<b>Ref. No.</b>	N/A
<b>description</b>	gasket D1 ø 42.5mm thickness 2mm suitable for CONTI		


			
1			
<b>GEV No.</b>	528464	<b>Ref. No.</b>	N/A
<b>description</b>	group gasket D1 ø 90mm D2 ø 49mm thickness 2mm suitable for CONTI		

springs

compression springs


			
1			
<b>GEV No.</b>	526087	<b>Ref. No.</b>	410635
<b>description</b>	compression spring ø 10.7mm L 14.5mm wire gauge ø 0.7mm		
<b>For models:</b>	TwinStar2, XeosEvolution2		

			
1			
<b>GEV No.</b>	526088	<b>Ref. No.</b>	400012
<b>description</b>	compression spring ø 12.7mm L 31.4mm wire gauge ø 1.4mm		
<b>For models:</b>	Classica-PM, Classica-SA, TwinStar2, XeosEvolution2		

			
1			
<b>GEV No.</b>	526089	<b>Ref. No.</b>	403474
<b>description</b>	compression spring ø 4.9mm L 17mm wire gauge ø 0.3mm		
<b>For models:</b>	Club, TwinStar2		




## manometers




1

<b>GEV No.</b>	541262	<b>Ref. No.</b>	425013
<b>description</b>	manometer double scale ø 63mm pressure range 0-3 / 0-15bar connection on the backside thread 1/8"		




1

<b>GEV No.</b>	541702	<b>Ref. No.</b>	4115042
<b>description</b>	manometer ø 40mm pressure range 0-2.5bar thread 1/8" marking 0.5-1.2 connection on the backside		




1

<b>GEV No.</b>	541705	<b>Ref. No.</b>	404325
<b>description</b>	manometer ø 62mm pressure range 0-3bar connection lower marking 0.5-0.8 thread 1/4"		
<b>For models:</b>	Classica-SA, Club		



1

<b>GEV No.</b>	541703	<b>Ref. No.</b>	4077101
<b>description</b>	manometer ø 63mm pressure range 0-2.5 / 0-16bar connection on the backside thread 1/8" pipe		




1

<b>GEV No.</b>	541704	<b>Ref. No.</b>	4108881
<b>description</b>	manometer ø 63mm pressure range 0-4 / 0-16bar connection on the backside thread 1/8" pipes		

## fastening material


### screws

#### hexagonal screws



1

<b>GEV No.</b>	560083	<b>Ref. No.</b>	401010
<b>description</b>	hexagonal screw thread M5 thread L 10mm SS WS 8 Qty 20 pcs DIN 933 / ISO 4017		
<b>For models:</b>	Classica-PM, Classica-SA, Club, TwinStar2, XeosEvolution2		




1

<b>GEV No.</b>	560385	<b>Ref. No.</b>	401012
<b>description</b>	hexagonal screw thread M5 thread L 12mm SS WS 8 Qty 1 pcs DIN 933 / ISO 4017		


#### cylinder head bolts

##### DIN 912/ISO 4762




1

<b>GEV No.</b>	560373	<b>Ref. No.</b>	401983
<b>description</b>	cylinder head bolt thread M4 thread L 12mm WS 3 SS Qty 1 pcs intake internal hexagon DIN 912/ISO 4762		
<b>For models:</b>	Classica-SA, Club, XeosEvolution2		




1

<b>GEV No.</b>	560402	<b>Ref. No.</b>	071600
<b>description</b>	cylinder head bolt thread M5 thread L 10mm L 15.5mm WS 4 SS Qty 1 pcs intake hexagonal DIN 912/ISO 4762		
<b>For models:</b>	Classica-SA, Club, TwinStar2, XeosEvolution2		



1

<b>GEV No.</b>	560033	<b>Ref. No.</b>	071100
<b>description</b>	cylinder head bolt thread M6 thread L 20mm WS 5 SS Qty 20 pcs DIN 912/ISO 4762		
<b>For models:</b>	Classica-SA, Club, TwinStar2, XeosEvolution2		



1


<b>GEV No.</b>	560225	<b>Ref. No.</b>	407016
<b>description</b>	cylinder head bolt thread M4 L 30mm thread L 20mm WS 3 intake hexagonal SS Qty 1 pcs head ø 7mm head thickness 4mm DIN 912/ISO 4762		
<b>For models:</b>	Classica-PM, Classica-SA, XeosEvolution2		




nuts

hexagonal nuts

hexagonal nuts metric (without norm)

 <p>1</p>			
<b>GEV No.</b>	507464	<b>Ref. No.</b>	402103
<b>description</b>	nut thread M16x1.5 H 7mm WS 19 brass Qty 1 pcs		
<b>For models:</b>	Classica-PM, Classica-SA, Club		


hexagonal nuts inch thread

 <p>1</p>			
<b>GEV No.</b>	507463	<b>Ref. No.</b>	407775
<b>description</b>	nut thread 1/2" H 9.1mm WS 23 brass		
<b>For models:</b>	Classica-PM, Classica-SA, Club, XeosEvolution2		

washers


washers

miscellaneous

 <p>1</p>			
<b>GEV No.</b>	528445	<b>Ref. No.</b>	233600
<b>description</b>	press ring D1 ø 18mm D2 ø 12.15mm thickness 3mm brass level glass		
<b>For models:</b>	Classica-PM, Classica-SA		

tooth lock washers

DIN 6798A

 <p>1</p>			
<b>GEV No.</b>	503121	<b>Ref. No.</b>	173600
<b>description</b>	tooth lock washer ID ø 8.4mm ED ø 15mm SS Qty 1 pcs		





<b>B</b>			
bi-metal thermostats	3, 4	screws	22
booster pumps II	11	sealing washers	20
<b>C</b>		solenoid valves	9
cables	11	solid state relays	6
contactors	5	switches and momentary switches	4
cylinder head bolts	22	<b>T</b>	
<b>E</b>		thermostats	3
electric accessories	11	tooth lock washers	23
<b>F</b>		<b>W</b>	
fastening material	22	washers	23
flow meters	11		
fuses	11		
<b>H</b>			
heating cartridges	3		
heating elements	3		
heating elements for coffee machine	3		
hexagonal nuts	23		
hexagonal screws	22		
<b>I</b>			
indicator lights	5		
indicator lights (complete)	5		
<b>K</b>			
key lock switches	5		
<b>L</b>			
lamps	5		
<b>N</b>			
nuts	23		
<b>O</b>			
O-rings	19		
<b>P</b>			
pressure switches	10		
pumps	11		
push/momentary push switches	4		
<b>R</b>			
relays	6		
ribbon cables	11		
rocker/momentary rocker switches	4		
<b>S</b>			
safety bi-metal thermostats	3		