



**GAS COMPONENTS**



**ELECTRIC COMPONENTS**



**WATER TECHNOLOGY**



**MECHANICAL COMPONENTS**



**TOOLS**

Spare parts suitable for

**CORSAIR**

Find the complete and up-to-date range of products in our GEV Webshop



# Manufacturer catalogue

The most important spare parts and accessories arranged clearly for every manufacturer

- ✓ Complete product range and all appliance data always up to date in the GEV Webshop
- ✓ Alphabetical Index at the end of the catalogue

## GEV Webshop

[www.gev-online.co.uk](http://www.gev-online.co.uk)

[www.gev-online.com](http://www.gev-online.com)



- 🔍 Add to Favourites
- 🔍 Sign In with email address and usual password
- 🔍 Easy-order – place several items in your basket at the same time
- 🔍 Quick Item search – no login needed

## hot plates

round

with radiused edge

for domestic and commercial kitchens



1

<b>GEV No.</b>	490058	<b>Ref. No.</b>	47-017
<b>description</b>	hot plate ø 180mm 2000W 240V		

## energy regulators

EGO

1-circuit



1

<b>GEV No.</b>	380019	<b>Ref. No.</b>	01-110
<b>description</b>	energy regulator 240V 13A single-circuit turn direction right shaft ø 6x4.6mm shaft L 23mm mounting thread M4 power release 6-100% no. 50.57071.010		

## thermostats

control and safety thermostats

EGO

control thermostats

55.13\_ series



1

<b>GEV No.</b>	375505	<b>Ref. No.</b>	01-056
<b>description</b>	thermostat t.max. 320°C temperature range 50-320°C 1-pole 1NO 16A probe ø 3mm probe L 160mm capillary pipe 870mm capillary pipe isolatedmm gland nut shaft ø 6x4.6mm shaft L 23mm shaft position upper rotation 270°		



1

<b>GEV No.</b>	375566	<b>Ref. No.</b>	01-027
<b>description</b>	thermostat t.max. 96°C temperature range 82-96°C 1-pole 1CO 16A probe ø 6mm probe L 147mm capillary pipe 870mm capillary pipe isolatedmm gland nut M9x1 shaft L 23mm shaft position upper rotation 120°		

55.18\_ series



1

<b>GEV No.</b>	375989	<b>Ref. No.</b>	42-045
<b>description</b>	thermostat t.max. 190°C temperature range 130-190°C 1-pole 1NO 16A probe ø 6mm probe L 118mm capillary pipe 890mm gland nut shaft ø 6x4.6mm shaft L 23mm shaft position upper rotation 270°		

safety thermostats

56.\_ series





1




<b>GEV No.</b>	390714	<b>Ref. No.</b>	47-003
<b>description</b>	safety thermostat switch-off temp. 230°C 1-pole 1NC 16A probe ø 6mm probe L 75mm capillary pipe 740mm capillary pipe isolated 200mm gland nut probe SS		

# gas thermostats

## ROBERTSHAW



<b>GEV No.</b>	580062	<b>Ref. No.</b>	36-271
<b>description</b>	gas thermostat type B JW 93-287°C 200-550°F gas inlet flange (tube ø 5/16") bypass nozzle ømm gas outlet 3/8" NPT thermocouple connection pilot connection 5/16" UNEF capillary pipe 48" - 1220mm probe ø 3/16" - 4.7mm probe L 11 1/4" - 285mm ROBERTSHAW pipe input ø 7/16" pipe output ø 7/16"		
<b>accessories for</b>	580062		
	<b>GEV No.</b>	106659	<b>Ref. No.</b> —
	gas connection suitable for thermostat		
	<b>GEV No.</b>	112547	<b>Ref. No.</b> —
	knob gas thermostat t.max. 500°F 200-500°F ø 49mm shaft ømm shaft flat ROBERTSHAW black		

			
<b>1</b>			
<b>GEV No.</b>	580064	<b>Ref. No.</b>	N/A
<b>description</b>	gas thermostat type RGIST 2x160 t.max. 190°C 90-190°C gas inlet 3/4" gas outlet 3/4" thermocouple connection ASA 11/32 capillary pipe 1200mm probe ø 6mm probe L 160mm gland nut 3/8" ROBERTSHAW pipe input ø 3/4" pipe output ø 3/4"		
<b>spare parts for</b>	580064		
	<b>GEV No.</b>	580067	<b>Ref. No.</b> —
	thermostat type RG6A11Y 90-190°C gas inlet ø3mm gas outlet ø3mm thermocouple connection pilot connection capillary pipe 1200mm probe ø 6mm probe L 170mm gland nut 3/8" BSP shaft ø 6.4x4.8mm shaft L 31/31mm shaft flat left		
	<b>GEV No.</b>	580068	<b>Ref. No.</b> —
	piezoelectric igniter suitable for ROBERTSHAW		

**C**

control thermostats 3

**E**

energy regulators 3

**G**

gas thermostats 4

**H**

hot plates 3

**S**

safety thermostats 3

**T**

thermostats 3