



**GAS COMPONENTS**



**ELECTRIC COMPONENTS**



**WATER TECHNOLOGY**



**MECHANICAL COMPONENTS**



**TOOLS**

Spare parts suitable for

**ELEKTRA**

Find the complete and up-to-date range of products in our GEV Webshop



# Manufacturer catalogue

The most important spare parts and accessories arranged clearly for every manufacturer

- ✓ Complete product range and all appliance data always up to date in the GEV Webshop
- ✓ Alphabetical Index at the end of the catalogue

## GEV Webshop

[www.gev-online.co.uk](http://www.gev-online.co.uk)

[www.gev-online.com](http://www.gev-online.com)





- 🔍 Add to Favourites
- 🔍 Sign In with email address and usual password
- 🔍 Easy-order – place several items in your basket at the same time
- 🔍 Quick Item search – no login needed





# heating elements


## heating elements for coffee machine






			
1			
<b>GEV No.</b>	417174	<b>Ref. No.</b>	01195035
<b>description</b>	heating element 2000W 230V heating circuits 3 mounting $\phi$ 42mm hole distance 74mm L 152mm W 35mm H 58mm L1 38mm L2 56mm L3 58mm H1 35mm hole $\phi$ 10mm tube $\phi$ 8mm thermostat sleeves $\phi$ 4mm length thermostat sleeves 150mm number of thermostat sleeves 1 connection M3x0.6 immersion heater 2 hole flange		

			
1			
<b>GEV No.</b>	417215	<b>Ref. No.</b>	01197035
<b>description</b>	heating element 2500W 230V heating circuits 3 hole distance 74mm L 150mm W 31mm H 57mm L1 33mm L2 67mm L3 50mm H1 35mm H2 22mm tube $\phi$ 8mm thermostat sleeves $\phi$ 5mm length thermostat sleeves 135mm thermostat sleeve eccentric, clinging connection M3 suitable for Verticale 2GR		
<b>accessories for</b>	417215		
		<b>GEV No.</b> 527169	<b>Ref. No.</b> —
		hexagonal nut thread M3 H 2.8mm WS 5.5 brass Qty 1 pcs	
		<b>GEV No.</b> 560110	<b>Ref. No.</b> —
		plain washer ID $\phi$ 3.2mm ED $\phi$ 7mm thickness 0.5mm SS Qty 20 pcs DIN 125A for thread M3	
		<b>GEV No.</b> 560130	<b>Ref. No.</b> —
		hexagonal nut thread M3 H 2.4mm WS 5.5 SS DIN/ISO DIN 934 / ISO 4032/8673 Qty 20 pcs	

			
1			
<b>GEV No.</b>	417155	<b>Ref. No.</b>	00127035
<b>description</b>	heating element 3000W 230V heating circuits 3 mounting $\phi$ 43mm hole distance 74mm L 315mm W 32mm H 45mm L1 35mm L2 60mm L3 220mm H1 33mm H2 12mm hole $\phi$ 10mm tube $\phi$ 8mm connection M3 immersion heater 2 hole flange		
<b>accessories for</b>	417155		
		<b>GEV No.</b> 527169	<b>Ref. No.</b> —
		hexagonal nut thread M3 H 2.8mm WS 5.5 brass Qty 1 pcs	
		<b>GEV No.</b> 560110	<b>Ref. No.</b> —
		plain washer ID $\phi$ 3.2mm ED $\phi$ 7mm thickness 0.5mm SS Qty 20 pcs DIN 125A for thread M3	
		<b>GEV No.</b> 560130	<b>Ref. No.</b> —
		hexagonal nut thread M3 H 2.4mm WS 5.5 SS DIN/ISO DIN 934 / ISO 4032/8673 Qty 20 pcs	

			
1			
<b>GEV No.</b>	417295	<b>Ref. No.</b>	02159035
<b>description</b>	heating element 3500W 230/400V heating circuits 3 mounting $\phi$ 42mm hole distance 74mm L 325mm W 35mm H 60mm L1 47mm L2 53mm L3 225mm H1 35mm H2 25mm hole $\phi$ 10mm tube $\phi$ 8mm thermostat sleeves $\phi$ 5mm length thermostat sleeves 198mm thermostat sleeve eccentric, clinging number of thermostat sleeves 1 connection M3 dry heating element 2 hole flange		


			
1			
<b>GEV No.</b>	417265	<b>Ref. No.</b>	01992035
<b>description</b>	heating element 5500W 230/400V heating circuits 3 mounting $\phi$ 42mm hole distance 74mm L 503mm W 35mm H 62mm L1 44mm L2 64mm L3 395mm H1 35mm H2 27mm hole $\phi$ 9.5mm tube $\phi$ 8mm thermostat sleeves $\phi$ 5mm length thermostat sleeves 190mm thermostat sleeve eccentric, clinging number of thermostat sleeves 1 connection 3 immersion heater 2 hole flange		

			
1			
<b>GEV No.</b>	417175	<b>Ref. No.</b>	01192035
<b>description</b>	heating element 800W 220V heating circuits 1 $\phi$ 50mm H 41mm W1 38mm H1 19mm H2 22mm mounting distance 32mm thread 1/4" stainless steel windings 2 tube $\phi$ 6.3mm immersion heater 2 hole fixing connection male faston 6.3mm		
<b>spare parts for</b>	417175		
		<b>GEV No.</b> 510417	<b>Ref. No.</b> —
		flat gasket fibre ED $\phi$ 20mm ID $\phi$ 14mm thickness 2mm Qty 1 pcs	
<b>accessories for</b>	417175		
		<b>GEV No.</b> 361182	<b>Ref. No.</b> —
		nut thread 1/4" H 5mm nickel-plated brass WS 17 Qty 1 pcs	
		<b>GEV No.</b> 520228	<b>Ref. No.</b> —
		tooth lock washer ID $\phi$ 15.3mm ED $\phi$ 24mm steel Qty 1 pcs for thread M14	
		<b>GEV No.</b> 550262	<b>Ref. No.</b> —
		flat gasket copper ED $\phi$ 20mm ID $\phi$ 14mm thickness 2mm	

### accessories


#### sealing washers

#### fibre gaskets

			
1			
<b>GEV No.</b>	528171	<b>Ref. No.</b>	00499035
<b>description</b>	flat gasket fibre ED $\phi$ 55mm ID $\phi$ 42mm thickness 2mm Qty 1 pcs		




## O-rings



**GEV No.** 510408 **Ref. No.** 00174035

**description** O-ring EPDM thickness 5.34mm ID ø 47mm Qty 1 pcs



**GEV No.** 510409 **Ref. No.** 01917035

**description** O-ring EPDM thickness 5.34mm ID ø 56.52mm Qty 1 pcs

## protection caps



**GEV No.** 520483 **Ref. No.** 00276014

**description** protection cap for heating element ø 48mm plastic L 50mm

## thermostats

## bi-metal thermostats

## safety bi-metal thermostats



**GEV No.** 390312 **Ref. No.** 01194035

**description** bi-metal safety thermostat 1-pole connection F6.3 2 hole fixing

## bi-metal thermostats



**GEV No.** 390129 **Ref. No.** 00700035

**description** bi-metal thermostat hole distancemm switch-off temp. 125°C 1NC 1-pole 16A connection F6.3 M4



**GEV No.** 390153 **Ref. No.** 00277035

**description** bi-metal thermostat hole distancemm switch-off temp. 135°C 1NC 1-pole 16A connection F6.3 M4



**GEV No.** 390327 **Ref. No.** 00702035

**description** bi-metal thermostat hole distancemm switch-off temp. 150°C 1NC 1-pole 16A connection F6.3 M4



**GEV No.** 390128 **Ref. No.** 00701035

**description** bi-metal thermostat hole distancemm switch-off temp. 95°C 1NC 1-pole 16A connection F6.3 M4

## control and safety thermostats

## EGO

## safety thermostats

## 55.32\_ series



**GEV No.** 390324 **Ref. No.** 02790035

**description** safety thermostat switch-off temp. 169°C 3-pole 3NC 20A probe ø 4mm probe L 128mm capillary pipe 890mm capillary pipe isolated 210/210mm gland nut probe SS

## switches and momentary switches

## rocker/momentary rocker switches



## 30x11 mm




**GEV No.** 301038 **Ref. No.** 00632034


**description** rocker switch mounting measurements 30x11mm green 1NO/indicator light 250V 16A connection male faston 6.3mm





30x22mm			
			
1			
<b>GEV No.</b>	301001	<b>Ref. No.</b>	00492035
<b>description</b>	rocker switch mounting measurements 30x22mm red 2NO 250V 16A illuminated 0-I connection male faston 6.3mm ambient temperature max. 125/55°C protection IP65		
<b>accessories for</b>	301001		
			
	<b>GEV No.</b>	301036	<b>Ref. No.</b>
			—
<b>description</b>	protective cover internal size 30x22mm for rocker switch mounting measurementsmm		

			
1			
<b>GEV No.</b>	301060	<b>Ref. No.</b>	01603035
<b>description</b>	rocker switch mounting measurements 30x22mm red 2NO 250V 16A illuminated connection male faston 6.3mm ambient temperature max. 125/55°C protection IP40		


push/momentary push switches


28.5x28.5mm			
			
1			
<b>GEV No.</b>	346019	<b>Ref. No.</b>	00746034
<b>description</b>	push switch mounting measurements 28.5x28.5mm green/black 2NO 250V 16A cup connection male faston 6.3mm ambient temperature max. 150/75°C protection IP40 with indicator		


30x22mm			
			
1			
<b>GEV No.</b>	301044	<b>Ref. No.</b>	01606034
<b>description</b>	momentary push switch mounting measurements 30x22mm green 2NO 250V 16A illuminated		


			
1			
<b>GEV No.</b>	301040 <sup>1</sup>	<b>Ref. No.</b>	00631034
<b>description</b>	push switch mounting measurements 30x22mm green 2NO 250V 16A illuminated connection male faston 6.3mm ambient temperature max. 85°C protection IP40		

<sup>1</sup>illuminated

ø25mm			
			
1			
<b>GEV No.</b>	346044	<b>Ref. No.</b>	01606034
<b>description</b>	momentary push switch mounting ø 25mm black 2NO 250V 16A water connection male faston 6.3mm ambient temperature max. 85°C protection IP40		

			
1			
<b>GEV No.</b>	346040	<b>Ref. No.</b>	00631034
<b>description</b>	momentary push switch mounting ø 25mm red 2NO 250V 16A water connection male faston 6.3mm ambient temperature max. 85°C protection IP40		


			
1			
<b>GEV No.</b>	346039	<b>Ref. No.</b>	01607034
<b>description</b>	push switch mounting ø 25mm black 2NO 250V 16A coffee connection male faston 6.3mm ambient temperature max. 85°C protection IP40		

			
1			
<b>GEV No.</b>	346038	<b>Ref. No.</b>	00632034
<b>description</b>	push switch mounting ø 25mm red 2NO 250V 16A coffee connection male faston 6.3mm ambient temperature max. 85°C protection IP40		

microswitches

roller actuated

roller 0°

			
1			
<b>GEV No.</b>	346370	<b>Ref. No.</b>	01903035
<b>description</b>	microswitch with roller plunger 230V 16A 1CO connection screw L1 49mm ambient temperature max. 125°C thread L 14mm thread M10 mounting distance 25mm actuating force: 300g type MV15-2		



## system switches (ROLD)



1

<b>GEV No.</b>	346498	<b>Ref. No.</b>	00740035
<b>description</b>	element holder mounting measurements 28.5x28.5mm black single element holder		



1

<b>GEV No.</b>	346032	<b>Ref. No.</b>	00743073
<b>description</b>	push button ø 23mm black flash with lens		



1

<b>GEV No.</b>	345722	<b>Ref. No.</b>	01221035
<b>description</b>	switch 1NO 250V 16A connection male faston 6.3mm		



1

<b>GEV No.</b>	345720	<b>Ref. No.</b>	01222035
<b>description</b>	switch 2NO 250V 16A connection male faston 6.3mm		

## key lock switches



1

<b>GEV No.</b>	400298	<b>Ref. No.</b>	00388035 03196035
<b>description</b>	key lock switch		



1

<b>GEV No.</b>	400297	<b>Ref. No.</b>	00387035 03195035
<b>description</b>	key lock switch 1 group thread M12x1 1NO mounting ø 12mm cable length 300mm		



1

<b>GEV No.</b>	402219	<b>Ref. No.</b>	00391035
<b>description</b>	key lock switch 1 group thread M12x1 1NO mounting ø 12mm cable length 500mm		



1

<b>GEV No.</b>	400299	<b>Ref. No.</b>	03197035 0389035
<b>description</b>	key lock switch mounting ø 11.6mm 3-group		

## rotary switches

## BREMAS

## A1700 series



1

<b>GEV No.</b>	347085	<b>Ref. No.</b>	00056035
<b>description</b>	rotary switch 2 0-1 sets of contacts 2 type CA0170002V 400V 20A shaft ø 5x5mm shaft L 18mm shaft square connection screw		



1

<b>GEV No.</b>	347198 <sup>1</sup>	<b>Ref. No.</b>	02019035
<b>description</b>	rotary switch 2 0-1 sets of contacts 4 type CA0200004V 400V 20A shaft ø 5x5mm shaft L 19mm shaft square connection screw		

<sup>1</sup>incl. rubber protective sleeve

1

<b>GEV No.</b>	346004	<b>Ref. No.</b>	00056035
<b>description</b>	rotary switch 20A shaft L 23mm 2 operating positions 2-pole shaft 5x5mm screw		



1

<b>GEV No.</b>	347274	<b>Ref. No.</b>	02020035
<b>description</b>	rotary switch 3 0-1-2 sets of contacts 6 type CS0178623 400V 20A shaft ø 5x5mm shaft L 23mm shaft square connection screw		


## accessories



1

<b>GEV No.</b>	111315	<b>Ref. No.</b>	01965058
<b>description</b>	knob ø 28/48mm shaft ø 5x5mm brown H 22mm L 40mm		




			
1			
<b>GEV No.</b>	527259	<b>Ref. No.</b>	01965057
<b>description</b>	knob push-in ø 34/60mm shaft ø 5x5mm black H 21.4mm L 49mm		

## lamps

### indicator lights

indicator lights 2-piece (lens and indicator lamp)


rings for socket type SC-1


			
1			
<b>GEV No.</b>	359242	<b>Ref. No.</b>	01311035
<b>description</b>	frame chrome-plated		

### indicator lights (complete)

ø10mm

with screw socket

			
1			
<b>GEV No.</b>	359238	<b>Ref. No.</b>	01312035
<b>description</b>	indicator light ø 10mm 230V green connection male faston 6.3mm		




			
1			
<b>GEV No.</b>	359237	<b>Ref. No.</b>	00073035
<b>description</b>	indicator light ø 10mm 230V red connection male faston 6.3mm		

## relays



### power relays

with male contacts


bullet connectors, 8 contacts


			
1			
<b>GEV No.</b>	380134	<b>Ref. No.</b>	00681035
<b>description</b>	power relays Italiana Relè 230VAC 10A 2CO connection plug-in connection round 8-pole manuf. no. C42-230VAC 90.26/ZVE8 250V		
<b>accessories for</b>	380134		
	<b>GEV No.</b>	380137	<b>Ref. No.</b>
			—
	relay socket 8-pole connection plug-in connection round 8-pole dimensions 65x28x40mm 380V voltage AC 10A Italiana Relè manuf. no. ZVE8		
	<b>GEV No.</b>	380638	<b>Ref. No.</b>
			—
	relay socket 8-pole dimensions 51x41x23mm 250V 10A FINDER manuf. no. 90.26		

### plug-in/print relays

			
1			
<b>GEV No.</b>	380662	<b>Ref. No.</b>	02021035
<b>description</b>	print relay 250VAC 1CO at 250V 10A connection pins raster size 3.5mm		
<b>accessories for</b>	380662		
	<b>GEV No.</b>	380663	<b>Ref. No.</b>
			—
	relay socket 250V voltage AC 10A FINDER manuf. no. 95.83.3		

### relay sockets

			
1			
<b>GEV No.</b>	380910	<b>Ref. No.</b>	02022035
<b>description</b>	relay socket 5-pole 250V 10A FINDER manuf. no. 95.63		



15.5

COM

NC

NO

COIL



1

<b>GEV No.</b>	380909	<b>Ref. No.</b>	00683035
<b>description</b>	relay socket 8-pole 250V 10A FINDER manuf. no. 90.22		

## level relays

### GICAR



1

<b>GEV No.</b>	402392	<b>Ref. No.</b>	00189035
<b>description</b>	level controller 230V voltage AC 50/60Hz 10A connection male faston 6.3mm type NRL30/1E-2C/F		

## keypads

### keypad units



1

<b>GEV No.</b>	400361	<b>Ref. No.</b>	00384035 EL-384
<b>description</b>	keypad unit		



1

<b>GEV No.</b>	400057	<b>Ref. No.</b>	03154034
<b>description</b>	keypad unit buttons 7 black		



1

<b>GEV No.</b>	400357	<b>Ref. No.</b>	02901034
<b>description</b>	keypad unit buttons 7 blue type DOS TG 1GR+RL 230V		



1

<b>GEV No.</b>	400059	<b>Ref. No.</b>	01955034
<b>description</b>	keypad unit buttons 7 brown type DOS TG 1GR+RL 230V		

## solenoïd valves

### solenoïd valves (water)

#### metal

#### PARKER

#### spare parts and accessories

#### valve bodies



1

<b>GEV No.</b>	370568	<b>Ref. No.</b>	01847035
<b>description</b>	solenoid valve body PARKER 2-ways type VE-140 pressure range 0-10bar		



1

<b>GEV No.</b>	370062	<b>Ref. No.</b>	EK02
<b>description</b>	solenoid valve body PARKER 3-ways outer cone		

#### accessories for 370062







	<b>GEV No.</b>	371029	<b>Ref. No.</b>	—
	<b>description</b>	solenoid coil PARKER 230VAC 9VA coil type ZB09 seat ø 14mm H 33mm W 34mm D 43mm		
	<b>GEV No.</b>	371030	<b>Ref. No.</b>	—
	<b>description</b>	solenoid coil 24VDC 12VA coil type ZB12 seat ø 14mm		
	<b>GEV No.</b>	371033	<b>Ref. No.</b>	—
	<b>description</b>	solenoid coil PARKER 230VAC 9VA coil type YB09 with cable seat ø 14mm		
	<b>GEV No.</b>	371036	<b>Ref. No.</b>	—
	<b>description</b>	solenoid coil 24VAC 9VA coil type ZB09 seat ø 14mm		
	<b>GEV No.</b>	371095	<b>Ref. No.</b>	—
	<b>description</b>	O-ring Viton thickness 1.78mm ID ø 6.07mm Qty 1 pcs		

Table continues overleaf





<b>accessories for</b>	370062		
	<b>GEV No.</b>	371100	<b>Ref. No.</b> —
	O-ring silicone thickness 1.78mm ID ø 6.07mm Qty 1 pcs		

## pressure switches

for coffee machines

ø 38mm



1

<b>GEV No.</b>	541020	<b>Ref. No.</b>	01344035
<b>description</b>	pressure control ø 38mm pressure range 0.5-1.2bar coffee machine parts pressure connection vertical preset at 1bar 16A 250V connection 1/4" pressure connection 1/4" GAS		

## miscellaneous



1

<b>GEV No.</b>	541021	<b>Ref. No.</b>	00049035
<b>description</b>	pressure control pressure range adjustable 0.5-1.4bar connection 1/4" 30A 3-pole type P302 coffee machine parts SIRAI		

**accessories for** 541021



<b>GEV No.</b>	550262	<b>Ref. No.</b>	—
	flat gasket copper ED ø 20mm ID ø 14mm thickness 2mm		



<b>GEV No.</b>	890100	<b>Ref. No.</b>	—
	PTFE tape reel L 12m W 12mm -200 up to +260°C approval DIN-DVGW, KTW temperature-resistant, elastic for fine thread thickness 0.1mm		

## electrodes



1

<b>GEV No.</b>	400214	<b>Ref. No.</b>	00191035
<b>description</b>	level electrode 1/4" total length 140mm probe L 112mm insulated probe length 26mm connection male faston 6.3mm stainless steel ø 2.5mm		



1

<b>GEV No.</b>	400523	<b>Ref. No.</b>	01108034
<b>description</b>	level electrode total length 111mm probe L 81mm with housing ø 14mm		



1

<b>GEV No.</b>	400573	<b>Ref. No.</b>	01110034 01971034
<b>description</b>	level electrode total length 130mm probe L 102mm with housing ø 14mm		

## pumps

booster pumps II

pump heads

FLUID-O-TECH



1

<b>GEV No.</b>	500177	<b>Ref. No.</b>	00046035
<b>description</b>	pump head PA204X FLUID-O-TECH L 82mm 200l/h connection 3/8" GAS with filter an bypass brass clip connection for coffee machine shaft ø 4.8x11mm		

## equipment-specific units

for vegetable slicers

miscellaneous



1

<b>GEV No.</b>	110703	<b>Ref. No.</b>	00469035
<b>description</b>	cylindrical handle thread M10 ø 28mm L 87mm		

for cheese graters

miscellaneous



1

<b>GEV No.</b>	110703	<b>Ref. No.</b>	00469035
<b>description</b>	cylindrical handle thread M10 ø 28mm L 87mm		

for espresso machines

filter holders

filter holders standard

filter holder without spout



1	<b>GEV No.</b>	525991	<b>Ref. No.</b>	N/A
<b>description</b> filter holder suitable for ELEKTRA without outlet mounting ø 82.5mm outlet 3/8" ID ø 61.8mm wedge height 8.5mm wedge position horizontal number of wedges 2 lever inclined				

filter holders short



1	<b>GEV No.</b>	529181	<b>Ref. No.</b>	00187021
<b>description</b> filter holder chrome-plated				



1	<b>GEV No.</b>	529180	<b>Ref. No.</b>	00187019
<b>description</b> filter holder mounting ø 82.5mm hole ø 4mm ID ø 51mm handle M8x1.25 wedge height 8mm wedge position horizontal number of wedges 2 lever straight brass polished				



1	<b>GEV No.</b>	529198	<b>Ref. No.</b>	00061021 02152021
<b>description</b> filter holder mounting ø 82.5mm outlet 3/8" ID ø 61.8mm handle M12x1.75 wedge height 9.5mm wedge position horizontal number of wedges 2 lever inclined chrome-plated brass				

handles

with external thread



1	<b>GEV No.</b>	529129	<b>Ref. No.</b>	02900014
<b>description</b> handle for filter holder ø 36.5mm thread M12x1.75 thread L 15mm L 110mm black				



1	<b>GEV No.</b>	529199	<b>Ref. No.</b>	01897035
<b>description</b> handle for filter holder ø 36.5mm thread M12x1.75 thread L 15mm L 110mm brown				

with bore



1	<b>GEV No.</b>	529793	<b>Ref. No.</b>	01899035
<b>description</b> handle				



1	<b>GEV No.</b>	529185	<b>Ref. No.</b>	00177005 00177014
<b>description</b> handle ø 36mm aperture 10mm L 125mm brown wood				

screws



1	<b>GEV No.</b>	529182	<b>Ref. No.</b>	00186035
<b>description</b> threaded rod				

spouts

with thread 3/8"



1	<b>GEV No.</b>	529003	<b>Ref. No.</b>	01308021
<b>description</b> filter holder spout thread 3/8" 1-way curved/long outlet distance mm thread L 5mm				



1	<b>GEV No.</b>	529161	<b>Ref. No.</b>	00064021
<b>description</b> filter holder spout thread 3/8" adjustable curved H 34mm outlet distance 45mm cups 2				

accessories



1			
<b>GEV No.</b>	529200	<b>Ref. No.</b>	00526021
<b>description</b>	extension chrome-plated brass		

filters

for 1 cup



1			
<b>GEV No.</b>	529178	<b>Ref. No.</b>	00164035
<b>description</b>	coffee filter ø 58mm mounting ø 51mm H 22mm cups 1 amount of coffee 6g		



1			
<b>GEV No.</b>	526261	<b>Ref. No.</b>	01796035
<b>description</b>	coffee filter ø 70mm mounting ø 60.5mm H 20.5mm cups 1 amount of coffee 6.5g		



1			
<b>GEV No.</b>	529196	<b>Ref. No.</b>	00065035
<b>description</b>	coffee filter ø 70mm mounting ø 60.6mm H 24.5mm cups 1 amount of coffee 7g		



1			
<b>GEV No.</b>	527631	<b>Ref. No.</b>	N/A
<b>description</b>	coffee filter ø 70mm mounting ø 60.7mm H 17mm cups 1 amount of coffee 8g		

for 2 cups



1			
<b>GEV No.</b>	529179	<b>Ref. No.</b>	00163035
<b>description</b>	coffee filter ø 58mm mounting ø 51mm H 26mm cups 2 amount of coffee 12g		




1			
<b>GEV No.</b>	529197	<b>Ref. No.</b>	00066035
<b>description</b>	coffee filter ø 70mm mounting ø 60mm H 24.5mm cups 2 amount of coffee 14g		

filter holder springs



1			
<b>GEV No.</b>	529079	<b>Ref. No.</b>	013040335 01304035
<b>description</b>	filter holder spring L 70mm W 60mm wire gauge ø 1.3mm for espresso filter holder		

miscellaneous




1			
<b>GEV No.</b>	529184	<b>Ref. No.</b>	01367019
<b>description</b>	nut		

brewing units

shower screens

flat



1			
<b>GEV No.</b>	529193	<b>Ref. No.</b>	01208035
<b>description</b>	shower screen ø 52.1mm hole ø 6.3mm		
<b>accessories for</b>	529193		
	<b>GEV No.</b>	560300	<b>Ref. No.</b> 01206035
	 countersunk screw thread M5 L 16mm SS DIN 963/ISO 2009 Qty 1 pcs intake slotted head ø 9mm		

## with upstand



1

<b>GEV No.</b>	529177	<b>Ref. No.</b>	00175035
<b>description</b>	shower screen ø 48mm H 14mm		

## screws



1

<b>GEV No.</b>	560300	<b>Ref. No.</b>	01206035
<b>description</b>	countersunk screw thread M5 L 16mm SS DIN 963/ISO 2009 Qty 1 pcs intake slotted head ø 9mm		

## filter holder gaskets

## O-rings



1

<b>GEV No.</b>	510409	<b>Ref. No.</b>	01917035
<b>description</b>	O-ring EPDM thickness 5.34mm ID ø 56.52mm Qty 1 pcs		

## shim gaskets



1

<b>GEV No.</b>	531251	<b>Ref. No.</b>	—
<b>description</b>	shim gasket D1 ø 66mm D2 ø 58mm thickness 0.8mm paper Qty 20 pcs		

## brewing units with solenoid valve

## nozzle holders



1

<b>GEV No.</b>	526420	<b>Ref. No.</b>	01335014
<b>description</b>	nozzle holder thread M5 IT M5 L 10.3mm brass WS 8		

## filters

## accessories



1

<b>GEV No.</b>	526419	<b>Ref. No.</b>	00110014
<b>description</b>	filter support for brewing unit D1 ø 11mm D2 ø 18mm D3 ø 16.5mm L 5.6mm		

## brewing units manual

## components

## gaskets



1

<b>GEV No.</b>	529174	<b>Ref. No.</b>	00172035
<b>description</b>	gasket		



1

<b>GEV No.</b>	529795	<b>Ref. No.</b>	01245035 02862035
<b>description</b>	gasket D1 ø 13mm D2 ø 4mm thickness 4mm coffee machine		



1

<b>GEV No.</b>	529175	<b>Ref. No.</b>	00173035
<b>description</b>	gasket ED ø 41mm ID ø 28mm H 6mm		

## brewing units with lever

## complete




1


<b>GEV No.</b>	525005	<b>Ref. No.</b>	00131039
<b>description</b>	brewing unit complete suitable for ELEKTRA		




			
1			
<b>GEV No.</b>	525006	<b>Ref. No.</b>	00131038
<b>description</b>	brewing unit complete suitable for ELEKTRA		


components			
nozzles			
with thread			
			
1			
<b>GEV No.</b>	529188	<b>Ref. No.</b>	01336014
<b>description</b>	nozzle bore ø 0.9mm		


screw connections			
			
1			
<b>GEV No.</b>	526386	<b>Ref. No.</b>	00026014
<b>description</b>	screw cap thread M30x1.5 ID ø 15mm L 21mm brass WS 12		

			
1			
<b>GEV No.</b>	526385	<b>Ref. No.</b>	00921021
<b>description</b>	screw cap thread M30x1.5 ID ø 15mm L 30mm chrome-plated brass WS 17		

gaskets			
			
1			
<b>GEV No.</b>	529190	<b>Ref. No.</b>	01228035
<b>description</b>	O-ring Viton thickness 2.62mm ID ø 31.42mm Qty 1 pcs		

water dispersions			
water dispersions			
group 3			
			
1			
<b>GEV No.</b>	529194	<b>Ref. No.</b>	01252014
<b>description</b>	water distributor ø 57mm H 8.5mm 10 holes hole ø 1.2mm mounting ø 5mm brass		

safety valves			
safety valves			
3/8"			
			
1			
<b>GEV No.</b>	529312	<b>Ref. No.</b>	01618034
<b>description</b>	safety valve connection 3/8" triggering pressure 1.8bar		

expansion valves			
			
1			
<b>GEV No.</b>	529341	<b>Ref. No.</b>	00422034
<b>description</b>	expansion valve T1: 1/8" ET T2: 1/8" ET L 24mm		

drain pans			
drain pans			
			
1			
<b>GEV No.</b>	526373	<b>Ref. No.</b>	01262014
<b>description</b>	drain pan L 98mm W 70mm H 48mm		

## aerators and air bleeders



1

<b>GEV No.</b>	529303	<b>Ref. No.</b>	00200034
----------------	--------	-----------------	----------

<b>description</b>	aerator and air bleeder connection 1/4" only steam
--------------------	--

<b>spare parts for</b>	529303
------------------------	--------



<b>GEV No.</b>	528687	<b>Ref. No.</b>	—
----------------	--------	-----------------	---

<b>description</b>	O-ring Viton thickness 1.78mm ID ø 3.69mm Qty 1 pcs
--------------------	---

## boilers

## gaskets

## O-rings



1

<b>GEV No.</b>	526394	<b>Ref. No.</b>	01994035
----------------	--------	-----------------	----------

<b>description</b>	boiler gasket Viton thickness 3.53mm ID ø 129.8mm Qty 1 pcs
--------------------	---

## steam/water taps

## steam/water taps

## steam/water taps



1

<b>GEV No.</b>	529811	<b>Ref. No.</b>	00690038
----------------	--------	-----------------	----------

<b>description</b>	steam/water tap brass
--------------------	-----------------------

<b>spare parts for</b>	529811
------------------------	--------



<b>GEV No.</b>	526404	<b>Ref. No.</b>	01891019
----------------	--------	-----------------	----------

<b>description</b>	tap body T1: M18x1 T2: M20x1 T3: TR20 left brass polished L 49mm
--------------------	--



<b>GEV No.</b>	529813	<b>Ref. No.</b>	01898035
----------------	--------	-----------------	----------

<b>description</b>	star handle shaft 7x7mm ø 58mm L 19mm brown thermoplastic
--------------------	---



<b>GEV No.</b>	529814	<b>Ref. No.</b>	00953030
----------------	--------	-----------------	----------

<b>description</b>	disc for knob ø 33.8mm ELEKTRA
--------------------	--------------------------------



1

<b>GEV No.</b>	529812	<b>Ref. No.</b>	00690039
----------------	--------	-----------------	----------

<b>description</b>	steam/water tap chrome-plated
--------------------	-------------------------------

<b>spare parts for</b>	529812
------------------------	--------



<b>GEV No.</b>	526399	<b>Ref. No.</b>	01891021
----------------	--------	-----------------	----------

<b>description</b>	tap body T1: M18x1 T2: M20x1 T3: TR20 left chrome-plated L 49mm
--------------------	---



<b>GEV No.</b>	529813	<b>Ref. No.</b>	01898035
----------------	--------	-----------------	----------

<b>description</b>	star handle shaft 7x7mm ø 58mm L 19mm brown thermoplastic
--------------------	---



<b>GEV No.</b>	529814	<b>Ref. No.</b>	00953030
----------------	--------	-----------------	----------

<b>description</b>	disc for knob ø 33.8mm ELEKTRA
--------------------	--------------------------------

## steam taps

## steam taps (complete)



1

<b>GEV No.</b>	529790	<b>Ref. No.</b>	00958038
----------------	--------	-----------------	----------

<b>description</b>	steam tap brass
--------------------	-----------------

<b>spare parts for</b>	529790
------------------------	--------



<b>GEV No.</b>	526417	<b>Ref. No.</b>	00048014
----------------	--------	-----------------	----------

<b>description</b>	shaft for steam-/water-tap ø 5mm D2 ø 4mm L 65mm thread M4 SS
--------------------	---



<b>GEV No.</b>	526418	<b>Ref. No.</b>	01457015
----------------	--------	-----------------	----------

<b>description</b>	lever L 36mm T1: M5 T2: M8 ø 13.5mm
--------------------	-------------------------------------



1

<b>GEV No.</b>	526377	<b>Ref. No.</b>	02906039
----------------	--------	-----------------	----------

<b>description</b>	steam tap complete chrome-plated blue/black
--------------------	---





1

<b>GEV No.</b>	526376	<b>Ref. No.</b>	01990039
<b>description</b>	steam tap complete chrome-plated white/brown		







1

<b>GEV No.</b>	526374	<b>Ref. No.</b>	00958034	
<b>description</b>	steam tap complete swing lever brass			
<b>spare parts for</b>	526374			
	<b>GEV No.</b>	526417	<b>Ref. No.</b>	00048014
	shaft for steam-/water-tap ø 5mm D2 ø 4mm L 65mm thread M4 SS			
	<b>GEV No.</b>	526418	<b>Ref. No.</b>	01457015
	lever L 36mm T1: M5 T2: M8 ø 13.5mm			





1

<b>GEV No.</b>	529808	<b>Ref. No.</b>	00945034	
<b>description</b>	steam tap complete swing lever brass			
<b>spare parts for</b>	529808			
	<b>GEV No.</b>	526384	<b>Ref. No.</b>	01891014
	tap body T1: M18x1 T2: M20x1 T3: TR20 left brass L 49mm			
	<b>GEV No.</b>	526417	<b>Ref. No.</b>	00048014
	shaft for steam-/water-tap ø 5mm D2 ø 4mm L 65mm thread M4 SS			
	<b>GEV No.</b>	526418	<b>Ref. No.</b>	01457015
	lever L 36mm T1: M5 T2: M8 ø 13.5mm			




1

<b>GEV No.</b>	529789	<b>Ref. No.</b>	00958039	
<b>description</b>	steam tap complete swing lever chrome-plated			
<b>spare parts for</b>	529789			
	<b>GEV No.</b>	526417	<b>Ref. No.</b>	00048014
	shaft for steam-/water-tap ø 5mm D2 ø 4mm L 65mm thread M4 SS			
	<b>GEV No.</b>	526418	<b>Ref. No.</b>	01457015
	lever L 36mm T1: M5 T2: M8 ø 13.5mm			

components


shafts



1

<b>GEV No.</b>	526417	<b>Ref. No.</b>	00048014
<b>description</b>	shaft for steam-/water-tap ø 5mm D2 ø 4mm L 65mm thread M4 SS		


bushes



1


<b>GEV No.</b>	529804	<b>Ref. No.</b>	01913014
<b>description</b>	bush		

gaskets



1

<b>GEV No.</b>	529796	<b>Ref. No.</b>	01178035
<b>description</b>	gasket D1 ø 12mm D2 ø 5mm thickness 5mm PTFE coffee machine		



1

<b>GEV No.</b>	529795	<b>Ref. No.</b>	01245035 02862035
<b>description</b>	gasket D1 ø 13mm D2 ø 4mm thickness 4mm coffee machine		

## gasket supports



1

<b>GEV No.</b>	529794	<b>Ref. No.</b>	00042014
<b>description</b>	gasket support		



1

<b>GEV No.</b>	526391	<b>Ref. No.</b>	00047014
<b>description</b>	piston for steam-/water-tap ø 13mm L 11mm thread M4		

## spring guides



1

<b>GEV No.</b>	529797	<b>Ref. No.</b>	00045014
<b>description</b>	spring guide		

## springs



1

<b>GEV No.</b>	529803	<b>Ref. No.</b>	01912035
<b>description</b>	compression spring ø 10.9mm L 16mm wire gauge ø 1.8mm		



1

<b>GEV No.</b>	529798	<b>Ref. No.</b>	01189035
<b>description</b>	compression spring ø 12.4mm L 36mm wire gauge ø 1.8mm		

## tap bodies



1

<b>GEV No.</b>	529780	<b>Ref. No.</b>	00150021
<b>description</b>	tap body		



1

<b>GEV No.</b>	529781	<b>Ref. No.</b>	00150019
<b>description</b>	tap body		



1

<b>GEV No.</b>	526384	<b>Ref. No.</b>	01891014
<b>description</b>	tap body T1: M18x1 T2: M20x1 T3: TR20 left brass L 49mm		



1

<b>GEV No.</b>	526404	<b>Ref. No.</b>	01891019
<b>description</b>	tap body T1: M18x1 T2: M20x1 T3: TR20 left brass polished L 49mm		



1

<b>GEV No.</b>	526399	<b>Ref. No.</b>	01891021
<b>description</b>	tap body T1: M18x1 T2: M20x1 T3: TR20 left chrome-plated L 49mm		

## levers



1

<b>GEV No.</b>	526418	<b>Ref. No.</b>	01457015
<b>description</b>	lever L 36mm T1: M5 T2: M8 ø 13.5mm		

## knob adaptors





1


<b>GEV No.</b>	526411	<b>Ref. No.</b>	00948021
<b>description</b>	knob adapter thread TR20 left shaft 7x7mm L 40mm handle M4 chrome-plated brass		








nuts			
			
1			
<b>GEV No.</b>	526498	<b>Ref. No.</b>	00950014
<b>description</b>	hexagonal nut thread TR20 left H 5mm WS 25 brass		


screws			
			
1			
<b>GEV No.</b>	526389	<b>Ref. No.</b>	00952015
<b>description</b>	screw for stop		


union nuts			
			
1			
<b>GEV No.</b>	529806	<b>Ref. No.</b>	00946021
<b>description</b>	union nut chrome-plated		


			
1			
<b>GEV No.</b>	529792	<b>Ref. No.</b>	00947019
<b>description</b>	union nut thread TR20 left ID ø 14mm L 24mm brass polished		


			
1			
<b>GEV No.</b>	529791	<b>Ref. No.</b>	00947021 03207015 03207021
<b>description</b>	union nut thread TR20 left ID ø 14mm L 24mm chrome-plated		


			
1			
<b>GEV No.</b>	526407	<b>Ref. No.</b>	00950021
<b>description</b>	union nut thread TR20 left L 21mm chrome-plated		


			
1			
<b>GEV No.</b>	526406	<b>Ref. No.</b>	00950019
<b>description</b>	union nut thread TR20 left L 21mm WS 24 brass polished		

washers			
			
1			
<b>GEV No.</b>	526393	<b>Ref. No.</b>	00955014
<b>description</b>	plain washer D1 ø 25mm D2 ø 20mm thickness 1.5mm aluminium for steam-/water-tap		

screw connections			
			
1			
<b>GEV No.</b>	526408	<b>Ref. No.</b>	00954019
<b>description</b>	screw connection for steam-/water-tap T1: M18x1 T2: 3/8" L 9mm ø 26mm ID ø 8.5mm WS 24 brass polished		

			
1			
<b>GEV No.</b>	526409	<b>Ref. No.</b>	00954014
<b>description</b>	screw connection for steam-/water-tap T1: M20x1 T2: 3/8" L 9mm ø 26mm ID ø 8mm WS 24 brass		

			
1			
<b>GEV No.</b>	526410	<b>Ref. No.</b>	00954021
<b>description</b>	screw connection for steam-/water-tap T1: M20x1 T2: 3/8" L 9mm ø 26mm ID ø 8mm WS 24 chrome-plated		

miscellaneous			
			
1			
<b>GEV No.</b>	526416	<b>Ref. No.</b>	01458014
<b>description</b>	ball for swing lever ø 16.4mm L 14mm thread M5		

water taps

water taps



1

<b>GEV No.</b>	526381	<b>Ref. No.</b>	02907039
----------------	--------	-----------------	----------

<b>description</b>	water tap complete brass polished blue/black		
--------------------	--	--	--



1

<b>GEV No.</b>	526378	<b>Ref. No.</b>	01991039
----------------	--------	-----------------	----------

<b>description</b>	water tap complete chrome-plated white/red		
--------------------	--	--	--



1

<b>GEV No.</b>	526382	<b>Ref. No.</b>	00957034
----------------	--------	-----------------	----------

<b>description</b>	water tap complete swing lever brass black		
--------------------	--	--	--



1

<b>GEV No.</b>	526380	<b>Ref. No.</b>	00959034
----------------	--------	-----------------	----------

<b>description</b>	water tap complete swing lever brass brown		
--------------------	--	--	--



1

<b>GEV No.</b>	526375	<b>Ref. No.</b>	00959038
----------------	--------	-----------------	----------

<b>description</b>	water tap complete swing lever brass polished		
--------------------	---	--	--



1


<b>GEV No.</b>	526379	<b>Ref. No.</b>	00959039
----------------	--------	-----------------	----------

<b>description</b>	water tap complete swing lever chrome-plated brown		
--------------------	--	--	--


steam/water pipes

steam pipes

1	
<b>GEV No.</b>	529785
<b>Ref. No.</b>	00151039
<b>description</b>	steam pipe chrome-plated


1	
<b>GEV No.</b>	529786
<b>Ref. No.</b>	00151038
<b>description</b>	steam pipe copper


1	
<b>GEV No.</b>	526398
<b>Ref. No.</b>	00444011
<b>description</b>	steam pipe H 155mm ø 14.5mm


1	
<b>GEV No.</b>	529799
<b>Ref. No.</b>	02202039
<b>description</b>	steam pipe SS

1	
<b>GEV No.</b>	529800
<b>Ref. No.</b>	00439011
<b>description</b>	steam pipe SS

nozzles for steam pipes


1	
<b>GEV No.</b>	529801
<b>Ref. No.</b>	00448014
<b>description</b>	steam nozzle


1	
<b>GEV No.</b>	529788
<b>Ref. No.</b>	00088019 01400019
<b>description</b>	steam nozzle brass

1	
<b>GEV No.</b>	529787
<b>Ref. No.</b>	00088021 01400021
<b>description</b>	steam nozzle chrome-plated


nozzles for water pipes

components

1	
<b>GEV No.</b>	526415
<b>Ref. No.</b>	00442014
<b>description</b>	screw connection for flow regulator thread M21x1 L 29.5mm ø 23.5mm SS ID ø 16.1mm

1	
<b>GEV No.</b>	526414
<b>Ref. No.</b>	00423014
<b>description</b>	screw connection for flow regulator thread M22x1 L 16mm ø 23.5mm SS ID ø 20mm

tap aerators

1	
<b>GEV No.</b>	527966
<b>Ref. No.</b>	00424014
<b>description</b>	tap aerator D1 ø 18.8mm D2 ø 20.8mm H 12mm

water pipes

1	
<b>GEV No.</b>	526396
<b>Ref. No.</b>	02208038
<b>description</b>	water pipe thread M20x1 ø 23.5mm L 195mm

1	
<b>GEV No.</b>	526397
<b>Ref. No.</b>	02206039
<b>description</b>	water pipe thread M20x1 ø 23.5mm L 80mm

1	
<b>GEV No.</b>	526383
<b>Ref. No.</b>	02205034
<b>description</b>	water pipe thread M20x1 ø 23mm L 80mm

## accessories

## gaskets



<b>GEV No.</b>	526392	<b>Ref. No.</b>	00409035
<b>description</b>	flat gasket Viton ED $\phi$ 21mm ID $\phi$ 15mm thickness 2mm Qty 1 pcs		



<b>GEV No.</b>	529805	<b>Ref. No.</b>	01893035 02265035 Viton
<b>description</b>	gasket PTFE D1 $\phi$ 20mm		

## tube handles



<b>GEV No.</b>	529627	<b>Ref. No.</b>	01964035 EK1001
<b>description</b>	tube handle $\phi$ 8mm L 30mm plastic		

## union nuts



<b>GEV No.</b>	529784	<b>Ref. No.</b>	01280019 01281019
<b>description</b>	union nut brass		



<b>GEV No.</b>	529783	<b>Ref. No.</b>	01280021 01281021
<b>description</b>	union nut chrome-plated		



<b>GEV No.</b>	526405	<b>Ref. No.</b>	00946014
<b>description</b>	union nut thread M20x1 ID $\phi$ 12.5mm L 21mm brass		



<b>GEV No.</b>	529807	<b>Ref. No.</b>	00946019
<b>description</b>	union nut thread M20x1 with gasket ID $\phi$ 12.5mm L 21mm brass polished		

## fine filters

## fine filters



<b>GEV No.</b>	529192	<b>Ref. No.</b>	00111035
<b>description</b>	fine filter fabric ID $\phi$ 12mm $\phi$ 18mm H 20mm		



<b>GEV No.</b>	526395	<b>Ref. No.</b>	01341035
<b>description</b>	fine filter flat fabric $\phi$ 8.5mm H 2mm		

## level glasses

## level glasses

## gaskets



<b>GEV No.</b>	529449	<b>Ref. No.</b>	00119035
<b>description</b>	gasket D1 $\phi$ 15mm D2 $\phi$ 9mm H 8mm water level glass suitable for ELEKTRA equiv. no. 00119035		

## pressure rings



<b>GEV No.</b>	529450	<b>Ref. No.</b>	01380035
<b>description</b>	press ring		



<b>GEV No.</b>	529453	<b>Ref. No.</b>	00142021
<b>description</b>	union screw chrome-plated		


## housings






<b>GEV No.</b>	529459	<b>Ref. No.</b>	00536031 01025031
<b>description</b>	base part for level glass round		





			
1			
<b>GEV No.</b>	529462	<b>Ref. No.</b>	00899021
<b>description</b>	tap head for level glass round		


level glasses			
			
1			
<b>GEV No.</b>	529461	<b>Ref. No.</b>	00544035
<b>description</b>	glass panel Lmm Wmm thickness 8mm ø 72.5mm		


level glasses (complete)			
			
1			
<b>GEV No.</b>	529458	<b>Ref. No.</b>	00895039 01096039
<b>description</b>	level glass complete		
<b>spare parts for</b>	529458		
	<b>GEV No.</b>	529459	<b>Ref. No.</b> 00536031 01025031
	base part for level glass round		
	<b>GEV No.</b>	529460	<b>Ref. No.</b> 00543035
	O-ring EPDM thickness 5.34mm ID ø 59.69mm Qty 1 pcs		
	<b>GEV No.</b>	529461	<b>Ref. No.</b> 00544035
	glass panel Lmm Wmm thickness 8mm ø 72.5mm		
	<b>GEV No.</b>	529462	<b>Ref. No.</b> 00899021
	tap head for level glass round		


level glass pipes			
			
1			
<b>GEV No.</b>	529448	<b>Ref. No.</b>	00141035
<b>description</b>	water level tube ø 9mm H 148mm		


protective plates			
			
1			
<b>GEV No.</b>	529455	<b>Ref. No.</b>	00043021
<b>description</b>	protector		

			
1			
<b>GEV No.</b>	529456	<b>Ref. No.</b>	00043019
<b>description</b>	protector		

screw connections			
			
1			
<b>GEV No.</b>	529451	<b>Ref. No.</b>	00041021
<b>description</b>	union screw chrome-plated		

			
1			
<b>GEV No.</b>	529452	<b>Ref. No.</b>	00041019
<b>description</b>	union screw varnished		

			
1			
<b>GEV No.</b>	529454	<b>Ref. No.</b>	00142019
<b>description</b>	union screw varnished		

non-return valves			
complete			
			
1			
<b>GEV No.</b>	529340	<b>Ref. No.</b>	00330034
<b>description</b>	non-return valve		

screw connections

double nipples



1

<b>GEV No.</b>	526413	<b>Ref. No.</b>	01506014
<b>description</b>	double nipple T1: 1/4" T2: 3/8" int. ø 1 8.3mm L 5mm brass Qty 1 pcs		



1

<b>GEV No.</b>	526412	<b>Ref. No.</b>	01288014
<b>description</b>	double nipple T1: 1/8" T2: 3/8" int. ø 1 8.5mm int. ø 2 5mm L 25.5mm brass Qty 1 pcs		

for coffee grinders

grinding burrs

grinding burrs straight

standard



1

<b>GEV No.</b>	527700	<b>Ref. No.</b>	C0004M122
<b>description</b>	grinding burrs pair turn direction right D1 ø 64.5mm ID ø 38mm H 8.5mm tooth spacing 3mm hole ø 5mm bore ø 8.5mm mounting ø 48		

coffee beans containers

coffee beans containers



1

<b>GEV No.</b>	527664	<b>Ref. No.</b>	C0007M113
<b>description</b>	coffee beans container ø 230mm H 265mm seat ø 67mm		

knobs

steam/water taps

steam/water taps



1

<b>GEV No.</b>	529782	<b>Ref. No.</b>	00154035
<b>description</b>	knob ø 25mm shaft ø 9x9mm shaft flat square black		

knob dial plates



1

<b>GEV No.</b>	111310	<b>Ref. No.</b>	01916030
<b>description</b>	bezel 0-1 yellow ELEKTRA		



1


<b>GEV No.</b>	111312	<b>Ref. No.</b>	02903030
<b>description</b>	bezel 0-1-2 blue ELEKTRA		





1


<b>GEV No.</b>	111311	<b>Ref. No.</b>	01908030
<b>description</b>	bezel 0-1-2 yellow ELEKTRA		




1			
	<b>GEV No.</b>	526388	<b>Ref. No.</b> 02902030
<b>description</b> disc for knob ø 33.8mm blue ELEKTRA			


1			
	<b>GEV No.</b>	529814	<b>Ref. No.</b> 00953030
<b>description</b> disc for knob ø 33.8mm ELEKTRA			


1			
	<b>GEV No.</b>	531175	<b>Ref. No.</b> 03961030
<b>description</b> disc steam ø 33.7mm ID ø 4.5mm thickness 1mm yellow for knob ELEKTRA			

1	 Image not available		
	<b>GEV No.</b>	531176	<b>Ref. No.</b> 03962030
<b>description</b> disc water ø 33.7mm ID ø 4.5mm thickness 1mm yellow for knob ELEKTRA			

miscellaneous

1			
	<b>GEV No.</b>	110205	<b>Ref. No.</b> 01965057
<b>description</b> knob ø 27mm shaft ø 5x5mm			

1			
	<b>GEV No.</b>	111315	<b>Ref. No.</b> 01965058
<b>description</b> knob ø 28/48mm shaft ø 5x5mm brown H 22mm L 40mm			

1			
	<b>GEV No.</b>	527259	<b>Ref. No.</b> 01965057
<b>description</b> knob push-in ø 34/60mm shaft ø 5x5mm black H 21.4mm L 49mm			

handles and hand wheels


cylindrical handles


fixed


1			
	<b>GEV No.</b>	110703	<b>Ref. No.</b> 00469035
<b>description</b> cylindrical handle thread M10 ø 28mm L 87mm			

1			
	<b>GEV No.</b>	529183	<b>Ref. No.</b> 00469035
<b>description</b> cylindrical handle thread M10 ø 29mm L 86mm			

cone handles

1			
	<b>GEV No.</b>	529810	<b>Ref. No.</b> 01900035
<b>description</b> cone handle thread M8 ø 20mm L 58.5mm plastic black			

1			
	<b>GEV No.</b>	111092	<b>Ref. No.</b> 02898035
<b>description</b> cone handle thread M8 ø 25mm L 41mm black			

1			
	<b>GEV No.</b>	111313	<b>Ref. No.</b> 01901035
<b>description</b> cone handle thread M8 ø 25mm L 41mm plastic brown marbled			

## star handles



1

<b>GEV No.</b>	529813	<b>Ref. No.</b>	01898035
<b>description</b>	star handle shaft 7x7mm $\varnothing$ 58mm L 19mm brown thermoplastic		



1

<b>GEV No.</b>	111309	<b>Ref. No.</b>	02899035
<b>description</b>	star handle shaft 7x7mm $\varnothing$ 62mm L 19mm black plastic		

## levers

## with handle



1

<b>GEV No.</b>	111160	<b>Ref. No.</b>	00176039
<b>description</b>	lever		



1

<b>GEV No.</b>	111161	<b>Ref. No.</b>	00176038
<b>description</b>	lever		

## lever handles



1

<b>GEV No.</b>	529810	<b>Ref. No.</b>	01900035
<b>description</b>	cone handle thread M8 $\varnothing$ 20mm L 58.5mm plastic black		

## accessories

## miscellaneous




1

<b>GEV No.</b>	526421	<b>Ref. No.</b>	01902092
<b>description</b>	spring L 10mm $\varnothing$ 10mm		

## gaskets

## O-rings

## EPDM



1

<b>GEV No.</b>	510824	<b>Ref. No.</b>	01888035
<b>description</b>	O-ring EPDM thickness 1.78mm ID $\varnothing$ 20.35mm Qty 1 pcs		



1

<b>GEV No.</b>	528333	<b>Ref. No.</b>	00113035
<b>description</b>	O-ring EPDM thickness 2.62mm ID $\varnothing$ 13.1mm Qty 1 pcs		



1

<b>GEV No.</b>	510408	<b>Ref. No.</b>	00174035
<b>description</b>	O-ring EPDM thickness 5.34mm ID $\varnothing$ 47mm Qty 1 pcs		



1

<b>GEV No.</b>	510409	<b>Ref. No.</b>	01917035
<b>description</b>	O-ring EPDM thickness 5.34mm ID $\varnothing$ 56.52mm Qty 1 pcs		





<b>GEV No.</b>	529460	<b>Ref. No.</b>	00543035
<b>description</b>	O-ring EPDM thickness 5.34mm ID ø 59.69mm Qty 1 pcs		

<b>GEV No.</b>	529190	<b>Ref. No.</b>	01228035
<b>description</b>	O-ring Viton thickness 2.62mm ID ø 31.42mm Qty 1 pcs		

**silicone**

<b>GEV No.</b>	529187	<b>Ref. No.</b>	01386035
<b>description</b>	O-ring silicone thickness 2.62mm ID ø 13.1mm Qty 1 pcs		

<b>GEV No.</b>	529186	<b>Ref. No.</b>	01204035
<b>description</b>	O-ring Viton thickness 3.53mm ID ø 47.63mm Qty 1 pcs		

<b>GEV No.</b>	528182	<b>Ref. No.</b>	01168035
<b>description</b>	O-ring silicone thickness 3.53mm ID ø 66.27mm Qty 1 pcs		

**sealing washers**

**fibre gaskets**

<b>GEV No.</b>	529349	<b>Ref. No.</b>	01172035
<b>description</b>	flat gasket FIBER ED ø 22mm ID ø 16.5mm thickness 2mm for thread 3/8" Qty 1 pcs		

**Viton**

<b>GEV No.</b>	526394	<b>Ref. No.</b>	01994035
<b>description</b>	boiler gasket Viton thickness 3.53mm ID ø 129.8mm Qty 1 pcs		

<b>GEV No.</b>	528171	<b>Ref. No.</b>	00499035
<b>description</b>	flat gasket fibre ED ø 55mm ID ø 42mm thickness 2mm Qty 1 pcs		

<b>GEV No.</b>	532493	<b>Ref. No.</b>	00956035
<b>description</b>	O-ring Viton thickness 1.78mm ID ø 18.77mm Qty 1 pcs		

**copper gaskets**

**DIN-7603-A**


<b>GEV No.</b>	529361	<b>Ref. No.</b>	00102035
<b>description</b>	flat gasket copper ED ø 18mm ID ø 13.5mm thickness 1.5mm for thread 1/4"		

<b>GEV No.</b>	528647	<b>Ref. No.</b>	00144035
<b>description</b>	O-ring Viton thickness 2.62mm ID ø 15.08mm Qty 1 pcs		


**DIN-7603-C**

<b>GEV No.</b>	526387	<b>Ref. No.</b>	01172035
<b>description</b>	flat gasket copper ED ø 21mm ID ø 17mm thickness 2mm		



			
1			
<b>GEV No.</b>	526390	<b>Ref. No.</b>	00102035
<b>description</b>	gasket copper ED ø 18.7mm ID ø 13.2mm thickness 2.5mm Qty 1 pcs		


### Viton gaskets


			
1			
<b>GEV No.</b>	526392	<b>Ref. No.</b>	00409035
<b>description</b>	flat gasket Viton ED ø 21mm ID ø 15mm thickness 2mm Qty 1 pcs		

### special gaskets

#### group gaskets

			
1			
<b>GEV No.</b>	529170	<b>Ref. No.</b>	00098035
<b>description</b>	group gasket D1 ø 65mm thickness 2mm suitable for ELEKTRA equiv. no. 00098035		


			
1			
<b>GEV No.</b>	529174	<b>Ref. No.</b>	00172035
<b>description</b>	gasket		


			
1			
<b>GEV No.</b>	529175	<b>Ref. No.</b>	00173035
<b>description</b>	gasket ED ø 41mm ID ø 28mm H 6mm		


## springs

### compression springs


			
1			
<b>GEV No.</b>	529803	<b>Ref. No.</b>	01912035
<b>description</b>	compression spring ø 10.9mm L 16mm wire gauge ø 1.8mm		


			
1			
<b>GEV No.</b>	529798	<b>Ref. No.</b>	01189035
<b>description</b>	compression spring ø 12.4mm L 36mm wire gauge ø 1.8mm		

			
1			
<b>GEV No.</b>	529191	<b>Ref. No.</b>	01242035
<b>description</b>	compression spring ø 20.3mm L 18mm wire gauge ø 1.8mm		


			
1			
<b>GEV No.</b>	529173	<b>Ref. No.</b>	00819014
<b>description</b>	compression spring ø 37mm L 93mm wire gauge ø 4.7mm		


## manometers


			
1			
<b>GEV No.</b>	541718	<b>Ref. No.</b>	02904014
<b>description</b>	manometer double scale ø 60mm pressure range 0-2/0-16bar connection on the backside thread 1/8" blue/chrome		


			
1			
<b>GEV No.</b>	541264	<b>Ref. No.</b>	02218035
<b>description</b>	manometer double scale ø 60mm pressure range 0-2/0-16bar connection on the backside thread 1/8" chrome/chrome		



 <p>1</p>			
<b>GEV No.</b>	541719	<b>Ref. No.</b>	00985014
<b>description</b>	manometer double scale ø 60mm pressure range 0-2/0-16bar connection on the backside thread 1/8" white/chrome		

 <p>1</p>			
<b>GEV No.</b>	541255	<b>Ref. No.</b>	00985026
<b>description</b>	manometer double scale ø 60mm pressure range 0-2/0-16bar connection on the backside thread 1/8" white/gold		


 <p>1</p>			
<b>GEV No.</b>	541254	<b>Ref. No.</b>	00398035
<b>description</b>	manometer ø 41mm pressure range 0 up to 3bar connection pressure connection vertical marking 1.2-1.8 thread 1/8"		


 <p>1</p>			
<b>GEV No.</b>	541253	<b>Ref. No.</b>	00143035
<b>description</b>	manometer ø 42.3mm pressure range 0 up to 3bar connection vertical marking 1.6-2 thread 1/8"		

## hoses

### industrial hoses

#### hoses wire reinforced


 <p>1</p>			
<b>GEV No.</b>	520036	<b>Ref. No.</b>	00450035
<b>description</b>	drain hose ID ø 16mm ED ø 21mm L 30m wire reinforced		

 <p>1</p>			
<b>GEV No.</b>	520072	<b>Ref. No.</b>	00450035
<b>description</b>	drain hose ID ø 16mm ED ø 21mm L 5m wire reinforced		


## fastening material


### screws

#### countersunk screws

 <p>1</p>			
<b>GEV No.</b>	560300	<b>Ref. No.</b>	01206035
<b>description</b>	countersunk screw thread M5 L 16mm SS DIN 963/ISO 2009 Qty 1 pcs intake slotted head ø 9mm		

#### flat-headed bolts


 <p>1</p>			
<b>GEV No.</b>	560403	<b>Ref. No.</b>	00114035
<b>description</b>	flat-headed bolt thread M4 thread L 12mm brass Qty 1 pcs intake slotted head ø 7mm head thickness 2.5mm		

 <p>1</p>			
<b>GEV No.</b>	560406	<b>Ref. No.</b>	01983035
<b>description</b>	flat-headed bolt thread M4 thread L 16mm SS DIN 84 Qty 1 pcs intake slotted head ø 7mm head thickness 2.5mm WS 1.3		

#### oval head screws

 <p>1</p>			
<b>GEV No.</b>	560404	<b>Ref. No.</b>	01952015
<b>description</b>	oval head screw thread M4 thread L 8mm L 10mm head ø 10mm intake slotted Qty 1 pcs		

#### hexagonal screws

 <p>1</p>			
<b>GEV No.</b>	550682	<b>Ref. No.</b>	00126035
<b>description</b>	hexagonal screw thread M8 thread L 20mm SS WS 13 Qty 1 pcs DIN 933 / ISO 4017		

## cylinder head bolts

DIN 912/ISO 4762



1

<b>GEV No.</b>	560402	<b>Ref. No.</b>	00122035
<b>description</b>	cylinder head bolt thread M5 thread L 10mm L 15.5mm WS 4 SS Qty 1 pcs intake hexagonal DIN 912/ISO 4762		

## nuts

## hexagonal nuts

hexagonal nuts inch thread



1

<b>GEV No.</b>	520484	<b>Ref. No.</b>	01290014
<b>description</b>	nut thread 3/8" H 5mm WS 21 brass Qty 1 pcs		

## washers

## washers

DIN 125A



1

<b>GEV No.</b>	560405	<b>Ref. No.</b>	01291035
<b>description</b>	plain washer ID ø 17.3mm ED ø 30mm thickness 3mm SS Qty 1 pcs DIN 125A		



1

<b>GEV No.</b>	511481	<b>Ref. No.</b>	01392035
<b>description</b>	plain washer ID ø 8.4mm ED ø 16mm thickness 1.6mm zinc-coated steel Qty 1 pcs DIN 125A for thread M8		

## fasteners

## retaining rings

DIN 471



1

<b>GEV No.</b>	504519	<b>Ref. No.</b>	00044035
<b>description</b>	retaining ring shaft ø 17mm thickness 1mm SS DIN 471		

