



**GAS COMPONENTS**



**ELECTRIC COMPONENTS**



**WATER TECHNOLOGY**



**MECHANICAL COMPONENTS**



**TOOLS**

Spare parts suitable for

**EVERLASTING**

Find the complete and up-to-date range of products in our GEV Webshop



# Manufacturer catalogue

The most important spare parts and accessories arranged clearly for every manufacturer

- ✓ Complete product range and all appliance data always up to date in the GEV Webshop
- ✓ Alphabetical Index at the end of the catalogue

## GEV Webshop

[www.gev-online.co.uk](http://www.gev-online.co.uk)

[www.gev-online.com](http://www.gev-online.com)



- 🔍 Add to Favourites
- 🔍 Sign In with email address and usual password
- 🔍 Easy-order – place several items in your basket at the same time
- 🔍 Quick Item search – no login needed



## thermostats

### refrigeration thermostats

RANCO

K22 series

RANCO



1

<b>GEV No.</b>	390589	<b>Ref. No.</b>	N/A
<b>description</b>	thermostat RANCO type K22L1083 probe ø 2mm probe Lmm capillary pipe 2300mm		


## switches and momentary switches

### rocker/momentary rocker switches

30x22mm



1

<b>GEV No.</b>	301019	<b>Ref. No.</b>	25793	
<b>description</b>	momentary rocker switch mounting measurements 30x22mm green 2NO 250V 16A illuminated 0-I connection male faston 6.3mm ambient temperature max. 125/250°C protection IP65			
<b>accessories for</b>	301019			
	<b>GEV No.</b>	301036	<b>Ref. No.</b>	—
	protective cover internal size 30x22mm for rocker switch mounting measurementsmm			

## relays

### power relays

with bracket mounting



1

<b>GEV No.</b>	380185	<b>Ref. No.</b>	35346
<b>description</b>	power relays Italiana Relè 230VAC 30A 1NO connection F6.3 bracket mounting dimensions 36.5x32.2x51.8mm manuf. no. A10-230AC-FA		

## supervisory relays



1

<b>GEV No.</b>	401610	<b>Ref. No.</b>	N/A
<b>description</b>	supervisory relay revolutions		

## electronic controllers





### EVCO - EVERY CONTROL

#### refrigeration controllers

built-in version



1

<b>GEV No.</b>	379649	<b>Ref. No.</b>	61214	
<b>description</b>	electronic controller EVERY CONTROL type EVKB33N7VXXS mounting measurements 71x29mm 230V voltage AC NTC relay outputs 3 NO-30A(12) CO-8A(4) NO-8A(4) NTC NTC DI front measurementsmm built-in depth 59mm protection IP65 -40 up to +105°C display 3½ digits			
<b>accessories for</b>	379649			
	<b>GEV No.</b>	379053	<b>Ref. No.</b>	—
	temperature probe PTC 1kOhm cable PVC probe -50 up to +150°C cable -10 up to 100°C probe ø6x30mm cable length 3m without screw connection 2-wire			
	<b>GEV No.</b>	379064	<b>Ref. No.</b>	—
	temperature probe PTC 1kOhm cable silicone probe -50 up to +150°C cable -50 up to +180°C probe ø6x40mm cable length 3m without screw connection 2-wire			
	<b>GEV No.</b>	379161	<b>Ref. No.</b>	—
	temperature probe NTC 10kOhm cable thermoplastic probe -40 up to +110°C cable -40 up to +110°C probe ø6x14mm cable length 3m without screw connection 2-wire			
	<b>GEV No.</b>	379782	<b>Ref. No.</b>	—
	temperature probe PTC 1kOhm cable thermoplastic probe -50 up to +150°C cable -40 up to +110°C probe ø6x14mm cable length 3m 2-wire resistor 1kOhm			



## probes

### universal probes


#### temperature probes




<b>GEV No.</b>	381383	<b>Ref. No.</b>	28575
<b>description</b>	temperature probe PTC cable PVC probe -40 up to +150°C cable -50 up to +180°C probe ø6x30mm cable length 4m 2-wire		

### producer-specific probes

#### core probes



<b>GEV No.</b>	378516	<b>Ref. No.</b>	35826
<b>description</b>	temperature probe PTC 1kOhm cable silicone probe -50 up to +150°C cable -50 up to +180°C connection 2-wire probe ø5/8x-200mm thread cable length 3.5m handle ø 13mm handle length 110mm		



<b>GEV No.</b>	378663	<b>Ref. No.</b>	61723 64200
<b>description</b>	temperature probe PTC 1kOhm cable silicone probe -50 up to +150°C cable -50 up to +180°C connection 2-wire probe ø5x70mm thread M12x1 cable length 2/4m handle ø 15mm handle length 125mm		

## compressors

### EMBRACO / ASPERA

#### R404a/R507

#### LBP monophase

Lower evaporation temperature below -20°C



<b>GEV No.</b>	605081	<b>Ref. No.</b>	27947
<b>description</b>	compressor coolant R404a/R507 type NJ2212GK 220-240V 50Hz LBP fully hermetic 21.5kg 1 1/2HP power input 1150W cylinder capacity 34cm <sup>3</sup> CSR H 277mm 880W 1269W 1738W 2289W 2921W 2921WWWWW test method ASHRAE		

#### HMBP monophase

High/Medium evaporation temperature above -20/-15 °C



<b>GEV No.</b>	605162	<b>Ref. No.</b>	28983
<b>description</b>	compressor coolant R404a/R507 type NEK6181GK 220-240V 50Hz HMBP 10.4kg 1/4HP cylinder capacity 7.28cm <sup>3</sup> CSIR H 190mmWW 454W 533W 677W 826W 1000W 1198W 1422W		



fans

refrigeration fans

refrigeration motors universal

ELCO

BT series - capacitor motors



<b>GEV No.</b>	601420 <sup>1</sup>	<b>Ref. No.</b>	N/A
<b>description</b>	fan motor 45W 230V 50Hz L1 53mm L2 18mm L3 120mm W 103mm cable length 500mm 1300rpm ELCO 3FBT 50-40/15 3 mounting options bearing slide bearing		


<sup>1</sup>incl. capacitor

pumps

pumps for ice machines



<b>GEV No.</b>	500590	<b>Ref. No.</b>	N/A
<b>description</b>	pump FIR type 4240.2300 120W 230V 50/60Hz inlet ø 22mm outlet ø 22mm L 240mm rotation direction right for ice-cube maker capacitor 5µF		
<b>spare parts for</b>	500590		
	<b>GEV No.</b>	601412	<b>Ref. No.</b> —
	fan wheel sucking ø 154mm fan wheel mounting 25.4mm blade angle 28° W 34mm plastic		
	<b>GEV No.</b>	601413	<b>Ref. No.</b> —
	fixing plate suitable for fanwheel ED ø 32mm shaft ø 7 mounting distance 26mm		



<b>GEV No.</b>	500165	<b>Ref. No.</b>	N/A
<b>description</b>	pump REBO type 63/35 120W 230V 50/60Hz inlet ø 28mm outlet ø 26mm L 180mm rotation direction right for ice-cube maker capacitor 5µF		
<b>spare parts for</b>	500165		
	<b>GEV No.</b>	365017	<b>Ref. No.</b> —
	operating capacitor capacity 5µF 450V tolerance 5% 50/60Hz ambient temperature max. -25 to +85°C ø 28mm L 54mm M8 plastic connection male faston 6.3mm 16.10.08 protection		

<b>spare parts for</b>	500165		
	<b>GEV No.</b>	601412	<b>Ref. No.</b> —
	fan wheel sucking ø 154mm fan wheel mounting 25.4mm blade angle 28° W 34mm plastic		
	<b>GEV No.</b>	601413	<b>Ref. No.</b> —
	fixing plate suitable for fanwheel ED ø 32mm shaft ø 7 mounting distance 26mm		



<b>GEV No.</b>	500166	<b>Ref. No.</b>	N/A
<b>description</b>	pump REBO type 63/45 150W 230V 50/60Hz inlet ø 28mm outlet ø 26mm L 200mm rotation direction right capacitor 5µF		

<b>spare parts for</b>	500166		
	<b>GEV No.</b>	365017	<b>Ref. No.</b> —
	operating capacitor capacity 5µF 450V tolerance 5% 50/60Hz ambient temperature max. -25 to +85°C ø 28mm L 54mm M8 plastic connection male faston 6.3mm 16.10.08 protection		
	<b>GEV No.</b>	601412	<b>Ref. No.</b> —
	fan wheel sucking ø 154mm fan wheel mounting 25.4mm blade angle 28° W 34mm plastic		
	<b>GEV No.</b>	601413	<b>Ref. No.</b> —
	fixing plate suitable for fanwheel ED ø 32mm shaft ø 7 mounting distance 26mm		



<b>GEV No.</b>	500161	<b>Ref. No.</b>	N/A
<b>description</b>	pump REBO type NR40 55W 230V 50Hz outlet ø 17mm L 110mm rotation direction left for ice-cube maker		

<b>spare parts for</b>	500161		
	<b>GEV No.</b>	500970	<b>Ref. No.</b> N/A
	pump motor 55W 230V 50Hz REBO L 205mm type outlet ømm suitable for for ice maker		



<b>GEV No.</b>	500970	<b>Ref. No.</b>	N/A
<b>description</b>	pump motor 55W 230V 50Hz REBO L 205mm type outlet ømm suitable for for ice maker		

→ electric components



## equipment-specific units

### for ice-cube maker

#### pan mechanics

#### spare parts and accessories



1

<b>GEV No.</b>	695013	<b>Ref. No.</b>	N/A
<b>description</b>	paddle with spindle		



1

<b>GEV No.</b>	695012	<b>Ref. No.</b>	N/A
<b>description</b>	paddle with spindle $\varnothing$ 95mm shaft $\varnothing$ 6mm shaft length 350mm		

## handles and hand wheels

### bracket handles



1

<b>GEV No.</b>	690451	<b>Ref. No.</b>	21635
<b>description</b>	pull handle L 426mm H 40mm mounting distance 376mm black		

## locks

### snap locks

#### producer-specific

#### EVERLASTING



1

<b>GEV No.</b>	691981	<b>Ref. No.</b>	21642 ETA180
<b>description</b>	snap lock L 86mm W 48mm H 53mm mounting distance 36mm type EVERLASTING		

## hinges

### spring assisted hinges

#### producer-specific

#### EVERLASTING



1

<b>GEV No.</b>	701128	<b>Ref. No.</b>	22329
<b>description</b>	spring assisted hinge L 75mm W 25mm H 103mm A 5mm B 13mm shaft length 9mm refrigeration units mounting distance 25.4mm mounting measurements 22x22x100mm intake 7.5x7.5		

### door bearing



1

<b>GEV No.</b>	691946	<b>Ref. No.</b>	20035
<b>description</b>	bush L 12mm $\varnothing$ 12mm ID $\varnothing$ 8mm for hinge		



1

<b>GEV No.</b>	691944	<b>Ref. No.</b>	22328
<b>description</b>	door hinge L 180mm W 48mm H 22mm mounting pos. lower		



1

<b>GEV No.</b>	691945	<b>Ref. No.</b>	28378
<b>description</b>	door hinge L 58mm W 30mm H 60mm mounting pos. centre		






## pullouts

### drawer slides

#### universal

compeX



<b>GEV No.</b>	690753 <sup>1</sup>	<b>Ref. No.</b>	32325
<b>description</b>	telescopic slide pair L 550mm pull-out length 610mm total length 1160mm Qty 1 pair capacity 50kg H 60mm SS telescopic		
<b>spare parts for</b>	690753		
	<b>GEV No.</b>	690750	<b>Ref. No.</b> —
	stop for telescopic rail L 20mm plastic H 12mm D 9mm		
	<b>GEV No.</b>	696333	<b>Ref. No.</b> —
	stop for telescopic rail L 20mm plastic H 15mm D 8mm		


<sup>1</sup>multiple slide (60mm more than nominal length)

## shelves and shelf rails

### grates

#### universal

#### without upstand



<b>GEV No.</b>	970892	<b>Ref. No.</b>	21467
<b>description</b>	grate W 550mm D 625mm plastic-coated steel		


## gaskets

### refrigeration gaskets

#### plug-in gaskets

#### profile 9773


We offer custom-made gaskets for this profile




<b>GEV No.</b>	902305	<b>Ref. No.</b>	N/A
<b>description</b>	refrigeration gasket profile 9773 Wmm L 2500mm		

#### profile 9704


We offer custom-made gaskets for this profile



<b>GEV No.</b>	901960	<b>Ref. No.</b>	35748
<b>description</b>	blast freezer gasket profile 9704 W 410mm L 715mm for blast chiller suitable for EVERLASTING		



<b>GEV No.</b>	901031	<b>Ref. No.</b>	021G423295 32300
<b>description</b>	refrigeration gasket profile 9704 W 295mm L 423mm plug size L1 414mm W1 286mm external size		



<b>GEV No.</b>	901027	<b>Ref. No.</b>	N/A
<b>description</b>	refrigeration gasket profile 9704 W 388mm L 625mm plug size magnet 3-sided L1 616mm W1 379mm external size		

<b>GEV No.</b>	901030	<b>Ref. No.</b>	021G620423 32281
<b>description</b>	refrigeration gasket profile 9704 W 423mm L 620mm plug size L1 611mm W1 414mm external size		

<b>GEV No.</b>	901029	<b>Ref. No.</b>	32286 N/A
<b>description</b>	refrigeration gasket profile 9704 W 498mm L 620mm plug size L1 611mm W1 489mm external size		

<b>GEV No.</b>	901025	<b>Ref. No.</b>	N/A
<b>description</b>	refrigeration gasket profile 9704 W 601mm L 1561mm plug size		

<b>GEV No.</b>	901023	<b>Ref. No.</b>	28067
<b>description</b>	refrigeration gasket profile 9704 W 651mm L 1551mm plug size L1 1542mm W1 642mm external size		

profile 9753

We offer custom-made gaskets for this profile

<b>GEV No.</b>	901032	<b>Ref. No.</b>	N/A
<b>description</b>	refrigeration gasket profile 9753 W 186mm L 423mm plug size		

<b>GEV No.</b>	901028	<b>Ref. No.</b>	N/A
<b>description</b>	refrigeration gasket profile 9753 W 300mm L 390mm plug size		

<b>GEV No.</b>	901026	<b>Ref. No.</b>	N/A
<b>description</b>	refrigeration gasket profile 9753 W 610mm L 770mm plug size		

<b>GEV No.</b>	901024	<b>Ref. No.</b>	28068 N/A
<b>description</b>	refrigeration gasket profile 9753 W 651mm L 741mm plug size		


<b>GEV No.</b>	900875	<b>Ref. No.</b>	N/A
<b>description</b>	refrigeration gasket profile 9753 Wmm L 2500mm		





profile 9333

We offer custom-made gaskets for this profile




<b>GEV No.</b>	902167	<b>Ref. No.</b>	N/A
<b>description</b>	refrigeration gasket profile 9333 Wmm L 2500mm		

screw-in gaskets

profile 9140

We offer custom-made gaskets for this profile



<b>GEV No.</b>	901037	<b>Ref. No.</b>	N/A
<b>description</b>	refrigeration gasket profile 9140 W 308mm L 388mm external size magnet 3-sided		



<b>GEV No.</b>	901036	<b>Ref. No.</b>	N/A
<b>description</b>	refrigeration gasket profile 9140 W 388mm L 636mm external size magnet 3-sided		



<b>GEV No.</b>	901034	<b>Ref. No.</b>	N/A
<b>description</b>	refrigeration gasket profile 9140 W 610mm L 1400mm external size magnet 3-sided		



<b>GEV No.</b>	901035	<b>Ref. No.</b>	N/A
<b>description</b>	refrigeration gasket profile 9140 W 610mm L 670mm external size magnet 3-sided		



<b>GEV No.</b>	901033	<b>Ref. No.</b>	N/A
<b>description</b>	refrigeration gasket profile 9140 W 620mm L 1530mm external size magnet 3-sided		

evaporation and condensing trays

unheated condensing trays



<b>GEV No.</b>	750316	<b>Ref. No.</b>	—
<b>description</b>	condensing tray L 160mm W 80mm H 85mm		



**C**

compressors 4

**E**

electronic controllers 3

**F**

fans 5

**G**

grates 7

**P**

plug-in gaskets 7

probes 4

pumps 5

pumps for ice machines 5

**R**

refrigeration fans 5

refrigeration gaskets 7

refrigeration motors universal 5

refrigeration thermostats 3

relays 3

rocker/momentary rocker switches 3

**S**

screw-in gaskets 9

shelves and shelf rails 7

snap locks 6

spring assisted hinges 6

switches and momentary switches 3

**T**

temperature probes 4

thermostats 3

**U**

universal probes 4