



GAS COMPONENTS



ELECTRIC COMPONENTS



WATER TECHNOLOGY



MECHANICAL COMPONENTS



TOOLS

Spare parts suitable for

FAGE

Find the complete and up-to-date range of products in our GEV Webshop



Manufacturer catalogue

The most important spare parts and accessories arranged clearly for every manufacturer

- ✓ Complete product range and all appliance data always up to date in the GEV Webshop
- ✓ Alphabetical Index at the end of the catalogue

GEV Webshop

www.gev-online.co.uk

www.gev-online.com




- 🔍 Add to Favourites
- 🔍 Sign In with email address and usual password
- 🔍 Easy-order – place several items in your basket at the same time
- 🔍 Quick Item search – no login needed




heating elements







heating elements for pizza ovens




GEV No.	415959	Ref. No.	RES92
description	heating element 1750W 230V L 860mm W 160mm flange length 220mm flange width 30mm hole distance 200mm connection length 112mm connection M5 L3 810mm W1 25mm W2 110mm tube ø 10mm heating circuits 1 rectangular flange hole ø 4mm dry heating element		








GEV No.	415941	Ref. No.	RES50
description	heating element 2000W 230V L 470mm W 506mm L1 30mm L2 50mm L3 390mm W1 18mm W2 470mm thread 1/4" mounting distance 461mm connection length 115mm connection M5 windings 4 tube ø 8.5mm heating circuits 1 dry heating element 2 hole fixing pizza oven		

spare parts for	415941			
	GEV No.	510417	Ref. No.	—
	flat gasket fibre ED ø 20mm ID ø 14mm thickness 2mm Qty 1 pcs			
accessories for	415941			
	GEV No.	361182	Ref. No.	—
	nut thread 1/4" H 5mm nickel-plated brass WS 17 Qty 1 pcs			
	GEV No.	520228	Ref. No.	—
	tooth lock washer ID ø 15.3mm ED ø 24mm steel Qty 1 pcs for thread M14			
	GEV No.	550262	Ref. No.	—
	flat gasket copper ED ø 20mm ID ø 14mm thickness 2mm			
	GEV No.	560112	Ref. No.	—
	plain washer ID ø 5.3mm ED ø 10mm thickness 1mm SS Qty 20 pcs DIN 125A for thread M5			
	GEV No.	560132	Ref. No.	—
	hexagonal nut thread M5 H 4mm WS 8 SS DIN/ISO DIN 934 / ISO 4032/8673 Qty 20 pcs			



GEV No.	415942	Ref. No.	RES62
----------------	--------	-----------------	-------

description	heating element 2280W 230V L 600mm W 610mm L1 30mm L2 50mm L3 520mm W1 20mm W2 570mm thread 1/4" mounting distance 561mm connection length 101mm connection M5 windings 4 tube ø 8.6mm heating circuits 1 dry heating element 2 hole fixing			
accessories for	415942			
	GEV No.	361182	Ref. No.	—
	nut thread 1/4" H 5mm nickel-plated brass WS 17 Qty 1 pcs			
	GEV No.	510417	Ref. No.	—
	flat gasket fibre ED ø 20mm ID ø 14mm thickness 2mm Qty 1 pcs			
	GEV No.	520228	Ref. No.	—
	tooth lock washer ID ø 15.3mm ED ø 24mm steel Qty 1 pcs for thread M14			
	GEV No.	550262	Ref. No.	—
	flat gasket copper ED ø 20mm ID ø 14mm thickness 2mm			



GEV No.	415947	Ref. No.	RES6292
description	heating element 3500W 230V L 580mm W 720mm L1 30mm L2 60mm L3 490mm W1 18mm W2 680mm thread 1/4" mounting distance 675mm connection length 120mm connection M5 windings 5 tube ø 8.5mm heating circuits 1 dry heating element 2 hole fixing		



thermostats

control and safety thermostats

EGO

control thermostats


55.10/19_series



1

GEV No.	375247	Ref. No.	EGO50092
description	thermostat t.max. 500°C temperature range 75-500°C 1-pole 1NO 16A probe ø 4mm probe L 228mm capillary pipe 900mm capillary pipe isolatedmm gland nut shaft ø 6x4.6mm shaft L 23mm shaft position upper rotation 270°		
For models:	50/2		

55.34_series



1

GEV No.	375027	Ref. No.	EGO500
description	thermostat t.max. 470°C temperature range 50-470°C 3-pole 3NO 16A probe ø 3.9mm probe L 308mm capillary pipe 990mm capillary pipe isolated 800mm gland nut shaft ø 6x4.6mm shaft L 23mm shaft position upper rotation 270°		



1

GEV No.	375132	Ref. No.	EGO500
description	thermostat t.max. 500°C temperature range 50-500°C 3-pole 3NO 16A probe ø 4mm probe L 228mm capillary pipe 1200mm capillary pipe isolatedmm gland nut shaft ø 6x4.6mm shaft L 23mm shaft position upper rotation 270°		

switches and momentary switches

rocker/momentary rocker switches

30x11 mm



1

GEV No.	301013	Ref. No.	INTLUCE
description	rocker switch mounting measurements 30x11mm black 1CO 250V 16A connection male faston 6.3mm ambient temperature max. 85/125°C protection IP40		

lamps

indicator lights

indicator lights (complete)

ø10mm

with plug-in socket



1

GEV No.	359019	Ref. No.	LAM10mmR
description	indicator light ø 10mm green 400V connection male faston 6.3mm Qty 1 pcs		



1

GEV No.	359020	Ref. No.	LAM10MMR
description	indicator light ø 10mm red 400V connection male faston 6.3mm Qty 1 pcs		

screw-on/push-on fit

light bulbs

for ovens



1


GEV No.	359614	Ref. No.	LAME27
description	light bulb t.max. 300°C socket E27 230V 40W ø 45mm L 71mm lens L 44mm Qty 1 pcs		



oven lamps


producer-specific oven lamps

FAGE

			
1			
GEV No.	693486	Ref. No.	VETRO85
description	glass panel L 81mm W 81mm square thickness 4mm		

lamps

light bulbs

			
1			
GEV No.	359614	Ref. No.	LAME27
description	light bulb t.max. 300°C socket E27 230V 40W ø 45mm L 71mm lens L 44mm Qty 1 pcs		

contactors

TELEMECANIQUE (Schneider Electric)

power contactors









			
1			
GEV No.	380479	Ref. No.	CONT220V
description	power contactor resistive load 25A 230VAC (AC3/400V) 9A/4kW main contacts 3NO auxiliary contacts 1NO/1NC connection screw connection type LC1D09P7		

gas valves and ignition boxes

gas control valves

SIT

NOVASIT

			
1			
GEV No.	101187	Ref. No.	VALV 820
description	gas valve SIT series Novasit 820 0.17VHz gas inlet 1/2" gas outlet 1/2" thermocouple connection M9x1 pilot connection M10x1 ignition pressurebar pressure range 5-50mbar pressure regulator connection blind equiv. no. 0.820.301 supply Operator millivolt		
spare parts for	101187		
	GEV No.	101065	Ref. No. —
magnet unit with cable L 44mm D1 ø 30mm D2 ø 20mm suitable for NOVASIT			
accessories for	101187		
	GEV No.	100110	Ref. No. GRPILOTA
pilot burner SIT type 190 series 3 flames nozzle ømm gas connectionmm			
	GEV No.	101305	Ref. No. —
gas connection straight 1/2" flange 45x45mm ELETROSIT/V4400/4600/4605 suitable for SIT/HONEYWELL hole distance 36x36mm			
	GEV No.	101306	Ref. No. —
gas connection angled flange 45x45mm hole distance 36x36mm 1/2" ELETROSIT/V4400/4600/4605 screw with O-ring suitable for SIT/HONEYWELL			
	GEV No.	101307	Ref. No. —
gas connection straight flange 45x45mm hole distance 36x36mm 3/4" ELETROSIT/V4400/4600/4605 screw with O-ring suitable for SIT/HONEYWELL			
	GEV No.	101308	Ref. No. —
gas connection angled flange 45x45mm hole distance 36x36mm 3/4" ELETROSIT/V4400/4600/4605 screw with O-ring suitable for SIT/HONEYWELL			
	GEV No.	102116	Ref. No. —
thermopile ROBERTSHAW L 900mm probe ø 9mm probe L 57mm 250-750mV screw connection 7/16"			

accessories



			
1			
GEV No.	100110	Ref. No.	GRPILOTA
description	pilot burner SIT type 190 series 3 flames nozzle ømm gas connectionmm		
accessories for	100110		
	GEV No.	100202	Ref. No. —
pilot burner nozzle natural gas code 41 Qty 1 pcs nozzle ø 0.41mm			

Table continues overleaf

accessories for		100110	
	GEV No.	100203	Ref. No. —
pilot burner nozzle LPG code 25 Qty 1 pcs nozzle ø 0.25mm			
	GEV No.	100701	Ref. No. —
ignition electrode connection M4 Qty 1 pcs			
	GEV No.	100906	Ref. No. —
screw connection thread M10x1 for ignition electrode brass Qty 1 pcs WS 10			
	GEV No.	100907	Ref. No. —
screw connection thread M10x1 Qty 1 pcs type SEF 1 ømm for thermocouple			
	GEV No.	100908	Ref. No. —
union screw thread M10x1 for pipe ø 4mm Qty 1 pcs			
	GEV No.	100909	Ref. No. —
union screw thread M10x1 for pipe ø 6mm Qty 1 pcs			
	GEV No.	101282	Ref. No. —
olive for pipe ø 4mm L 7.4mm Qty 1 pcs			
	GEV No.	101287	Ref. No. —
olive for pipe ø 6mm Qty 1 pcs			
	GEV No.	102110	Ref. No. —
pilot tube copper pipe ø 4mm thickness 1mm L 3000mm			
	GEV No.	102111	Ref. No. —
pilot tube copper pipe ø 6mm thickness 1mm L 3000mm			
	GEV No.	107650	Ref. No. —
pilot burner nozzle SIT LPG code 30 Qty 1 pcs			

ignition parts

pilot burners

SIT

100 series

accessories

ignition electrodes



GEV No.	100707	Ref. No.	CANDELA
description	ignition electrode D1 ø 7mm D2 ø 9mm connection ø 2.4mm L1 14mm L2 6mm BL1 18mm BL2 3mm BL3 23mm to clip Qty 1 pcs		


190 series



GEV No.	100110	Ref. No.	GRPILOTA
description	pilot burner SIT type 190 series 3 flames nozzle ømm gas connectionmm		
accessories for	100110		
	GEV No.	100202	Ref. No. —
pilot burner nozzle natural gas code 41 Qty 1 pcs nozzle ø 0.41mm			
	GEV No.	100203	Ref. No. —
pilot burner nozzle LPG code 25 Qty 1 pcs nozzle ø 0.25mm			
	GEV No.	100701	Ref. No. —
ignition electrode connection M4 Qty 1 pcs			
	GEV No.	100906	Ref. No. —
screw connection thread M10x1 for ignition electrode brass Qty 1 pcs WS 10			
	GEV No.	100907	Ref. No. —
screw connection thread M10x1 Qty 1 pcs type SEF 1 ømm for thermocouple			
	GEV No.	100908	Ref. No. —
union screw thread M10x1 for pipe ø 4mm Qty 1 pcs			
	GEV No.	100909	Ref. No. —
union screw thread M10x1 for pipe ø 6mm Qty 1 pcs			
	GEV No.	101282	Ref. No. —
olive for pipe ø 4mm L 7.4mm Qty 1 pcs			
	GEV No.	101287	Ref. No. —
olive for pipe ø 6mm Qty 1 pcs			
	GEV No.	102110	Ref. No. —
pilot tube copper pipe ø 4mm thickness 1mm L 3000mm			
	GEV No.	102111	Ref. No. —
pilot tube copper pipe ø 6mm thickness 1mm L 3000mm			
	GEV No.	107650	Ref. No. —
pilot burner nozzle SIT LPG code 30 Qty 1 pcs			



electrodes



GEV No.	100707	Ref. No.	CANDELA
description	ignition electrode D1 ø 7mm D2 ø 9mm connection ø2.4mm L1 14mm L2 6mm BL1 18mm BL2 3mm BL3 23mm to clip Qty 1 pcs		

ignition cables


pre-assembled cables




GEV No.	102180	Ref. No.	CAVOACC
description	ignition cable cable length 1200mm connection ø2.4mm / ø2.4mm		

piezoelectric igniters

mounting diameter 22mm



GEV No.	100013	Ref. No.	ACCND
description	piezoelectric igniter body plastic blowing mounting ø 22mm connection ø2.4mm cable lengthmm		

accessories for	100013			
	GEV No.	100023	Ref. No.	—
	female bullet size 2.3mm 0.5-1.5mm ² CuZn t.max. 125°C Qty 20 pcs			


thermocouples

plug-in thermocouples

plug-in thermocouples standard

with barrel socket ø6(6.5)mm

thermocouples SIT




GEV No.	107613	Ref. No.	TC1200MM
description	thermocouple SIT M9x1 L 1200mm plug connection ø6.0(6.5)mm		

gas burners

bar burners

bar burners



GEV No.	105933	Ref. No.	BRUCSX
description	bar burner ø 50mm L 600mm flange length 57mm flange width 57mm Wmm Hmm mounting pos. left flange with bolt M5		

equipment-specific units

for pizza ovens

glass panels



GEV No.	693485	Ref. No.	V25X10X4
description	glass panel L 250mm W 103mm thickness 5mm rectangular		

firebricks



1

GEV No.	850096	Ref. No.	REF62
----------------	--------	-----------------	-------

description	firebrick L 300mm W 300mm H 20mm delivery freight forwarding company only		
--------------------	---	--	--



1

GEV No.	850101	Ref. No.	RF300600
----------------	--------	-----------------	----------

description	firebrick L 600mm W 300mm H 20mm grooved delivery freight forwarding company only		
--------------------	---	--	--

knobs

universal knobs



1

GEV No.	110248	Ref. No.	MANTER
----------------	--------	-----------------	--------

description	knob thermostat t.max. 500°C ø 50mm shaft ø 6x4.6mm shaft flat upper black temperature range 50-500°C rotation 270°		
--------------------	---	--	--

producer-specific knobs

FAGE



1

GEV No.	111935	Ref. No.	MANTER
----------------	--------	-----------------	--------

description	knob thermostat t.max. 450°C ø 45mm shaft ø 6x4.6mm shaft flat upper black temperature range 65-450°C rotation 270°		
--------------------	---	--	--



1

GEV No.	110248	Ref. No.	MANTER
----------------	--------	-----------------	--------

description	knob thermostat t.max. 500°C ø 50mm shaft ø 6x4.6mm shaft flat upper black temperature range 50-500°C rotation 270°		
--------------------	---	--	--

handles and hand wheels

cylindrical handles

fixed



1

GEV No.	540238	Ref. No.	IMPUCIL
----------------	--------	-----------------	---------

description	cylindrical handle thread M10 ø 26mm L 80mm		
--------------------	---	--	--

ball handles



1

GEV No.	693488	Ref. No.	SFERAS40
----------------	--------	-----------------	----------

description	ball handle thread M10 ø 34mm black		
--------------------	-------------------------------------	--	--

bracket handles



1

GEV No.	700551	Ref. No.	MANGAS MANMS180
----------------	--------	-----------------	--------------------

description	pull handle L 200mm H 62mm mounting distance 179mm handle M8		
--------------------	--	--	--



measuring equipment

thermometers

built-in thermometers

ø60mm



GEV No.	541054	Ref. No.	TER500
description	thermometer mounting ø 60mm t.max. 500°C 0 up to +500°C probe ø 10mm probe L 80mm capillary pipe 700mm		

B

bar burners 7

C

contactors 5

control thermostats 4

G

gas burners 7

gas control valves 5

H

heating elements 3

heating elements for pizza ovens 3

I

ignition cables 7

indicator lights 4

indicator lights (complete) 4

L

lamps 4

light bulbs 4

M

measuring equipment 9

O

oven lamps 5

P

piezoelectric igniters 7

pilot burners 6

R

rocker/momentary rocker switches 4

S

switches and momentary switches 4

T

thermocouples 7

thermostats 4