



**GAS COMPONENTS**



**ELECTRIC COMPONENTS**



**WATER TECHNOLOGY**



**MECHANICAL COMPONENTS**



**TOOLS**

Spare parts suitable for

**FIORENZATO-C.S.**

Find the complete and up-to-date range of products in our GEV Webshop



# Manufacturer catalogue

The most important spare parts and accessories arranged clearly for every manufacturer

- ✓ Complete product range and all appliance data always up to date in the GEV Webshop
- ✓ Alphabetical Index at the end of the catalogue

## GEV Webshop

[www.gev-online.co.uk](http://www.gev-online.co.uk)

[www.gev-online.com](http://www.gev-online.com)







- 🔍 Add to Favourites
- 🔍 Sign In with email address and usual password
- 🔍 Easy-order – place several items in your basket at the same time
- 🔍 Quick Item search – no login needed






## heating elements

### heating elements for coffee machine

			
<b>GEV No.</b>	417354	<b>Ref. No.</b>	A2100146
<b>description</b>	heating element 2700W 230V heating circuits 3 mounting $\phi$ 42mm hole distance 74mm L 160mm W 34mm H 45mm L1 20mm L2 70mm L3 80mm H1 32mm H2 13mm hole $\phi$ 10mm tube $\phi$ 8.3mm thermostat sleeves $\phi$ 7mm length thermostat sleeves 140mm thermostat sleeve centre number of thermostat sleeves 1 connection male faston 6.3mm immersion heater 2 hole flange		

			
<b>GEV No.</b>	417355	<b>Ref. No.</b>	A2100213
<b>description</b>	heating element 2700W 230V heating circuits 3 thread 1 1/4" L 160mm W 30mm H 45mm tube $\phi$ 8mm connection male faston 6.3mm immersion heater flange with thread WS 37		
<b>accessories for</b>	417355		
	<b>GEV No.</b>	528017	<b>Ref. No.</b> —
	flat gasket fibre ED $\phi$ 53mm ID $\phi$ 42mm thickness 2mm for thread 1 1/4" Qty 1 pcs		
	<b>GEV No.</b>	528022	<b>Ref. No.</b> —
	flat gasket PTFE ED $\phi$ 52mm ID $\phi$ 41mm thickness 2mm size 1 1/4" Qty 1 pcs suitable for CARIMALI, FAEMA, MARZOCCO, PAVONI		



			
<b>GEV No.</b>	417353	<b>Ref. No.</b>	A2100031
<b>description</b>	heating element 3500W 230/400V heating circuits 3 mounting $\phi$ 43mm hole distance 74mm L 295mm W 34mm H 45mm L1 35mm L2 55mm L3 205mm H1 31mm H2 14mm hole $\phi$ 9.5mm tube $\phi$ 8.3mm thermostat sleeves $\phi$ 7mm length thermostat sleeves 210mm thermostat sleeve centre number of thermostat sleeves 1 connection male faston 6.3mm immersion heater 2 hole flange		
<b>accessories for</b>	417353		
	<b>GEV No.</b>	528021	<b>Ref. No.</b> A1200015
	flat gasket PTFE ED $\phi$ 53mm ID $\phi$ 42.5mm thickness 3mm Qty 1 pcs equiv. no. 12001/02286 suitable for Astoria/Aurora/Brasilia/Wega		

			
<b>GEV No.</b>	417352	<b>Ref. No.</b>	A2100120
<b>description</b>	heating element 4000W 230/400V heating circuits 3 mounting $\phi$ 43mm hole distance 74mm L 545mm W 34mm H 45mm L1 35mm L2 55mm L3 455mm H1 31mm H2 14mm hole $\phi$ 9.5mm tube $\phi$ 8.3mm thermostat sleeves $\phi$ 7mm length thermostat sleeves 210mm thermostat sleeve centre number of thermostat sleeves 1 connection male faston 6.3mm immersion heater 2 hole flange		



## accessories

### sealing washers

#### PTFE gaskets

 			
<b>GEV No.</b>	528021	<b>Ref. No.</b>	A1200015
<b>description</b>	flat gasket PTFE ED $\phi$ 53mm ID $\phi$ 42.5mm thickness 3mm Qty 1 pcs equiv. no. 12001/02286 suitable for Astoria/Aurora/Brasilia/Wega		


### O-rings

 			
<b>GEV No.</b>	528231	<b>Ref. No.</b>	A1200028
<b>description</b>	O-ring Viton thickness 2.62mm ID $\phi$ 12.37mm Qty 1 pcs		

## thermostats

### bi-metal thermostats


#### bi-metal thermostats

			
<b>GEV No.</b>	390328	<b>Ref. No.</b>	A1400035
<b>description</b>	bi-metal thermostat hole distance mm switch-off temp. 152°C 1NC 1-pole 16A connection F6.3 M4		


## switches and momentary switches



### rocker/momentary rocker switches



#### 30x22mm

			
<b>GEV No.</b>	301061	<b>Ref. No.</b>	A2100093
<b>description</b>	rocker switch mounting measurements 30x22mm orange 2NO 250V 16A illuminated connection male faston 6.3mm ambient temperature max. 125/55°C protection IP40		




			
1			
<b>GEV No.</b>	301036	<b>Ref. No.</b>	A2800052
<b>description</b>	protective cover internal size 30x22mm for rocker switch mounting measurementsmm		


			
1			
<b>GEV No.</b>	301078	<b>Ref. No.</b>	A2100038
<b>description</b>	momentary rocker switch mounting measurements 30x22mm black 2NO 250V 16A momentary 0-I connection male faston 6.3mm ambient temperature max. 85/125°C protection IP40		
<b>accessories for</b>	301078		
	<b>GEV No.</b>	301036	<b>Ref. No.</b> A2800052
	protective cover internal size 30x22mm for rocker switch mounting measurementsmm		


blank			
			
1			
<b>GEV No.</b>	346144	<b>Ref. No.</b>	340226
<b>description</b>	push switch mounting measurements 30x22mm white 2CO 250V 16A illuminated connection male faston 6.3mm ambient temperature max. 100/55°C protection IP65		
<b>accessories for</b>	346144		
	<b>GEV No.</b>	301036	<b>Ref. No.</b> A2800052
	protective cover internal size 30x22mm for rocker switch mounting measurementsmm		


## push/momentary push switches

19x13mm			
			
1			
<b>GEV No.</b>	347292 <sup>1</sup>	<b>Ref. No.</b>	A2100043
<b>description</b>	push switch mounting measurements 19x13mm red 2NO 250V 16A illuminated connection male faston 6.3mm ambient temperature max. 105/55°C protection IP65 with cover cap		


<sup>1</sup>illuminated

30x22mm			
			
1			
<b>GEV No.</b>	301036	<b>Ref. No.</b>	A2800052
<b>description</b>	protective cover internal size 30x22mm for rocker switch mounting measurementsmm		


ø25mm			
			
1			
<b>GEV No.</b>	347295	<b>Ref. No.</b>	A2100041
<b>description</b>	push button mounting ø 25mm black 2NO 250V 16A connection male faston 6.3mm ambient temperature max. 85°C protection IP40		


			
1			
<b>GEV No.</b>	347294 <sup>1</sup>	<b>Ref. No.</b>	A2100045
<b>description</b>	push switch mounting ø 25mm red 2NO 250V 16A illuminated connection male faston 6.3mm ambient temperature max. 125/55°C protection IP40		

<sup>1</sup>illuminated


			
1			
<b>GEV No.</b>	347293	<b>Ref. No.</b>	A2100094
<b>description</b>	push switch mounting ø 25mm orange 2NO 250V 16A illuminated cup connection male faston 6.3mm ambient temperature max. 85°C protection IP40		


## microswitches

pin-plunger actuated			
			
1			
<b>GEV No.</b>	346145	<b>Ref. No.</b>	210031
<b>description</b>	microswitch with plunger 250V 10A 1CO connection male faston 4.8mm ambient temperature max. 125°C mounting distance 22mm black		


			
1			
<b>GEV No.</b>	347757	<b>Ref. No.</b>	A2100297
<b>description</b>	microswitch with plunger 250V 16A 1CO connection male faston 4.8mm ambient temperature max. 125°C mounting distance 22mm actuating force: 120g black		



roller actuated			
roller 90°			
			
1			
<b>GEV No.</b>	345104	<b>Ref. No.</b>	A2100042
<b>description</b>	microswitch with roller plunger 250V 16A 1CO connection male faston 6.3mm L 24mm ambient temperature max. 125°C thread L 12mm thread M10x0.75 mounting distance 22mm actuating force: 280g type EF83161.1		

ø10mm			
with plug-in socket			
			
1			
<b>GEV No.</b>	359140	<b>Ref. No.</b>	A2100046
<b>description</b>	indicator light ø 10mm yellow 230V connection male faston 6.3mm Qty 1 pcs		

rotary switches


miscellaneous			
			
1			
<b>GEV No.</b>	347296	<b>Ref. No.</b>	A2100103 A2100316
<b>description</b>	rotary switch 25A shaft L 15mm with cable 6-pole shaft 5x5mm		

contactors  
ISKRA (FANAL)


power contactors			
			
1			
<b>GEV No.</b>	380413	<b>Ref. No.</b>	21003F
<b>description</b>	power contactor resistive load 20A 400VAC (AC3/400V) 8.5A/5.5kW main contacts 3NO auxiliary contacts 1NC connection screw connection type Fanal DSL7 01 type ISKRA K07M 01		

control equipment

MOELLER/EATON


LED signal elements			
			
1			
<b>GEV No.</b>	346487	<b>Ref. No.</b>	A2100319
<b>description</b>	indicator lamp white connection screw LED 85-264VAC		

SIEMENS

power contactors			
			
1			
<b>GEV No.</b>	380526	<b>Ref. No.</b>	A2100154
<b>description</b>	power contactor resistive load 20A 230VAC (AC3/400V) 8.4A/4kW main contacts 4NO auxiliary contacts connection screw connection type 3TG10-10-0A2L2		

lamps

indicator lights

indicator lights (complete)			
ø 6mm			
			
1			
<b>GEV No.</b>	359568	<b>Ref. No.</b>	A2100024
<b>description</b>	indicator light ø 6mm 230V red connection male faston 2.8mm cable length 250mm		



## relays

## power relays

## with bracket mounting



1

<b>GEV No.</b>	380920	<b>Ref. No.</b>	A3200109
<b>description</b>	power relays FINDER 400VAC 10A 3CO connection male faston 4.8mm with mounting strap manuf. no. 60.63.8.400.0000 250V 3-pole		

## level relays

## GICAR



1

<b>GEV No.</b>	400524	<b>Ref. No.</b>	A1500005
<b>description</b>	level relay 230V voltage AC connection F6.3 type RL30 MICRO ST SAFETY PUMP		

## DTI




1

<b>GEV No.</b>	402445	<b>Ref. No.</b>	A1500082
<b>description</b>	level controller 230V voltage AC 50/60Hz 8A connection F6.3 type DCLDD11000		

## electronics

## PCBs



1

<b>GEV No.</b>	402447	<b>Ref. No.</b>	A1500096
<b>description</b>	keypad PCB L 125mm W 35mm with front panel buttons 6		



1

<b>GEV No.</b>	402497	<b>Ref. No.</b>	A1500098
<b>description</b>	keypad PCB L 83mm W 48mm with display buttons 4		



1

<b>GEV No.</b>	402495	<b>Ref. No.</b>	A1500097
<b>description</b>	PCB L 74mm W 64mm 230V		

## central units



1

<b>GEV No.</b>	402456	<b>Ref. No.</b>	A1500095
<b>description</b>	central unit 3-group 230V 50/60Hz type SDE3D F13NBV6		




1

<b>GEV No.</b>	402454	<b>Ref. No.</b>	A1500070
<b>description</b>	central unit 3-group 230V type SDE3D F13NAV6		

dosing electronics

miscellaneous




1

<b>GEV No.</b>	402455	<b>Ref. No.</b>	A1500073
<b>description</b>	dosing electronics 230V 50/60Hz type SDE11		


keypads

front foils




1

<b>GEV No.</b>	402453	<b>Ref. No.</b>	A2400055
<b>description</b>	front foil for keypad chrome-plated L 132mm W 42mm		




1

<b>GEV No.</b>	402452	<b>Ref. No.</b>	A1500093
<b>description</b>	keypad foil coffee machine MIA L 79mm W 54mm buttons 6		




1

<b>GEV No.</b>	402450	<b>Ref. No.</b>	A1500059
<b>description</b>	keypad foil grey L 164mm W 34mm buttons 6		



1

<b>GEV No.</b>	402451	<b>Ref. No.</b>	A1500094
<b>description</b>	keypad foil L 79mm W 54mm buttons 2		



1


<b>GEV No.</b>	525111	<b>Ref. No.</b>	A2400054
<b>description</b>	keypad foil L 90mm W 49mm buttons 4		

keypad units




1

<b>GEV No.</b>	402448	<b>Ref. No.</b>	A1500092
<b>description</b>	keypad unit buttons 2 L 88mm W 60mm		



1

<b>GEV No.</b>	402446	<b>Ref. No.</b>	A1500034
<b>description</b>	keypad unit buttons 6 grey L 164mm W 34mm		



1

<b>GEV No.</b>	402449	<b>Ref. No.</b>	A1500091
<b>description</b>	keypad unit coffee machine FIORENZATO buttons 6 L 88mm W 60mm		

solenoid valves


solenoid valves (water)

metal

ODE


solenoid valves steam (water)

21A series



1

<b>GEV No.</b>	370573	<b>Ref. No.</b>	A1900002
<b>description</b>	solenoid valve brass 2-ways 230VAC inlet 1/8" outlet 1/8" connection 1/8" L 40mm DN 2.5mm -10 up to 140°C type series 21A coil type ADA membranes FKM (water/steam) p max 14bar 50Hz		
<b>accessories for</b>	370573		



<b>GEV No.</b>	371091	<b>Ref. No.</b>	—
<b>description</b>	power socket plug type DIN 43650B cable lengthmm small		

31A1 series



1			
<b>GEV No.</b>	370572	<b>Ref. No.</b>	A1900003
<b>description</b>	solenoid valve brass 3-ways 230VAC DN 1.5mm -10 up to 140°C coil type ADA membranes ruby p max 15bar p min 0bar flange 32x32mm		

4827K series



1			
<b>GEV No.</b>	370571	<b>Ref. No.</b>	A1900068
<b>description</b>	solenoid valve brass 2-ways 230VAC DN 2mm -10 up to 140°C coil type ADA membranes FKM (water/steam) p max 22bar p min 0bar 50Hz flange 32x32mm		

solenoid valves (various)



1			
<b>GEV No.</b>	370119	<b>Ref. No.</b>	A1900029
<b>description</b>	solenoid valve 2-ways 230VAC flange 25x25mm		

pressure switches

for coffee machines

ø 38mm



1			
<b>GEV No.</b>	541725	<b>Ref. No.</b>	A2100051
<b>description</b>	pressure control ø 38mm pressure range 0.5-1.2bar 21A 250V connection 1/4" 1CO pressure connection 1/4"		



1			
<b>GEV No.</b>	541726	<b>Ref. No.</b>	A2100305
<b>description</b>	pressure control ø 38mm pressure range 0.5-1.5bar 16A 250V connection 1/4" pressure connection 1/4"		

electrodes



1			
<b>GEV No.</b>	402457	<b>Ref. No.</b>	A1400001
<b>description</b>	level electrode 1/4" total length 145mm probe L 124mm insulated probe length 20mm connection curved ø 2.5mm		



1			
<b>GEV No.</b>	402458	<b>Ref. No.</b>	A1400003
<b>description</b>	level electrode 1/4" total length 75mm probe L 54mm insulated probe length 20mm connection curved ø 2.5mm		

motors

motors

for coffee grinders

components



1			
<b>GEV No.</b>	500239	<b>Ref. No.</b>	190067 270012
<b>description</b>	motor 230V 50Hz 1 phase ø 100mm ID ø 65mm H 195mm shaft ø 16mm type T48		





			
1			
<b>GEV No.</b>	500238	<b>Ref. No.</b>	190050 270003
<b>description</b>	motor 230V 50Hz 1 phase ø 110mm ID ø 65mm H 160mm shaft ø 14mm type T80		

## condensators & interference suppression filters

### operating capacitors

plastic			
			
1			
<b>GEV No.</b>	365019	<b>Ref. No.</b>	A3200030
<b>description</b>	operating capacitor capacity 20µF 400V tolerance 5% 50/60Hz ambient temperature max. -25 to +85°C ø 39.5mm L 70mm M8 plastic connection male faston 6.3mm 16.10.25. protection		

## equipment-specific units


### for espresso machines


filter holders			
filter holders standard			
filter holders (complete)			
			
1			
<b>GEV No.</b>	525097	<b>Ref. No.</b>	A2200079
<b>description</b>	filter holder 2-way complete ID ø 61.8mm outlet distance 55mm mounting ø 82.4		

filters			
for 1 cup			
			
1			
<b>GEV No.</b>	526261	<b>Ref. No.</b>	A2200221
<b>description</b>	coffee filter ø 70mm mounting ø 60.5mm H 20.5mm cups 1 amount of coffee 6.5g		

			
1			
<b>GEV No.</b>	529011	<b>Ref. No.</b>	A2200028
<b>description</b>	coffee filter ø 70mm mounting ø 60mm H 24.5mm cups 1 amount of coffee 7g perforation ø 0.4mm		

for 2 cups			
			
1			
<b>GEV No.</b>	529197	<b>Ref. No.</b>	A2200029
<b>description</b>	coffee filter ø 70mm mounting ø 60mm H 24.5mm cups 2 amount of coffee 14g		

filter holder springs			
			
1			
<b>GEV No.</b>	531243	<b>Ref. No.</b>	N/A
<b>description</b>	filter holder spring L 70mm W 60mm wire gauge ø 1.3mm for espresso filter holder Qty 20 pcs		

brewing units			
shower screens			
flat			
			
1			
<b>GEV No.</b>	529228	<b>Ref. No.</b>	A2200235
<b>description</b>	shower screen ø 51.6mm hole ø 6.2mm		

## with upstand



1

<b>GEV No.</b>	528417	<b>Ref. No.</b>	A2200031
<b>description</b>	shower screen ø 58mm H 19mm		

## filter holder gaskets

## flat

## with internal notch



1

<b>GEV No.</b>	525105	<b>Ref. No.</b>	A1200181
<b>description</b>	filter holder gasket with inside notch D1 ø 72mm D2 ø 56mm H 8mm with inside notch Qty 1 pcs		

## standard



1

<b>GEV No.</b>	528031	<b>Ref. No.</b>	A1200006
<b>description</b>	filter holder gasket D1 ø 73mm D2 ø 57mm H 8.5mm rubber Qty 1 pcs		



1

<b>GEV No.</b>	525104	<b>Ref. No.</b>	A1200007
<b>description</b>	filter holder gasket D1 ø 73mm D2 ø 57mm H 8mm Qty 1 pcs		

## shim gaskets



1







<b>GEV No.</b>	525103	<b>Ref. No.</b>	A1200033
<b>description</b>	shim gasket D1 ø 72mm D2 ø 58mm thickness 0.6mm paper Qty 1 pcs		

## brewing units with solenoid valve

## universal



1

<b>GEV No.</b>	525495	<b>Ref. No.</b>	A2200035	
<b>description</b>	brewing unit for solenoid valve model E61			
<b>spare parts for</b>	525495			
	<b>GEV No.</b>	529081	<b>Ref. No.</b>	—
	<b>description</b>	water distributor ø 30mm hole ø 1.5mm H 15mm ET M10x1 grooves 6 2.5mm brass		
<b>accessories for</b>	525495			
	<b>GEV No.</b>	370057	<b>Ref. No.</b>	—
	<b>description</b>	solenoid valve 3-ways 230VAC body outer cone DN 1.2mm slide-on receptacle DIN -20° up to 140°C PARKER type series VE-128 coil type ZB09 membranes ruby p max 10bar brass flange 32x32mm		
	<b>GEV No.</b>	525984	<b>Ref. No.</b>	—
	<b>description</b>	filter holder suitable for AURORA/BRASILIA/FAEMA without outlet mounting ø 82.5mm outlet 3/8" ID ø 62mm wedge height 10.5mm wedge position horizontal number of wedges 2 lever straight		
	<b>GEV No.</b>	528030	<b>Ref. No.</b>	—
	<b>description</b>	filter holder gasket D1 ø 72.7mm D2 ø 57.2mm H 8mm Qty 1 pcs		
	<b>GEV No.</b>	528165	<b>Ref. No.</b>	—
	<b>description</b>	group gasket L 76mm W 72mm thickness 2.5mm aperture 26x64mm hole distance 55mm		
	<b>GEV No.</b>	528417	<b>Ref. No.</b>	A2200031
	<b>description</b>	shower screen ø 58mm H 19mm		

## brewing units manual

## components

## drain units


## drain valves




1


<b>GEV No.</b>	526002	<b>Ref. No.</b>	A2200208
<b>description</b>	valve support ø 16mm L 27mm brass shaft triangular D1 ø 10mm D2 ø 7mm		







gaskets			
			
1			
<b>GEV No.</b>	529795	<b>Ref. No.</b>	A1200160
<b>description</b>	gasket D1 ø 13mm D2 ø 4mm thickness 4mm coffee machine		


nozzle holders			
			
1			
<b>GEV No.</b>	526783	<b>Ref. No.</b>	02102300
<b>description</b>	nozzle holder thread M30x1.5 IT M16x1.5 IT 1 M8 ø 26mm int. ø 1 15mm int. ø 2 17.5mm L 66.5mm total length 82mm WS 36 chrome-plated brass		


springs			
			
1			
<b>GEV No.</b>	527935	<b>Ref. No.</b>	A2200209
<b>description</b>	compression spring ø 14.6mm L 33mm wire gauge ø 2mm		


camshafts			
			
1			
<b>GEV No.</b>	527940	<b>Ref. No.</b>	A2200188
<b>description</b>	camshaft shaft ø 8mm shaft intake ø 6.2mm L 86.5mm W 20mm H 17mm thread M6 brass		


valves				
				
1				
<b>GEV No.</b>	526008	<b>Ref. No.</b>	A2200178	
<b>description</b>	valve group outflow L 54.3mm ED ø 16mm shaft ø 4.5mm brass			
<b>accessories for</b>	526008			
				
	<b>GEV No.</b>	526003	<b>Ref. No.</b>	—
	compression spring ø 13.8mm L 54.5mm wire gauge ø 1.5mm windings 10 drain valve			
				
	<b>GEV No.</b>	532550	<b>Ref. No.</b>	—
	O-ring NBR 787/70 thickness 2.62mm ID ø 9.13mm Qty 10 pcs			


			
1			
<b>GEV No.</b>	526007	<b>Ref. No.</b>	A2200180
<b>description</b>	valve group supply L 52.8mm ED ø 16mm shaft triangular		

components			
nozzles			
with thread			
			
1			
<b>GEV No.</b>	528486	<b>Ref. No.</b>	A2200174
<b>description</b>	nozzle bore ø 0.7mm thread M6x0.75 L 9mm WS 7		

springs			
			
1			
<b>GEV No.</b>	526561	<b>Ref. No.</b>	A2200192
<b>description</b>	compression spring ø 14.3mm L 21mm wire gauge ø 1.8mm		

expansion valves			
with hose connection			
			
1			
<b>GEV No.</b>	525096	<b>Ref. No.</b>	A1300028 A1300113
<b>description</b>	expansion valve T1: 1/8" ET hose ø 9mm total length 47mm		

			
1			
<b>GEV No.</b>	525703	<b>Ref. No.</b>	A1300028 A1300113
<b>description</b>	expansion valve T1: 1/8" ET hose ø 9mm total length 47mm		

gasket supports			
			
1			
<b>GEV No.</b>	526017	<b>Ref. No.</b>	A2200203
<b>description</b>	gasket support D1 ø 16mm D2 ø 10mm ID ø 7mm L 25mm square brass		

## drain pans

## drain pans



1

<b>GEV No.</b>	527946	<b>Ref. No.</b>	A1600002
<b>description</b>	drain pan L 69mm W 79mm H 54mm hose $\varnothing$ 14mm		



1

<b>GEV No.</b>	526564	<b>Ref. No.</b>	A1600134
<b>description</b>	drain pan $\varnothing$ 60mm H 46mm hole $\varnothing$ 20mm hose $\varnothing$ 10mm		

## aerators and air bleeders



1

<b>GEV No.</b>	527981	<b>Ref. No.</b>	A1300007
<b>description</b>	aerator and air bleeder connection 1/4"		

## steam/water taps

## steam/water taps

## steam/water taps



1

<b>GEV No.</b>	525098	<b>Ref. No.</b>	A2200021
<b>description</b>	steam/water tap with gasket, spring and bush inlet 3/8" outlet 3/8" shaft 6.5x8 shaft L 30mm brass		

## steam taps

## steam taps (complete)



1

<b>GEV No.</b>	527954	<b>Ref. No.</b>	A2200066
<b>description</b>	steam tap mounting pos. external inlet 3/8" outlet 3/8" chrome-plated brass		



1

<b>GEV No.</b>	525094	<b>Ref. No.</b>	A2200048
<b>description</b>	steam tap with lever inlet 3/8" outlet 3/8" chrome-plated brass		

## miscellaneous




1

<b>GEV No.</b>	526017	<b>Ref. No.</b>	A2200203
<b>description</b>	gasket support D1 $\varnothing$ 16mm D2 $\varnothing$ 10mm ID $\varnothing$ 7mm L 25mm square brass		

## components

## gaskets



1

<b>GEV No.</b>	529795	<b>Ref. No.</b>	A1200160
<b>description</b>	gasket D1 $\varnothing$ 13mm D2 $\varnothing$ 4mm thickness 4mm coffee machine		

## springs



1

<b>GEV No.</b>	525093	<b>Ref. No.</b>	A2200002
<b>description</b>	compression spring $\varnothing$ 10.6mm L 29.5mm wire gauge $\varnothing$ 1.4mm		

## steam/water pipes

## steam pipes




1

<b>GEV No.</b>	525102	<b>Ref. No.</b>	A2000090
<b>description</b>	steam pipe H 150mm W 70mm tube $\varnothing$ 8mm chrome-plated brass		




1


<b>GEV No.</b>	525100	<b>Ref. No.</b>	A2200014
<b>description</b>	steam pipe mounting pos. left thread 3/8" H 200mm tube ø 8mm chrome-plated brass		



1

<b>GEV No.</b>	525101	<b>Ref. No.</b>	A2200015
<b>description</b>	steam pipe mounting pos. right thread 3/8" H 200mm tube ø 8mm chrome-plated brass		


nozzles for steam pipes



1

<b>GEV No.</b>	525099	<b>Ref. No.</b>	A2200044
<b>description</b>	steam nozzle thread M10x1 ø 12mm L 14mm thread L 6mm 4 holes bore ø 1.5mm chrome-plated brass		

nozzles for water pipes




1

<b>GEV No.</b>	525095	<b>Ref. No.</b>	A2200012
<b>description</b>	nozzle D1 ø 24mm H 30mm thread M10x1 int. ø 19mm		


accessories

gaskets



1


<b>GEV No.</b>	528402	<b>Ref. No.</b>	A1200030
<b>description</b>	O-ring Viton thickness 2.62mm ID ø 10.78mm Qty 1 pcs		



1

<b>GEV No.</b>	528231	<b>Ref. No.</b>	A1200028
<b>description</b>	O-ring Viton thickness 2.62mm ID ø 12.37mm Qty 1 pcs		

union nuts




1

<b>GEV No.</b>	528826	<b>Ref. No.</b>	A2200036
<b>description</b>	union nut thread 3/8" L 21mm hole ø 12.5mm chrome-plated brass		

gaskets

flat gaskets


rubber gaskets



1

<b>GEV No.</b>	525107	<b>Ref. No.</b>	A1200155
<b>description</b>	flat gasket rubber ED ø 16mm ID ø 8mm thickness 4mm Qty 1 pcs		

fine filters




1

<b>GEV No.</b>	529979	<b>Ref. No.</b>	A2200175
<b>description</b>	fine filter ø 8.8mm H 22mm		

intake valves

accessories

springs




1

<b>GEV No.</b>	526560	<b>Ref. No.</b>	A2200177
<b>description</b>	compression spring ø 14.3mm L 46mm wire gauge ø 1.5mm		

level glasses

level glasses

level glass pipes



1

<b>GEV No.</b>	529407	<b>Ref. No.</b>	A1400008
<b>description</b>	water level tube ø 11mm H 170mm ID ø 8mm		

## non-return valves

## pistons



1

<b>GEV No.</b>	526009	<b>Ref. No.</b>	A2200215
<b>description</b>	piston for non-return valve with O-ring $\varnothing$ 12mm L 20mm		

## complete



1

<b>GEV No.</b>	529335	<b>Ref. No.</b>	A1300056
<b>description</b>	non-return valve inlet 1/8" outlet 1/8" L 30mm		



1

<b>GEV No.</b>	527978	<b>Ref. No.</b>	A1300109
<b>description</b>	non-return valve inlet 3/8" outlet 3/8" L 38mm		

## for coffee grinders

## grinding burrs

## grinding burrs straight

## standard



1

<b>GEV No.</b>	527227	<b>Ref. No.</b>	260001 260003 A3200063
<b>description</b>	grinding burrs pair turn direction right D1 $\varnothing$ 63mm ID $\varnothing$ 38mm H 9.5mm tooth spacing 3mm hole $\varnothing$ 5.5mm bore $\varnothing$ 8.5mm mounting $\varnothing$ 48 straight suitable for FIORENZATO		



1

<b>GEV No.</b>	527228	<b>Ref. No.</b>	260001 260003 A3200083
<b>description</b>	grinding burrs pair turn direction right D1 $\varnothing$ 83mm ID $\varnothing$ 45mm H 10mm tooth spacing 4mm hole $\varnothing$ 5.4mm bore $\varnothing$ 10mm mounting $\varnothing$ 64.5 straight suitable for FIORENZATO		

## grinding burrs holders



1

<b>GEV No.</b>	527260	<b>Ref. No.</b>	170090 340182
<b>description</b>	grinding burr holder D1 $\varnothing$ 63mm D2 $\varnothing$ 80mm H 31mm type T80 suitable for FIORENZATO		



1

<b>GEV No.</b>	527261	<b>Ref. No.</b>	340183
<b>description</b>	grinding burr holder D1 $\varnothing$ 83mm D2 $\varnothing$ 90mm H 34mm type T45 suitable for FIORENZATO		

## miscellaneous



1

<b>GEV No.</b>	802047	<b>Ref. No.</b>	160097
<b>description</b>	equipment foot rubber $\varnothing$ 22mm mounting measurements 31x18mm T80 Qty 1 pcs		

## dosing containers

## dosing containers (complete)



1

<b>GEV No.</b>	527508	<b>Ref. No.</b>	340123 RMT480006 RMUNI0007
<b>description</b>	dosing unit $\varnothing$ 120mm suitable for T80		



**dosing container lids**



1

<b>GEV No.</b>	527320	<b>Ref. No.</b>	160064
<b>description</b>	lid for dosing container mounting ø 114mm ø 122mm H 22mm suitable for M80		



1


<b>GEV No.</b>	525166	<b>Ref. No.</b>	A320008
<b>description</b>	lid for dosing container mounting ø 116mm ø 130mm H 25mm		



1

<b>GEV No.</b>	527323	<b>Ref. No.</b>	160078
<b>description</b>	lid for dosing container mounting ø 130mm ø 135mm H 24mm		

**adjusting screws**




1

<b>GEV No.</b>	527500	<b>Ref. No.</b>	340120
<b>description</b>	adjusting screw for dosing container thread M8 L 40mm plastic		

**springs**


group 1



1


<b>GEV No.</b>	525110	<b>Ref. No.</b>	A3200049
<b>description</b>	tension spring ø 7.5mm total length 42mm wire gauge ø 0.8mm L1 29mm		

**glass cylinders**




1

<b>GEV No.</b>	525167	<b>Ref. No.</b>	A3200009
<b>description</b>	glass cylinder for dosing container ø 125mm H 53mm plexiglas		



1

<b>GEV No.</b>	527322	<b>Ref. No.</b>	160083 340231
<b>description</b>	glass cylinder ø 122mm H 10mm plexiglas		




1

<b>GEV No.</b>	527326	<b>Ref. No.</b>	160079
<b>description</b>	glass cylinder ø 132mm H 75mm plexiglas		

**levers**

levers




1

<b>GEV No.</b>	527507	<b>Ref. No.</b>	340159
<b>description</b>	lever complete L 110mm shaft ø 8mm plastic		

**coffee presses**

components


holders



1

<b>GEV No.</b>	525113	<b>Ref. No.</b>	A3200002
<b>description</b>	bracket H 22mm L 65mm plastic		

**pressers**



1

<b>GEV No.</b>	525112	<b>Ref. No.</b>	A3200001
<b>description</b>	coffee press ø 55mm H 34mm plastic		

## coffee presses



1

<b>GEV No.</b>	527506	<b>Ref. No.</b>	160061
<b>description</b>	coffee press ø 57mm L 83mm H 41mm plastic		

## automatic grinding

## automatic grinding



1

<b>GEV No.</b>	525114	<b>Ref. No.</b>	A3200084
<b>description</b>	housing for microswitch ø 116mm H 45mm plastic		

## sector plates



1

<b>GEV No.</b>	527502	<b>Ref. No.</b>	160073
<b>description</b>	sector plates plastic		

## stars

## central



1

<b>GEV No.</b>	527503	<b>Ref. No.</b>	340196
<b>description</b>	star mounting pos. centre/bottom		

## upper



1

<b>GEV No.</b>	527501	<b>Ref. No.</b>	160072
<b>description</b>	star mounting pos. upper ø 107mm hole ø 8mm H 39mm		

## bottom



1

<b>GEV No.</b>	527503	<b>Ref. No.</b>	340196
<b>description</b>	star mounting pos. centre/bottom		

## adjustment mechanism

## setting rings



1

<b>GEV No.</b>	527412	<b>Ref. No.</b>	340181
<b>description</b>	setting ring mounting ø 95mm ø 111mm ID ø 68mm H 41mm suitable for FIORENZATO for T45 equiv. no. 340181		



1

<b>GEV No.</b>	527410	<b>Ref. No.</b>	340147
<b>description</b>	setting ring ø 106mm ID ø 68mm H 30mm suitable for FIORENZATO for T80		

## coffee beans containers

## container lids



1

<b>GEV No.</b>	527313	<b>Ref. No.</b>	160149
<b>description</b>	lid for coffee beans container mounting ø 174mm ø 178mm		



1

<b>GEV No.</b>	527315	<b>Ref. No.</b>	160081 A3200028
<b>description</b>	lid for coffee beans container mounting ø 200mm ø 204mm		





coffee beans containers



1

<b>GEV No.</b>	527312	<b>Ref. No.</b>	340066
<b>description</b>	coffee beans container 3-piece seat ø 68mm		





1

<b>GEV No.</b>	527311	<b>Ref. No.</b>	340068 RMT800012
<b>description</b>	coffee beans container complete ø 175mm H 220mm seat ø 68mm container capacity 1.2kg T80		






1

<b>GEV No.</b>	527314	<b>Ref. No.</b>	160080
<b>description</b>	coffee beans container ø 172mm H 222mm seat ø 67mm M80		
<b>accessories for</b>	527314		
	<b>GEV No.</b>	527313	<b>Ref. No.</b> 160149
	lid for coffee beans container mounting ø 174mm ø 178mm		
	<b>GEV No.</b>	527318	<b>Ref. No.</b> 160063 A3200031
	catch L 86mm W 48mm thickness 2mm plastic		
	<b>GEV No.</b>	527319	<b>Ref. No.</b> 160067
	protection cap ø 60mm suitable for FIORENZATO plexiglas		





1

<b>GEV No.</b>	527316	<b>Ref. No.</b>	160076 A3200027
<b>description</b>	coffee beans container ø 200mm H 255mm seat ø 67mm M1-T48		
<b>spare parts for</b>	527316		
	<b>GEV No.</b>	527315	<b>Ref. No.</b> 160081 A3200028
	lid for coffee beans container mounting ø 200mm ø 204mm		
	<b>GEV No.</b>	527318	<b>Ref. No.</b> 160063 A3200031
	catch L 86mm W 48mm thickness 2mm plastic		
	<b>GEV No.</b>	527319	<b>Ref. No.</b> 160067
	protection cap ø 60mm suitable for FIORENZATO plexiglas		




protection caps


			
1			
<b>GEV No.</b>	527319	<b>Ref. No.</b>	160067
<b>description</b>	protection cap ø 60mm suitable for FIORENZATO plexiglas		

			
1			
<b>GEV No.</b>	527411	<b>Ref. No.</b>	160091
<b>description</b>	protection cap ø 68mm plastic		

locks


			
1			
<b>GEV No.</b>	527318	<b>Ref. No.</b>	160063 A3200031
<b>description</b>	catch L 86mm W 48mm thickness 2mm plastic		

support for filter holder

			
1			
<b>GEV No.</b>	527518	<b>Ref. No.</b>	170033 170044
<b>description</b>	bracket for filter holder L 105mm W 57mm H 15mm aluminium		

counters


counters

			
1			
<b>GEV No.</b>	527505	<b>Ref. No.</b>	210033
<b>description</b>	counter ø 20mm lever length 35mm for dosing unit		

knobs

steam/water taps

steam/water taps

			
1			
<b>GEV No.</b>	111328	<b>Ref. No.</b>	A1600012
<b>description</b>	turning handle ø 44mm shaft ø 6x8mm black		

handles and hand wheels

cone handles


			
1			
<b>GEV No.</b>	111327	<b>Ref. No.</b>	A1600172
<b>description</b>	cone handle thread M8 ø 30mm L 66mm thermoplastic black		

star handles

			
1			
<b>GEV No.</b>	111333	<b>Ref. No.</b>	A1600004
<b>description</b>	star handle shaft 7x7mm ø 60mm L 24mm black thermoplastic		

equipment feet and end caps

equipment feet with stem


			
1			
<b>GEV No.</b>	802047	<b>Ref. No.</b>	160097
<b>description</b>	equipment foot rubber ømm H 22mm mounting measurements 31x18mm T80 Qty 1 pcs		



**gaskets**


**O-rings**

**EPDM**



1


<b>GEV No.</b>	510177	<b>Ref. No.</b>	A1200039
<b>description</b>	O-ring EPDM thickness 1.78mm ID $\varnothing$ 7.66mm Qty 1 pcs		



1


<b>GEV No.</b>	529412	<b>Ref. No.</b>	A1200040
<b>description</b>	O-ring EPDM thickness 2.62mm ID $\varnothing$ 10.78mm Qty 1 pcs		

**Viton**




1

<b>GEV No.</b>	528402	<b>Ref. No.</b>	A1200030
<b>description</b>	O-ring Viton thickness 2.62mm ID $\varnothing$ 10.78mm Qty 1 pcs		



1

<b>GEV No.</b>	528231	<b>Ref. No.</b>	A1200028
<b>description</b>	O-ring Viton thickness 2.62mm ID $\varnothing$ 12.37mm Qty 1 pcs		




1

<b>GEV No.</b>	532560	<b>Ref. No.</b>	A1200151
<b>description</b>	O-ring Viton thickness 2.62mm ID $\varnothing$ 20.63mm Qty 1 pcs		

**sealing washers**


**rubber gaskets**



1


<b>GEV No.</b>	525107	<b>Ref. No.</b>	A1200155
<b>description</b>	flat gasket rubber ED $\varnothing$ 16mm ID $\varnothing$ 8mm thickness 4mm Qty 1 pcs		

**PTFE gaskets**




1

<b>GEV No.</b>	527638	<b>Ref. No.</b>	A1200044
<b>description</b>	flat gasket PTFE ED $\varnothing$ 12mm ID $\varnothing$ 10mm thickness 1mm Qty 1 pcs		




1

<b>GEV No.</b>	527154	<b>Ref. No.</b>	A1200153
<b>description</b>	flat gasket PTFE ED $\varnothing$ 22mm ID $\varnothing$ 16.8mm thickness 2mm Qty 1 pcs		




1

<b>GEV No.</b>	526013	<b>Ref. No.</b>	A1200011
<b>description</b>	flat gasket PTFE ED $\varnothing$ 22mm ID $\varnothing$ 17mm thickness 2mm Qty 1 pcs		




1

<b>GEV No.</b>	526265	<b>Ref. No.</b>	A1200009
<b>description</b>	flat gasket PTFE ED $\varnothing$ 24mm ID $\varnothing$ 19mm thickness 2mm Qty 1 pcs		




1

<b>GEV No.</b>	525106	<b>Ref. No.</b>	A1200158
<b>description</b>	flat gasket PTFE ED $\varnothing$ 26mm ID $\varnothing$ 19mm thickness 2mm Qty 1 pcs		



1

<b>GEV No.</b>	526014	<b>Ref. No.</b>	A1200152
<b>description</b>	flat gasket PTFE ED $\varnothing$ 35mm ID $\varnothing$ 30mm thickness 2mm Qty 1 pcs		


			
1			
<b>GEV No.</b>	528021	<b>Ref. No.</b>	A1200015
<b>description</b>	flat gasket PTFE ED ø 53mm ID ø 42.5mm thickness 3mm Qty 1 pcs equiv. no. 12001/02286 suitable for Astoria/Aurora/Brasilia/Wega		


tension springs


			
1			
<b>GEV No.</b>	525110	<b>Ref. No.</b>	A3200049
<b>description</b>	tension spring ø 7.5mm total length 42mm wire gauge ø 0.8mm L1 29mm		


springs


compression springs


			
1			
<b>GEV No.</b>	527504	<b>Ref. No.</b>	230023
<b>description</b>	compression spring ø 10.3mm L 60mm wire gauge ø 1.3mm		

			
1			
<b>GEV No.</b>	525093	<b>Ref. No.</b>	A2200002
<b>description</b>	compression spring ø 10.6mm L 29.5mm wire gauge ø 1.4mm		


			
1			
<b>GEV No.</b>	525092	<b>Ref. No.</b>	A2200001
<b>description</b>	compression spring ø 12mm L 15mm wire gauge ø 1.5mm		


			
1			
<b>GEV No.</b>	526561	<b>Ref. No.</b>	A2200192
<b>description</b>	compression spring ø 14.3mm L 21mm wire gauge ø 1.8mm		


			
1			
<b>GEV No.</b>	526560	<b>Ref. No.</b>	A2200177
<b>description</b>	compression spring ø 14.3mm L 46mm wire gauge ø 1.5mm		


			
1			
<b>GEV No.</b>	527935	<b>Ref. No.</b>	A2200209
<b>description</b>	compression spring ø 14.6mm L 33mm wire gauge ø 2mm		

manometers

			
1			
<b>GEV No.</b>	541727	<b>Ref. No.</b>	A1400019
<b>description</b>	manometer double scale ø 63mm pressure range 0-3 / 0-18bar connection on the backside thread 1/8"		

			
1			
<b>GEV No.</b>	541728	<b>Ref. No.</b>	A1400020
<b>description</b>	manometer double scale ø 63mm pressure range 0-3 / 0-18bar connection on the backside thread 1/8"		

			
1			
<b>GEV No.</b>	541200	<b>Ref. No.</b>	A1400042
<b>description</b>	manometer ø 52mm pressure range 0 up to 3bar connection on the backside marking 0.7-1 thread 1/8"		

			
1			
<b>GEV No.</b>	541201	<b>Ref. No.</b>	A1400043
<b>description</b>	manometer ø 53.5mm pressure range 0 up to 16bar connection on the backside thread 1/8"		



## fastening material

### screws

#### countersunk screws



1

<b>GEV No.</b>	560215	<b>Ref. No.</b>	A1100187
<b>description</b>	countersunk screw thread M5 L 14mm SS DIN 963/ISO 2009 Qty 20 pcs intake slotted head ø 9.2mm		









**B**

bi-metal thermostats 3, 3

**C**

condensators & interference suppression filters 9

contactors 5

control equipment 5

countersunk screws 21

**E**

electrodes 8

**F**

fastening material 21

**H**

heating elements 3

heating elements for coffee machine 3

**I**

indicator lights 5

indicator lights (complete) 5

**L**

lamps 5

**M**

microswitches 4

motors 8

**O**

operating capacitors 9

O-rings 19

**P**

pressure switches 8

push/momentary push switches 4

**R**

relays 6

rocker/momentary rocker switches 3

rotary switches 5

**S**

screws 21

sealing washers 19

solenoid valves 7

switches and momentary switches 3

**T**

thermostats 3