



GAS COMPONENTS



ELECTRIC COMPONENTS



WATER TECHNOLOGY



MECHANICAL COMPONENTS



TOOLS

Spare parts suitable for

FIORENZATO-M.C

Find the complete and up-to-date range of products in our GEV Webshop



Manufacturer catalogue

The most important spare parts and accessories arranged clearly for every manufacturer

- ✓ Complete product range and all appliance data always up to date in the GEV Webshop
- ✓ Alphabetical Index at the end of the catalogue

GEV Webshop

www.gev-online.co.uk

www.gev-online.com



- 🔍 Add to Favourites
- 🔍 Sign In with email address and usual password
- 🔍 Easy-order – place several items in your basket at the same time
- 🔍 Quick Item search – no login needed



switches and momentary switches

push/momentary push switches

30x22mm



1

GEV No.	301086	Ref. No.	001.003.082 600000010
description	push switch mounting measurements 30x22mm black 2NO 250V 12A 0-1 connection male faston 6.3mm ambient temperature max. 85/55°C protection IP54 with protective collar		

toggle switches

M12x0.75



1

GEV No.	347462	Ref. No.	A2100044
description	toggle switch thread M12x0.75 2CO 250V 15A ON-ON		

microswitches

lever actuated



1

GEV No.	347188	Ref. No.	001.003.027 600000036
description	microswitch with lever 250V 16A 1NO connection male faston 6.3mm L 22mm ambient temperature max. 125°C mounting distance 22mm type N16 actuating force: 380g lever length 26mm		

pin-plunger actuated

non-standard



1

GEV No.	347189	Ref. No.	001.003.018 600000008
description	microswitch with plunger 250V 0.1A 1CO connection male faston 2.8mm ambient temperature max. 125°C mounting distance 10mm type 831709 M5 actuating force: 25g blue/black		

rotary switches

BREMAS

A1200 series



1

GEV No.	345019	Ref. No.	001.004.016 600000002
description	rotary switch sets of contacts 2 2 0-1 type CA0120002 380V 12A shaft ø 5x5mm shaft L 23mm shaft square connection screw		



1

GEV No.	347187	Ref. No.	001.004.013 600000003
description	rotary switch sets of contacts 3 3 0-1 momentary switch type CA012V205 400V 12A shaft ø 5x5mm shaft L 18mm shaft square connection screw		

timers

mechanical timers



1

GEV No.	350119 ¹	Ref. No.	001.004.028 600000029
description	timer M2 2-pole operation time 60s impulse mechanical 2NO at 250V 16A shaft 3.5x3.5mm shaft L 20mm mounting distance 28mm connection rear		

¹incl. knob

contactors

GENERAL ELECTRIC (AEG)

power contactors



1

GEV No.	380891	Ref. No.	001.003.031
description	power contactor resistive load 20A 400VAC (AC3/400V) 2.2kW main contacts 3NO auxiliary contacts 1NO connection screw connection type AEG LS02.K10-59		



SIEMENS

power contactors



1

GEV No.	380528	Ref. No.	001.003.030
description	power contactor resistive load 16A 230VAC (AC3/400V) 8.4A/4kW main contacts 4NO auxiliary contacts connection male faston 6.3mm type 3TG10-10-1A2L2		

solenoid valves

solenoid valves (water)

metal

PARKER

spare parts and accessories

valve bodies



1

GEV No.	370062	Ref. No.	FZCS04	
description	solenoid valve body PARKER 3-ways outer cone			
accessories for	370062			
	GEV No.	371029	Ref. No.	—
	solenoid coil PARKER 230VAC 9VA coil type ZB09 seat ø 14mm H 33mm W 34mm D 43mm			
	GEV No.	371030	Ref. No.	—
	solenoid coil 24VDC 12VA coil type ZB12 seat ø 14mm			
	GEV No.	371033	Ref. No.	—
	solenoid coil PARKER 230VAC 9VA coil type YB09 with cable seat ø 14mm			
	GEV No.	371036	Ref. No.	—
	solenoid coil 24VAC 9VA coil type ZB09 seat ø 14mm			
	GEV No.	371095	Ref. No.	—
	O-ring Viton thickness 1.78mm ID ø 6.07mm Qty 1 pcs			
	GEV No.	371100	Ref. No.	—
	O-ring silicone thickness 1.78mm ID ø 6.07mm Qty 1 pcs			

condensators & interference suppression filters

operating capacitors

plastic



1

GEV No.	365020	Ref. No.	001.004.020 600000001
description	operating capacitor capacity 14µF 400V tolerance 5%Hz ambient temperature max. -25 to +85°C ø 35mm L 70mm M8 plastic connection male faston 6.3mm protection		



1

GEV No.	365021	Ref. No.	001.004.025
description	operating capacitor capacity 16µF 425V tolerance 5% 50/60Hz ambient temperature max. -25 to +85°C ø 35mm L 73mm single M8 plastic connection male faston 6.3mm 416.10.99 protection		

equipment-specific units

for coffee grinders

grinding burrs

grinding burrs straight

standard



1

GEV No.	527650	Ref. No.	001.002.034 400000005
description	grinding burrs pair turn direction right D1 ø 64mm ID ø 37mm H 8.5mm tooth spacing 3.5mm hole ø 6mm bore ø 8.5mm mounting ø 49 suitable for FIORENZATO		



1

GEV No.	527651	Ref. No.	001.002.030 400000004
description	grinding burrs pair turn direction right D1 ø 82.5mm ID ø 49mm H 9.5mm tooth spacing 3mm hole ø 6mm bore ø 10mm mounting ø 66 suitable for FIORENZATO		

springs



GEV No.	527663	Ref. No.	001.002.011 700000001
description	compression spring ø 10mm L 20mm wire gauge ø 1.5mm		

grinding burrs holders



GEV No.	527649	Ref. No.	001.002.004 900000001
description	grinding burr holder D1 ø 64mm mounting pos. lower suitable for FIORENZATO		



GEV No.	527648	Ref. No.	001.002.016 900000002
description	grinding burr holder D1 ø 64mm mounting pos. upper suitable for FIORENZATO		



GEV No.	527647	Ref. No.	001.002.029 900000004
description	grinding burr holder D1 ø 83mm mounting pos. lower suitable for FIORENZATO		



GEV No.	527646	Ref. No.	001.002.031
description	grinding burr holder D1 ø 83mm mounting pos. upper suitable for FIORENZATO		



GEV No.	531139	Ref. No.	900000005
description	grinding burr holder D1 ø 83mm mounting pos. upper suitable for FIORENZATO		

miscellaneous



GEV No.	527661	Ref. No.	001.003.052 400000011
description	thread bolt		

dosing containers

wipers



GEV No.	530523	Ref. No.	400000016
description	wiper for dosing pump		



GEV No.	527660	Ref. No.	001.003.037
description	wiper for dosing pump H 63mm		

adjusting screws



GEV No.	527659	Ref. No.	001.002.024 400000003
description	adjusting screw for dosing pump thread M8 L 12mm aluminium		

springs

group 1



GEV No.	527658	Ref. No.	001.003.032 700000003
description	spring ø 10mm wire gauge ø 1mm total length 60mm		



GEV No.	525484	Ref. No.	001.003.024 700000002
description	spring \varnothing 3.4mm L1 16.5mm wire gauge \varnothing 0.3mm for dosing container		



GEV No.	527654	Ref. No.	001.003.048 700000004
description	torsion spring \varnothing 30mm L2 45mm wire gauge \varnothing 2mm L1 8mm L3 45mm Qty 1 pcs		

glass cylinders



GEV No.	527642	Ref. No.	001.003.009 200000036
description	cylinder \varnothing 115mm H 85mm		

levers

bolts



GEV No.	525483	Ref. No.	001.003.023 400000010
description	bolt for dosing container D1 \varnothing 4mm D2 \varnothing 3mm L 19mm		

levers



GEV No.	527653	Ref. No.	001.003.047 900000036 900000125
description	lever dosing pump hole \varnothing 25mm aluminium		

coffee presses

coffee presses



GEV No.	527643	Ref. No.	001.003.038 200000018
description	coffee press \varnothing 53mm		



GEV No.	527644	Ref. No.	001.003.039 200000017
description	coffee press \varnothing 57mm		

automatic grinding

automatic grinding



GEV No.	527641	Ref. No.	001.003.051 001.009.001 900000042
description	ring for dosing container with microswitch \varnothing 127mm H 15mm plastic		

miscellaneous



GEV No.	527656	Ref. No.	001.002.023
description	spacer ring for dosing pump thickness 0.4mm		



GEV No.	527657	Ref. No.	001.003.007 300000027 300000048
description	spacer ring for dosing pump thickness 3mm stainless steel		



ratches			
ratches			
1			
GEV No.	531085	Ref. No.	001.003.081 900000035
description	ratchet for dosing unit ø 38mm right int. ø 1 8mm H 24mm suitable for FIORENZATO		

1			
GEV No.	531292	Ref. No.	700000012+400000012+400000008
description	ratchet for dosing unit ø 38mm right int. ø 1 8mm H 24mm suitable for FIORENZATO		

stars			
complete			
1			
GEV No.	527645	Ref. No.	001.003.050 900000039 900000126
description	star complete ø 118mm		

adjustment mechanism			
setting rings			
1			
GEV No.	527662	Ref. No.	001.002.022 900000003
description	setting ring mounting ø 84.5mm ø 125mm ID ø 74mm H 24mm mounting pos. upper suitable for FIORENZATO brass		

coffee beans containers			
container lids			
1			
GEV No.	527640	Ref. No.	001.001.002 200000002
description	lid for coffee beans container ø 200mm		

1			
GEV No.	527327	Ref. No.	N/A
description	lid for coffee beans container ø 210mm		

coffee beans containers			
1			
GEV No.	527639	Ref. No.	001.001.005 200000004
description	coffee beans container ø 200mm H 255mm seat ø 68mm		

1				
GEV No.	531179	Ref. No.	N/A	
description	coffee beans container without lid ø 207mm H 245mm universal			
accessories for	531179			
	GEV No.	527327	Ref. No.	N/A
	lid for coffee beans container ø 210mm			

supports



1

GEV No.	531172	Ref. No.	N/A
description	support for coffee beans container intake conical seat ø 69-67mm		

locks



1

GEV No.	527652	Ref. No.	001.001.003 200000003
description	catch L 78mm W 48mm thickness 2mm plastic		

support for filter holder



1

GEV No.	527655	Ref. No.	001.004.018 900000025
description	filter holder support for dosing pump L 115mm W 68mm H 32mm aluminium		

for cup coffee machines

steam/water pipes



1

GEV No.	698780	Ref. No.	A2000113
description	pipe thread 3/4" L 260mm steam/water tap tube ø 12mm IT 1/2"		

springs

torsion springs



1

GEV No.	527654	Ref. No.	001.003.048 700000004
description	torsion spring ø 30mm L2 45mm wire gauge ø 2mm L1 8mm L3 45mm Qty 1 pcs		

compression springs



1

GEV No.	527663	Ref. No.	001.002.011 700000001
description	compression spring ø 10mm L 20mm wire gauge ø 1.5mm		

fastening material

screws

flat-headed bolts



1

GEV No.	560062	Ref. No.	001.004.046 100000003
description	flat-headed bolt thread M4 thread L 10mm SS DIN 7985/ISO 7045 Qty 20 pcs intake Phillips head ø 8mm head thickness 2mm		

hexagonal screws



1

GEV No.	550682	Ref. No.	001.002.008 100000002
description	hexagonal screw thread M8 thread L 20mm SS WS 13 Qty 1 pcs DIN 933 / ISO 4017		

C

condensators & interference suppression filters	4
contactors	3

F

fastening material	8
flat-headed bolts	8

H

hexagonal screws	8
------------------	---

M

mechanical timers	3
microswitches	3

O

operating capacitors	4
----------------------	---

P

push/momentary push switches	3
------------------------------	---

R

rotary switches	3
-----------------	---

S

screws	8
solenoid valves	4
switches and momentary switches	3

T

timers	3
toggle switches	3