



**GAS COMPONENTS**



**ELECTRIC COMPONENTS**



**WATER TECHNOLOGY**



**MECHANICAL COMPONENTS**



**TOOLS**

Spare parts suitable for

**GRANULDISK**

Find the complete and up-to-date range of products in our GEV Webshop



# Manufacturer catalogue

The most important spare parts and accessories arranged clearly for every manufacturer

- ✓ Complete product range and all appliance data always up to date in the GEV Webshop
- ✓ Alphabetical Index at the end of the catalogue

## GEV Webshop

[www.gev-online.co.uk](http://www.gev-online.co.uk)

[www.gev-online.com](http://www.gev-online.com)



- 🔍 Add to Favourites
- 🔍 Sign In with email address and usual password
- 🔍 Easy-order – place several items in your basket at the same time
- 🔍 Quick Item search – no login needed



## thermostats

### control and safety thermostats

EGO

safety thermostats

55.13\_series



1

<b>GEV No.</b>	375977	<b>Ref. No.</b>	14131
<b>description</b>	safety thermostat switch-off temp. 110°C 1-pole probe ø 6mm probe L 129mm capillary pipe 1500mm connection male faston 6.3mm		




1

<b>GEV No.</b>	375976	<b>Ref. No.</b>	10603 14130
<b>description</b>	safety thermostat switch-off temp. 97°C 1-pole probe ø 6mm probe L 129mm capillary pipe 1470mm connection male faston 6.3mm		

## TECASA

control thermostats



1

<b>GEV No.</b>	375975	<b>Ref. No.</b>	10602 14087
<b>description</b>	thermostat t.max. 120°C temperature range 30-120°C 1-pole 1CO 16A probe ø 6mm probe L 92mm capillary pipe 1850mm capillary pipe isolated 1530mm gland nut shaft ø 6x4.6mm shaft L 16mm shaft position lower rotation 315° 400V no to be sold in France		

## control equipment

### TELEMECANIQUE (EFA)

XB4 series

rotary switches



1

<b>GEV No.</b>	347384	<b>Ref. No.</b>	21122
<b>description</b>	rotary selector mounting measurements ø22mm 1NO 0-1 latching		

## lamps

### indicator lights

indicator lights (complete)

ø22mm



1

<b>GEV No.</b>	357109	<b>Ref. No.</b>	10270 23709
<b>description</b>	indicator light ø 22mm 250V clear		

## solenoïd valves

### solenoïd valves (water)


TP




1


<b>GEV No.</b>	370032	<b>Ref. No.</b>	18191
<b>description</b>	solenoid valve single straight 24VAC inlet 3/4" outlet 14mm DN10 TP flow regulating valve inlet white		

**spare parts for** 370032

	<b>GEV No.</b>	371035	<b>Ref. No.</b>	—
solenoid coil 24VAC				

**accessories for** 370032

	<b>GEV No.</b>	371220	<b>Ref. No.</b>	—
reducer TP flow rate 3l/min red tolerance ±15%				

	<b>GEV No.</b>	371221	<b>Ref. No.</b>	—
reducer TP flow rate 5.5l/min yellow tolerance ±15%				

















	<b>GEV No.</b>	371222	<b>Ref. No.</b>	—
reducer TP flow rate 6l/min grey tolerance ±15%				

Table continues overleaf



accessories for		370032	
	GEV No.	371223	Ref. No. —
reducer TP flow rate 10l/min white tolerance ±15%			
	GEV No.	371224	Ref. No. —
reducer TP flow rate 12l/min bronze tolerance ±15%			
	GEV No.	371225	Ref. No. —
reducer TP flow rate 16l/min light brown tolerance ±15%			
	GEV No.	371226	Ref. No. —
reducer TP flow rate 20l/min red tolerance ±15%			
	GEV No.	371230	Ref. No. —
reducer TP flow rate 0.25l/min red tolerance ±25%			
	GEV No.	371231	Ref. No. —
reducer TP flow rate 0.35l/min violet tolerance ±25%			
	GEV No.	371232	Ref. No. —
reducer TP flow rate 0.5l/min orange tolerance ±25%			
	GEV No.	371233	Ref. No. —
reducer TP flow rate 0.8l/min white tolerance ±25%			
	GEV No.	371234	Ref. No. —
reducer TP flow rate 1l/min light blue tolerance ±25%			
	GEV No.	371235	Ref. No. —
reducer TP flow rate 1.2l/min brown tolerance ±25%			
	GEV No.	371236	Ref. No. —
reducer TP flow rate 1.5l/min light brown tolerance ±25%			
	GEV No.	371237	Ref. No. —
reducer TP flow rate 2.5l/min yellow tolerance ±25%			
	GEV No.	371238	Ref. No. —
reducer TP flow rate 3.4l/min dark green tolerance ±25%			
	GEV No.	371239	Ref. No. —
reducer TP flow rate 5l/min black tolerance ±25%			
	GEV No.	371240	Ref. No. —
reducer TP flow rate 8l/min blue tolerance ±20%			

## metal

ASCO

3-way



1

GEV No.	370681	Ref. No.	10540 10540-01 21252
description	solenoid valve brass 3-ways 24VAC connection John Guest 6mm NC DN 1.6mm p max 8.5bar 50/60Hz		



1

GEV No.	370680	Ref. No.	10539 21251
description	solenoid valve brass 3-ways 24VAC connection John Guest 6mm NO DN 1.6mm p max 8.5bar 50/60Hz		

## electrodes



1

GEV No.	403322	Ref. No.	10287 10513 10529 22758
description	level electrode 3/8" total length 75mm probe L 46mm insulated probe length 46mm connection M4 thread 3/8"		



## equipment-specific units

### for dishwashers

#### miscellaneous



1

<b>GEV No.</b>	692231	<b>Ref. No.</b>	10334
----------------	--------	-----------------	-------

<b>description</b>	bush H 30mm D1 ø 30mm D2 ø 34.5mm ID ø 25.5mm		
--------------------	---	--	--

## gaskets

### special gaskets

#### miscellaneous



1

<b>GEV No.</b>	901527	<b>Ref. No.</b>	18070
----------------	--------	-----------------	-------

<b>description</b>	gasket L 950mm W 135mm Qty 1m thickness 3mm hole distance 93mm		
--------------------	--	--	--



**C**

control equipment 3

**E**

electrodes 4

**I**

indicator lights 3

indicator lights (complete) 3

**L**

lamps 3

**S**

safety thermostats 3

solenoid valves 3

**T**

thermostats 3