



**GAS COMPONENTS**



**ELECTRIC COMPONENTS**



**WATER TECHNOLOGY**



**MECHANICAL COMPONENTS**



**TOOLS**

Spare parts suitable for

**HUALING**

Find the complete and up-to-date range of products in our GEV Webshop



# Manufacturer catalogue

The most important spare parts and accessories arranged clearly for every manufacturer

- ✓ Complete product range and all appliance data always up to date in the GEV Webshop
- ✓ Alphabetical Index at the end of the catalogue

## GEV Webshop

[www.gev-online.co.uk](http://www.gev-online.co.uk)

[www.gev-online.com](http://www.gev-online.com)




- 🔍 Add to Favourites
- 🔍 Sign In with email address and usual password
- 🔍 Easy-order – place several items in your basket at the same time
- 🔍 Quick Item search – no login needed




## heating elements

### heating elements for fryers

#### 2 hole fixing



<b>GEV No.</b>	417598	<b>Ref. No.</b>	1.07.HDF4140403 GDF1104-013 GDF1104-13 GDF2124-013
<b>description</b>	heating element 2500W 230V heating circuits 1 L 290mm W 130mm H 200mm L1 40mm L2 230mm tube ø 8mm		



<b>GEV No.</b>	417599	<b>Ref. No.</b>	1.07.HDF8141903 GDF1108-012 GDF2128-012 HDF1108-013 HDF1108-13 HDF2128-013
<b>description</b>	heating element 3250W 230V heating circuits 1 thread M12x1.25 L 280mm W 190mm H 210mm L1 35mm L2 245mm W1 120mm W2 70mm tube ø 8mm connection M4		

## thermostats

### control and safety thermostats

#### various

#### control thermostats



<b>GEV No.</b>	390968	<b>Ref. No.</b>	1.06.1851713 GDF1104-018 GDF1108-008 GDF2124-018 GDF2128-008 HDF1108-018 HDF1108-18 HDF2128-018
<b>description</b>	thermostatcontroller t.max. 185°C temperature range°C 2-pole 1NO 16A probe ø 6mm probe L 77mm capillary pipe 1500mm capillary pipe isolatedmm gland nut shaft ø 6x4.6mm shaft L 25mm shaft position upper rotation 270° probe material SS		

#### safety thermostats



<b>GEV No.</b>	390970	<b>Ref. No.</b>	1.06.230171301 GDF1104-005 GDF1104-5 GDF1108-023 GDF2124-005 GDF2128-023 HDF1108-005 HDF2128-005
<b>description</b>	safety thermostat switch-off temp. 230°C 2-pole 1NC 16A probe ø 5mm probe L 48mm capillary pipe 440mm capillary pipe isolated 150mm gland nut probe 250V model WQS-230		



## switches and momentary switches

## push/momentary push switches

ø22mm



1

<b>GEV No.</b>	347819	<b>Ref. No.</b>	1.05.053512HY57
----------------	--------	-----------------	-----------------

<b>description</b>	momentary push switch mounting ø 22mm red/green 1NO/1NC/ indicator light 240V 10A ON-OFF connection screw ambient tempera- ture max. 85°C protection IP65
--------------------	---

<b>accessories for</b>	347819
------------------------	--------



<b>GEV No.</b>	358007	<b>Ref. No.</b>	—
<b>description</b>	protective cover external size 33x53mm internal size 30x50mm H 23mm		

## position switches

METRO



1

<b>GEV No.</b>	348088	<b>Ref. No.</b>	1.05.035011HDFMS116 GDF1104-006 GDF1104-6 GDF1108-022 GDF2124-006 GDF2128-022 HDF1108-006 HDF2128-006
----------------	--------	-----------------	--

<b>description</b>	microswitch 1NO 250V 16A L 41mm W 12mm H 44mm actuating force: 250g
--------------------	--

## magnetic switches

accessories

magnets



1

<b>GEV No.</b>	348242	<b>Ref. No.</b>	1.03.00010018
----------------	--------	-----------------	---------------

<b>description</b>	magnet ø 19.5mm H 2.8mm
--------------------	-------------------------

magnetic holders



1

<b>GEV No.</b>	348241	<b>Ref. No.</b>	1.03.00010057
----------------	--------	-----------------	---------------

<b>description</b>	magnet holder with magnet internal size 19.5mm H 14mm thread M12 ø 24mm
--------------------	--

## lamps

## indicator lights

## indicator lights (complete)

ø14mm

with screw socket



1

<b>GEV No.</b>	360622	<b>Ref. No.</b>	1.03.00020013 GDF1104-009 GDF1108-021 GDF2124-009 GDF2128-021 GDF2128-21 HDF1108-009 HDF2128-009
----------------	--------	-----------------	---

<b>description</b>	indicator light ø 14mm green 220V connection male faston 4.8mm plastic
--------------------	---



1

<b>GEV No.</b>	360621	<b>Ref. No.</b>	1.03.00020017 GDF1104-008 GDF1108-009 GDF2124-008 GDF2128-009 GDF2128-9 HDF1108-008 HDF2128-008
----------------	--------	-----------------	--

<b>description</b>	indicator light ø 14mm yellow 220V connection male faston 4.8mm plastic
--------------------	--



## relays

### power relays


#### with bracket mounting



<b>GEV No.</b>	381252	<b>Ref. No.</b>	1.03.00010026 GDF1108-003 GDF1108-3 GDF2128-003 HDF1108-021 HDF2128-021
<b>description</b>	relay OMRON 230VAC 25A 2NO connection male faston 6.3mm bracket mounting at 250V 25A manuf. no. G7L-2A-TUB 230VAC		

## electronics

### PCBs



<b>GEV No.</b>	403947	<b>Ref. No.</b>	1.02.HLC300513000
<b>description</b>	PCB for vegetable slicer L 82mm W 82mm		

## motors

### motors

#### for vegetable slicers




<b>GEV No.</b>	601855	<b>Ref. No.</b>	1.04.05001406100-1
<b>description</b>	motor 230V 550W 50Hz 1400rpm 1 phase shaft ø 31.5mm shaft length 37mm H 220mm mounting distance 170mm		



## equipment-specific units

### for vegetable slicers

#### ejector discs




#### grating discs



#### cutting discs

#### blades smooth

#### cutting discs





1

<b>GEV No.</b>	699632	<b>Ref. No.</b>	2,0000002
<b>description</b>	slicing disk type P4 $\phi$ 205mm seat $\phi$ 19mm slicing thickness 4mm plastic		

## plungers



1

<b>GEV No.</b>	696868	<b>Ref. No.</b>	3.HLC300A081060201
<b>description</b>	plunger $\phi$ 50mm L 130mm total length 275mm plastic		

## spindles



1

<b>GEV No.</b>	692921	<b>Ref. No.</b>	2.HLC300045000
<b>description</b>	spindle L1 37mm L2 88mm D1 $\phi$ 19mm D2 $\phi$ 14mm for vegetable slicer total length 128mm		

## miscellaneous



1

<b>GEV No.</b>	692924	<b>Ref. No.</b>	2.HLC300-092120340
<b>description</b>	spacer bush ED $\phi$ 20mm ID $\phi$ 15.5mm H 27mm for vegetable slicer		



1

<b>GEV No.</b>	692925	<b>Ref. No.</b>	2.HLC300-060100410
<b>description</b>	threaded bush ED $\phi$ M16mm ID $\phi$ M10mm H 285mm for vegetable slicer		

## for deep fryers

## fasteners



1

<b>GEV No.</b>	692544	<b>Ref. No.</b>	2.02HDF4260701 GDF2124-034 GDF2124-34 GDF2128-025 HDF2128-023
<b>description</b>	mounting strap L 63mm W 25mm H 15mm		

## lids



1

<b>GEV No.</b>	698544	<b>Ref. No.</b>	3.CP0603070100 GDF1104-032 GDF1108-039 GDF2124-032 GDF2128-040 GDF2128-40 HDF1108-035 HDF2128-036
<b>description</b>	mushroom cap handle handle $\phi$ 50mm $\phi$ 70mm L 36mm plastic black		

## miscellaneous



1

<b>GEV No.</b>	694738	<b>Ref. No.</b>	HDF1108-030 HDF1108-30 HDF2128-031
<b>description</b>	bezel plate L 45mm H 1mm ID $\phi$ 30mm		




1

<b>GEV No.</b>	694737	<b>Ref. No.</b>	2.02HDF8A130001 GDF1108-032 GDF1108-32 GDF2128-033
<b>description</b>	bezel plate L 63mm H 15mm ID $\phi$ 26mm		






			
1			
<b>GEV No.</b>	699212	<b>Ref. No.</b>	2.HDF8A460201 GDF2128-020
<b>description</b>	pipe stainless steel L 30mm W 13mm thread M5		


for tilting bratt pans

miscellaneous

			
1			
<b>GEV No.</b>	523510	<b>Ref. No.</b>	4.01.6202GBT294166
<b>description</b>	deep-groove ball bearing type 6202-2RS shaft $\varnothing$ 15mm ED $\varnothing$ 35mm W 11mm with sealing discs deep-groove ball bearing DIN 625-1		


knobs

universal knobs

			
1			
<b>GEV No.</b>	112733	<b>Ref. No.</b>	3.ZCK165BT19010101MGB GDF1104-020 GDF1108-007 GDF2124-020 GDF2124-20 GDF2128-007 HDF1108-020 HDF2128-020
<b>description</b>	knob zero mark t.max.°C $\varnothing$ 55mm shaft $\varnothing$ 6x4.6mm shaft flat upper black		

accessories


rosettes

			
1			
<b>GEV No.</b>	111806	<b>Ref. No.</b>	3.ZCK165BT20010101-1 GDF1104-019 GDF1108-006 GDF2124-019 GDF2128-006 GDF2128-6 HDF1108-019 HDF2128-019
<b>description</b>	rosette knob $\varnothing$ 16mm $\varnothing$ 55mm		


handles and hand wheels

cylindrical handles

fixed

			
1	Image not available		
<b>GEV No.</b>	692918	<b>Ref. No.</b>	3.HLC30000511A070100
<b>description</b>	cylindrical handle thread M10 $\varnothing$ 30mm L 97mm plastic for vegetable slicer		

star handles

			
1	Image not available		
<b>GEV No.</b>	692919	<b>Ref. No.</b>	3.HBS3000095070100
<b>description</b>	star handle thread M8 $\varnothing$ 40mm L 32mm black for vegetable slicer		

miscellaneous

			
1			
<b>GEV No.</b>	692545	<b>Ref. No.</b>	3.HDF409010101 GDF1104-025 GDF1104-25 GDF2124-025
<b>description</b>	handle L 96mm W 64mm hole distance 73mm mounting pos. side panel black		

## fittings for catering equipment

### outlet taps

#### producer-specific

#### HUALING



1

<b>GEV No.</b>	698543	<b>Ref. No.</b>	3,0000403 GDF1108-033 GDF2128-034 HDF1108-037 HDF1108-37 HDF2128-038
----------------	--------	-----------------	---

**description** gasket external height 4mm ED ø 25mm ID ø 16mm



2

<b>GEV No.</b>	694739	<b>Ref. No.</b>	2,000000012 GDF1108-034 GDF2128-035 GDF2128-35 HDF1108-031 HDF2128-032
----------------	--------	-----------------	---

**description** outlet tap chrome-plated steel L 58mm W 48mm H 88mm thread 3/4" IT mounting pos. front

**accessories for** 694739



<b>GEV No.</b>	694737	<b>Ref. No.</b>	2.02HD-F8A130001 GDF1108-032 GDF1108-32 GDF2128-033
----------------	--------	-----------------	--

bezel plate L 63mm H 15mm ID ø 26mm



<b>GEV No.</b>	694738	<b>Ref. No.</b>	HDF1108-030 HDF1108-30 HDF2128-031
----------------	--------	-----------------	--

bezel plate L 45mm H 1mm ID ø 30mm



<b>GEV No.</b>	698543	<b>Ref. No.</b>	3,0000403 GDF1108-033 GDF2128-034 HDF1108-037 HDF1108-37 HDF2128-038
----------------	--------	-----------------	---

gasket external height 4mm ED ø 25mm ID ø 16mm

## equipment feet and end caps

### bolting feet



1

<b>GEV No.</b>	698546	<b>Ref. No.</b>	3,0000161 GDF1104-026 GDF1108-025 GDF2124-026 GDF2128-026 GDF2128-26 HDF1108-023 HDF2128-024
<b>description</b>	equipment foot ø 29mm H 16mm rubber bore ø 6mm Qty 1 pcs		

## baskets

### fryer baskets

#### HUALING



1

<b>GEV No.</b>	970867	<b>Ref. No.</b>	2.HDF403069510 GDF1104-030 GDF1104-30 GDF2124-029
----------------	--------	-----------------	--

**description** fryer basket W1 160mm L1 220mm H1 130mm size 4 litre

**accessories for** 970867



<b>GEV No.</b>	694736	<b>Ref. No.</b>	
----------------	--------	-----------------	--

handle L 143mm W 41mm H 22mm plastic



<b>GEV No.</b>	694782	<b>Ref. No.</b>	
----------------	--------	-----------------	--

handle for fryer basket









<b>GEV No.</b>	694783	<b>Ref. No.</b>	HDF1108-038 HDF2128-039
----------------	--------	-----------------	----------------------------


handle for fryer basket









 <p>1</p>			
<b>GEV No.</b>	970866	<b>Ref. No.</b>	2.HDF800304 GDF1108-036 GDF2128-037 GDF2128-37
<b>description</b>	fryer basket W1 190mm L1 240mm H1 140mm without handle size 8 litre		
<b>accessories for</b>	970866		
	<b>GEV No.</b>	694736	<b>Ref. No.</b>
	handle L 143mm W 41mm H 22mm plastic		


 <p>1</p>			
<b>GEV No.</b>	970868	<b>Ref. No.</b>	HDF1108-033 HDF1108-33 HDF2128-034
<b>description</b>	fryer basket W1 200mm L1 250mm H1 140mm hinged handle size 8 litre		
<b>accessories for</b>	970868		
	<b>GEV No.</b>	694736	<b>Ref. No.</b>
	handle L 143mm W 41mm H 22mm plastic		
	<b>GEV No.</b>	694782	<b>Ref. No.</b>
	handle for fryer basket		
	<b>GEV No.</b>	694783	<b>Ref. No.</b> HDF1108-038 HDF2128-039
	handle for fryer basket		

 <p>1</p>			
<b>GEV No.</b>	694782	<b>Ref. No.</b>	2.HDF812030609510 GDF1104-033 GDF2124-033
<b>description</b>	handle for fryer basket		

 <p>1</p>			
<b>GEV No.</b>	694783	<b>Ref. No.</b>	HDF1108-038 HDF2128-039
<b>description</b>	handle for fryer basket		
 <p>1</p>			
<b>GEV No.</b>	694736	<b>Ref. No.</b>	3.HDF818050101 GDF1104-029 GDF1108-037 GDF2124-030 GDF2128-038
<b>description</b>	handle L 143mm W 41mm H 22mm plastic		
<b>accessories for</b>	694736		
	<b>GEV No.</b>	560270	<b>Ref. No.</b> —
	raised countersunk head screw thread M5 thread L 12mm SS DIN 966/ISO 7047 Qty 20 pcs intake slotted sunk head		

## crumb screens

 <p>1</p>			
<b>GEV No.</b>	970869	<b>Ref. No.</b>	2.HDF405069510 GDF1104-028 GDF2124-028 GDF2124-28
<b>description</b>	crumb screen L 220mm W 160mm H 35mm 4 litre		

 <p>1</p>			
<b>GEV No.</b>	970870	<b>Ref. No.</b>	2.HDF812020609510 GDF1108-035 GDF2128-036 HDF1108-032 HDF1108-32 HDF2128-033
<b>description</b>	crumb screen L 245mm W 200mm H 35mm 8 litre		



## gaskets

### shaft gaskets

#### shaft gaskets



Image not available

1

<b>GEV No.</b>	692922	<b>Ref. No.</b>	4.01.FB1535721
<b>description</b>	shaft seal ID ø 15mm ED ø 35mm for vegetable slicer H 15mm		

### special gaskets

#### miscellaneous



1

<b>GEV No.</b>	698545	<b>Ref. No.</b>	3,0000404 GDF1108-027 GDF1108-27 GDF2128-028 HDF1108-036 HDF2128-037
<b>description</b>	gasket ED ø 31mm ID ø 21mm		



1

<b>GEV No.</b>	698543	<b>Ref. No.</b>	3,0000403 GDF1108-033 GDF2128-034 HDF1108-037 HDF1108-37 HDF2128-038
<b>description</b>	gasket external height 4mm ED ø 25mm ID ø 16mm		

## transmission technology and ball bearings

### ball bearings

#### deep-groove ball bearings 2RS



1

<b>GEV No.</b>	523510	<b>Ref. No.</b>	4.01.6202GBT294166
<b>description</b>	deep-groove ball bearing type 6202-2RS shaft ø 15mm ED ø 35mm W 11mm with sealing discs deep-groove ball bearing DIN 625-1		

## springs

### compression springs



Image not available

1

<b>GEV No.</b>	692920	<b>Ref. No.</b>	4.02.00000049
<b>description</b>	compression spring ø 10mm L 18mm wire gauge ø 1mm windings 5.75 for vegetable slicer		

## fastening material

### fasteners

#### roll pins



Image not available

1

<b>GEV No.</b>	692923	<b>Ref. No.</b>	4.01.D05035GBT879_512
<b>description</b>	roll pin ø 5mm L 35mm		

**F**

fasteners	10
fastening material	10

**H**

heating elements	3
heating elements for fryers	3

**I**

indicator lights	4
indicator lights (complete)	4

**L**

lamps	4
-------	---

**M**

magnetic switches	4
motors	5

**P**

position switches	4
push/momentary push switches	4

**R**

relays	5
roll pins	10

**S**

shaft gaskets	10
switches and momentary switches	4

**T**

thermostats	3
-------------	---