



GAS COMPONENTS



ELECTRIC COMPONENTS



WATER TECHNOLOGY



MECHANICAL COMPONENTS



TOOLS

Spare parts suitable for

ITALFORNI

Find the complete and up-to-date range of products in our GEV Webshop



Manufacturer catalogue

The most important spare parts and accessories arranged clearly for every manufacturer

- ✓ Complete product range and all appliance data always up to date in the GEV Webshop
- ✓ Alphabetical Index at the end of the catalogue

GEV Webshop

www.gev-online.co.uk

www.gev-online.com



- 🔍 Add to Favourites
- 🔍 Sign In with email address and usual password
- 🔍 Easy-order – place several items in your basket at the same time
- 🔍 Quick Item search – no login needed



thermostats

control and safety thermostats

EGO

control thermostats

55.10/19_series



1

GEV No.	375253	Ref. No.	86301001
description	thermostat t.max. 455°C temperature range 85-455°C 1-pole 1NO 16A probe ø 3.9mm probe L 228mm capillary pipe 870mm capillary pipe isolated 660mm gland nut shaft ø 6x4.6mm shaft L 23mm shaft position upper rotation 270°		

control thermostats with actual value



1

GEV No.	379039	Ref. No.	86302001
description	thermostat t.max. 500°C temperature range 0-500°C 1CO 5A probe ø 8mm probe L 150mm capillary pipe 1100mm mounting ø 60mm front measurements 72x72mm		

switches and momentary switches

rocker/momentary rocker switches

30x22mm



1

GEV No.	346190	Ref. No.	86125011
description	rocker switch mounting measurements 30x22mm green 1NO/NO 12V 6A illuminated I, II connection male faston 6.3mm ambient temperature max. 85°C protection IP65 with cover cap		

lamps

indicator lights

indicator lights (complete)

ø10mm

with plug-in socket



1

GEV No.	359140	Ref. No.	86132001
description	indicator light ø 10mm yellow 230V connection male faston 6.3mm Qty 1 pcs		

screw-on/push-on fit

halogen lamp

for socket G4 / G6.35 / G9



1

GEV No.	359599	Ref. No.	86130003
description	halogen lamp socket G4 12V 20W temp.-resist. 500°C		

oven lamps

universal oven lamps

mounting diameter 35.5mm



1

GEV No.	357162	Ref. No.	86131004
description	oven lamp mounting ø 35.5mm 12V 20W socket G4 temp.-resist. 300°C connection cable 450mm hard glas		


spare parts for	357162		
GEV No.	359599	Ref. No.	86130003


description	halogen lamp socket G4 12V 20W temp.-resist. 500°C		
--------------------	--	--	--


GEV No.	359762	Ref. No.	86131007
description	lamp socket socket G4 mounting ø 35.5mm connection cable 450mm		

GEV No.	359942	Ref. No.	86133004
description	oven lamp glass thr.ø 33.5mm ø 41mm hard glas temp.-resist. 350°C		




			
1			
GEV No.	359762	Ref. No.	86131007
description	lamp socket socket G4 mounting ø 35.5mm connection cable 450mm		

			
1			
GEV No.	359942	Ref. No.	86133004
description	oven lamp glass thr.ø 33.5mm ø 41mm hard glas temp.-resist. 350°C		

lamps			
halogen lamps			
for socket G4 / G6.35 / G9			
			
1	500°C		
GEV No.	359599	Ref. No.	86130003
description	halogen lamp socket G4 12V 20W temp.-resist. 500°C		


contactors			
SIEMENS			
power contactors			
			
1			
GEV No.	380526	Ref. No.	86112001
description	power contactor resistive load 20A 230VAC (AC3/400V) 8.4A/4kW main contacts 4NO auxiliary contacts connection screw connection type 3TG10-10-0A2L2		

transformers			
for lighting			
			
1			
GEV No.	401847	Ref. No.	86103005
description	transformer primary 230VAC secondary 11.5VAC 50VA secondary 3.95A connection elastic terminals L 195mm W 42mm H 30mm 50/60Hz mounting distance 180mm for lighting		

probes

producer-specific probes






probes

			
1			
GEV No.	379801	Ref. No.	59500001
description	temperature probe thermocouple cable ceramic probe -50 up to +750°C cable -100 up to +1300°C connection grip connection thread probe ø8x140mm cable lengthm		

gas valves and ignition boxes

gas control valves

HONEYWELL

				
1				
GEV No.	101164	Ref. No.	84201002	
description	gas valve type VR4605A 230V 50Hz gas inlet 1/2" gas outlet 1/2" thermocouple connection pilot connection pressure range 3-37mbar operator type 230V (V404A 1329)			
accessories for	101164			
	GEV No.	101305	Ref. No.	—
	gas connection straight 1/2" flange 45x45mm ELETTROSIT/V4400/4600/4605 suitable for SIT/HONEYWELL hole distance 36x36mm			
	GEV No.	101306	Ref. No.	—
	gas connection angled flange 45x45mm hole distance 36x36mm 1/2" ELETTROSIT/V4400/4600/4605 screw with O-ring suitable for SIT/HONEYWELL			
	GEV No.	101307	Ref. No.	—
	gas connection straight flange 45x45mm hole distance 36x36mm 3/4" ELETTROSIT/V4400/4600/4605 screw with O-ring suitable for SIT/HONEYWELL			
	GEV No.	101308	Ref. No.	—
	gas connection angled flange 45x45mm hole distance 36x36mm 3/4" ELETTROSIT/V4400/4600/4605 screw with O-ring suitable for SIT/HONEYWELL			



ignition boxes

BRAHMA

BRAHMA



1

GEV No.	106585	Ref. No.	87101003
description	ignition box BRAHMA type CM191.2 electrodes 2 waiting time 1.5s safety time 10s 230V 7VA 50-60Hz		



1

GEV No.	850038	Ref. No.	59800071
description	firebrick L 590mm W 49mm H 15mm		



1

GEV No.	850024	Ref. No.	21200002
description	firebrick L 600mm W 49mm H 15mm complete incl. holder		


equipment-specific units

for pizza ovens

glass panels



1

GEV No.	700335	Ref. No.	58300001
description	glass panel L 330mm W 120mm thickness 8mm		
accessories for	700335		
	GEV No.	900854	Ref. No.
			57700007 59300004
	oven gasket L 332mm W 128mm mineral wool		



1

GEV No.	850023	Ref. No.	52300002
description	firebrick L 655mm W 320mm H 14mm		

knobs

producer-specific knobs

ITALFORNI



1

GEV No.	112564	Ref. No.	81229005
description	knob thermostat 1-10 ø 49mm shaft ø 6x4.6mm shaft flat upper red rotation 270°		

firebricks



1

GEV No.	850039	Ref. No.	52000384
description	bracket for firebrick L 610mm W 45mm H 8mm		

gaskets

special gaskets

miscellaneous



1

GEV No.	900854	Ref. No.	57700007 59300004
description	oven gasket L 332mm W 128mm mineral wool		

springs

tension springs



1

GEV No.	504856	Ref. No.	80501001
description	tension spring \varnothing 14.5mm total length 153mm wire gauge \varnothing 2mm thread M6 thread L 52mm		

measuring equipment

thermometers

built-in thermometers

 \varnothing 60mm

1

GEV No.	541717	Ref. No.	86501001
description	thermometer mounting \varnothing 60mm t.max. 600°C 0-600°C probe \varnothing 8mm probe L 150mm capillary pipe 760mm		

1			
GEV No.	542311	Ref. No.	86501006
description	thermometer mounting \varnothing 60mm t.max. 600°C 0-600°C probe \varnothing 8mm probe L 80mm capillary pipe 880mm		

C

contactors	4
control thermostats	3

G

gas control valves	4
--------------------	---

H

halogen lamp	3
--------------	---

I

ignition boxes	5
indicator lights	3
indicator lights (complete)	3

L

lamps	3
-------	---

M

measuring equipment	6
---------------------	---

O

oven lamps	3
------------	---

P

probes	4
--------	---

R

rocker/momentary rocker switches	3
----------------------------------	---

S

switches and momentary switches	3
---------------------------------	---

T

thermostats	3
transformers	4