



**GAS COMPONENTS**



**ELECTRIC COMPONENTS**



**WATER TECHNOLOGY**



**MECHANICAL COMPONENTS**



**TOOLS**

Spare parts suitable for

**INOKSAN**

Find the complete and up-to-date range of products in our GEV Webshop



# Manufacturer catalogue

The most important spare parts and accessories arranged clearly for every manufacturer

- ✓ Complete product range and all appliance data always up to date in the GEV Webshop
- ✓ Alphabetical Index at the end of the catalogue

## GEV Webshop

[www.gev-online.co.uk](http://www.gev-online.co.uk)

[www.gev-online.com](http://www.gev-online.com)



- 🔍 Add to Favourites
- 🔍 Sign In with email address and usual password
- 🔍 Easy-order – place several items in your basket at the same time
- 🔍 Quick Item search – no login needed



## heating elements

### heating elements for fryers

<b>GEV No.</b>	415377	<b>Ref. No.</b>	10070020
<b>description</b>	heating element 5500W 230V heating circuits 1 L 320mm W 86mm H 248mm rectangular flange connection M5 immersion heater W1 19mm W2 48mm H1 213mm H2 38mm hole distance 40mm hole ø 6mm flange length 60mm flange width 30mm tube ø 8.5mm connection length 26mm		

<b>GEV No.</b>	416868	<b>Ref. No.</b>	22317025
<b>description</b>	heating element 1500W 230V heating circuits 1 L 530mm W 225mm lug length 35mm lug width 14mm hole distance 190mm connection M4 tube ø 8.5mm bracket mounting thread M5 mounting pos. lower dry heating element		

<b>GEV No.</b>	416869	<b>Ref. No.</b>	22317022
<b>description</b>	heating element 500W 220V L 565mm W 58mm flange length 70mm flange width 14mm connection length 62mm connection M4 tube ø 6.5mm heating circuits 1 rectangular flange with thread bolt mounting thread M5 dry heating element		

<b>GEV No.</b>	416865	<b>Ref. No.</b>	22207023
<b>description</b>	heating element 1500W 230V L 485mm W 360mm thread M12 mounting distance 345mm connection length 55mm connection M4 tube ø 8.5mm heating circuits 1 dry heating element mounting pos. upper 2 hole fixing pizza oven		

### heating elements for griddles

<b>GEV No.</b>	416862	<b>Ref. No.</b>	24307022
<b>description</b>	heating element 600W 230V heating circuits 1 L 394mm tube ø 6.5mm bracket mounting connection male faston 6.3mm hole ø M5mm dry heating element lug length 32mm lug width 17mm		

<b>GEV No.</b>	416866	<b>Ref. No.</b>	22207024
<b>description</b>	heating element 2250W 230V L 485mm W 410mm thread 1/4" mounting distance 405mm connection M4 tube ø 8.5mm heating circuits 1 dry heating element mounting pos. centre/bottom 2 hole fixing		

### heating elements for hot dog machines


<b>GEV No.</b>	416863	<b>Ref. No.</b>	24207022
<b>description</b>	heating element 1500W 230V L 232mm W 161mm tube ø 6.5mm connection M4 connection distance 155mm dry heating element heating circuits 1 hot dog machine		

<b>GEV No.</b>	416870	<b>Ref. No.</b>	24507022
<b>description</b>	heating element 1750W 230V heating circuits 1 L 282mm W 257mm L1 28mm L2 254mm W1 115mm W2 30mm flange length 70mm flange width 22mm hole distance 57mm tube ø 6.3mm dry heating element connection M4 rectangular flange hole ø M4mm H 6.3mm		


### heating elements for pizza ovens

<b>GEV No.</b>	416867	<b>Ref. No.</b>	22317026
<b>description</b>	heating element 1000W 230V heating circuits 1 L 530mm W 220mm lug length 35mm lug width 114mm hole distance 170mm connection M4 tube ø 8.5mm rectangular flange mounting pos. upper hole ø M5mm dry heating element pizza oven		




1 

<b>GEV No.</b>	416869	<b>Ref. No.</b>	22317022
<b>description</b>	heating element 500W 220V L 565mm W 58mm flange length 70mm flange width 14mm connection length 62mm connection M4 tube ø 6.5mm heating circuits 1 rectangular flange with thread bolt mounting thread M5 dry heating element		

1 


<b>GEV No.</b>	416860	<b>Ref. No.</b>	24407022
<b>description</b>	heating element 500W 230V heating circuits 1 L 295mm W 47mm flange length 60mm flange width 20mm connection male faston 6.3mm connection length 50mm tube ø 6.5mm rectangular flange dry heating element for toaster H 6.5mm		

### quartz heating elements


1 

<b>GEV No.</b>	416861	<b>Ref. No.</b>	24417022
<b>description</b>	quartz heating element 290WV L 335mm ø 10mm connection male faston 6.3mm dry heating element		

### radiation heaters

1 

<b>GEV No.</b>	490204	<b>Ref. No.</b>	24017570
<b>description</b>	radiation heater rectangular 600W 230V L 150mm W 130mm connections 2		

1 

<b>GEV No.</b>	490142	<b>Ref. No.</b>	24017550
<b>description</b>	radiation heater rectangular 750W 230V L 151mm W 133mm connections 2		

## hot plates

### square & rectangular

#### with radiused edge

1 

<b>GEV No.</b>	490056 <sup>1</sup>	<b>Ref. No.</b>	10071300
<b>description</b>	hot plate dimensions 300x300mm 3000W 230V with spill ring connection 4 screw clamps protector yes square		

<sup>1</sup>incl. protector


1 

<b>GEV No.</b>	490177	<b>Ref. No.</b>	10071303
<b>description</b>	hot plate dimensions 300x300mm 3000W 440V with spill ring connection 4 screw clamps protector no		


### round

#### with radiused edge

#### for domestic and commercial kitchens

1 

<b>GEV No.</b>	416864	<b>Ref. No.</b>	10071151
<b>description</b>	hot plate 1500W 230V		

1 

<b>GEV No.</b>	490012	<b>Ref. No.</b>	10071151
<b>description</b>	hot plate ø 145mm 1500W 230V connection 4 screw clamps with 8mm spill ring		

## energy regulators

### EGO

#### 1-circuit



<b>GEV No.</b>	380015	<b>Ref. No.</b>	10091000
<b>description</b>	energy regulator 230V 13A single-circuit turn direction right shaft ø 6x4.6mm shaft L 23mm mounting thread M4 power release 6-100% no. 50.57021.010		

## thermostats

### bi-metal thermostats

#### safety bi-metal thermostats




<b>GEV No.</b>	375673	<b>Ref. No.</b>	10100100
<b>description</b>	bi-metal safety thermostat hole distance 22mm 1NC 1-pole		

### control and safety thermostats


#### EGO

#### control thermostats

#### 55.17\_series




<b>GEV No.</b>	375672	<b>Ref. No.</b>	10100004
<b>description</b>	thermostat t.max. 320°C temperature range 50-320°C 1-pole 1NO 16A probe ø 3.03mm probe L 178mm capillary pipe 840mm capillary pipe isolatedmm gland nut shaft ø 6x4.6mm shaft L 23mm shaft position upper rotation 270°		




<b>GEV No.</b>	375674	<b>Ref. No.</b>	10100003
<b>description</b>	thermostat t.max. 85°C temperature range 30-85°C 1-pole 1NO 16A probe ø 6mm probe L 94mm capillary pipe 840mm capillary pipe isolatedmm gland nut shaft ø 6x4.6mm shaft L 23mm shaft position upper rotation 270°		

#### 55.34\_series



<b>GEV No.</b>	375424	<b>Ref. No.</b>	10100005
<b>description</b>	thermostat t.max. 320°C temperature range 60-320°C 3-pole 3NO 16A probe ø 4mm probe L 128mm capillary pipe 1800mm capillary pipe isolated 1300mm gland nut shaft ø 6x4.6mm shaft L 23mm shaft position upper rotation 270°		



<b>GEV No.</b>	375027	<b>Ref. No.</b>	10100002
<b>description</b>	thermostat t.max. 470°C temperature range 50-470°C 3-pole 3NO 16A probe ø 3.9mm probe L 308mm capillary pipe 990mm capillary pipe isolated 800mm gland nut shaft ø 6x4.6mm shaft L 23mm shaft position upper rotation 270°		




safety thermostats

55.32\_ series



<b>GEV No.</b>	375393	<b>Ref. No.</b>	10100051
<b>description</b>	safety thermostat switch-off temp. 235°C 3-pole 1CO/2NC 20A probe ø 6mm probe L 87mm capillary pipe 1790mm capillary pipe isolated 1710mm gland nut M9x1 probe SS		



<b>GEV No.</b>	375257	<b>Ref. No.</b>	10100001
<b>description</b>	safety thermostat switch-off temp. 580°C 3-pole 20A probe ø 4mm probe L 163mm capillary pipe 1200mm capillary pipe isolatedmm gland nut probe		

switches and momentary switches

rocker/momentary rocker switches

30x11mm



<b>GEV No.</b>	346400	<b>Ref. No.</b>	10010207
<b>description</b>	rocker switch mounting measurements 30x11mm black 1CO 250V 16A with neutral position I O II connection male faston 6.3mm ambient temperature max. 85°C/145°C protection IP65 with cover cap		

accessories for 346400



<b>GEV No.</b>	301035	<b>Ref. No.</b>	—
<b>description</b>	protective cover mounting measurements 30x11mm		

30x22mm

blank



<b>GEV No.</b>	301005	<b>Ref. No.</b>	10010200
<b>description</b>	rocker switch mounting measurements 30x22mm red 2NO 250V 16A illuminated connection male faston 6.3mm ambient temperature max. 125/55°C protection IP65 with protecting cover		

accessories for 301005



<b>GEV No.</b>	301036	<b>Ref. No.</b>	—
<b>description</b>	protective cover internal size 30x22mm for rocker switch mounting measurementsmm		

push/momentary push switches

ø22.3mm



<b>GEV No.</b>	346402	<b>Ref. No.</b>	10010113
<b>description</b>	momentary push switch mounting ø 22.3mm red 1NC 250V 10A connection screw ambient temperature max. 85°C protection IP40		



<b>GEV No.</b>	346401	<b>Ref. No.</b>	10010112
<b>description</b>	push switch mounting ø 22.3mm green 1NO 250V 10A connection screw ambient temperature max. 85°C protection IP40		

cam switches

on/off



<b>GEV No.</b>	300021	<b>Ref. No.</b>	10010304
<b>description</b>	cam switch 4 operating positions 4NO sequence 0-1-0-1 16A shaft ø 6x4.6mm shaft L 23mm connection screw ceramic		

4-position






<b>GEV No.</b>	300022	<b>Ref. No.</b>	10010303
<b>description</b>	cam switch 4 operating positions 2CO sequence 0-1-2-3 16A shaft ø 6x4.6mm shaft L 23mm connection screw		



**7-position**




<b>GEV No.</b>	300025	<b>Ref. No.</b>	10010302
<b>description</b>	cam switch 7 operating positions 1NO/2CO sequence 0-1-2-3-4-5-6 16A shaft ø 6x4.6mm shaft L 23mm connection screw 7-position ceramic		
<b>accessories for</b>	300025		
	<b>GEV No.</b>	112172	<b>Ref. No.</b> —
	knob universal ø 70mm black without adaptor/dial plate		
	<b>GEV No.</b>	112213	<b>Ref. No.</b> —
	knob dial plate silver switch 7-position t.max.°C ED ø 63mm ID ø 45.5mm		
	<b>GEV No.</b>	112311	<b>Ref. No.</b> —
	knob adapter shaft ø 6x4.6mm L 0mm with spring		

**lamps**

**indicator lights**


**indicator lights (complete)**


ø 9mm

	<b>GEV No.</b>	359137	<b>Ref. No.</b>	10080001
<b>description</b>	indicator light ø 9mm 230V yellow connection male faston 6.3mm temp.-resist. 120°C with lens			

ø 10mm


with plug-in socket

	<b>GEV No.</b>	359138	<b>Ref. No.</b>	10080002
<b>description</b>	indicator light ø 10mm red 230V connection male faston 6.3mm Qty 1 pcs			

	<b>GEV No.</b>	359140	<b>Ref. No.</b>	10080004
<b>description</b>	indicator light ø 10mm yellow 230V connection male faston 6.3mm Qty 1 pcs			


**linear lamps**

**halogen lamps**

	<b>GEV No.</b>	359620	<b>Ref. No.</b>	10080106
<b>description</b>	halogen lamp socket R7s L 117.6mm 230V 300W unjacketed IMPORT CE			

**sockets for linear lamps**

R7s

	<b>GEV No.</b>	359649	<b>Ref. No.</b>	10081001
<b>description</b>	lamp socket socket RX7S ømm L 45mm W 31mm H 35mm connection cable 350mm mounting distance 8/35mm cable material silicone Qty 1 pcs			

**oven lamps**

**universal oven lamps**

mounting diameter 65.5mm

	<b>GEV No.</b>	359712	<b>Ref. No.</b>	10080301
<b>description</b>	oven lamp mounting ø 65.5mm 230V 40W socket E14 temp.-resist. 300°C connection male faston 6.3mm hard glas			
<b>spare parts for</b>	359712			
	<b>GEV No.</b>	359022	<b>Ref. No.</b>	—
	lamp socket socket E14 mounting ø 65.5mm connection male faston 6.3mm			
	<b>GEV No.</b>	359611	<b>Ref. No.</b>	—
	light bulb t.max. 300°C socket E14 40W 230V ø 45mm L 75mm lens L 50mm for oven lamp IMPORT			
	<b>GEV No.</b>	359722	<b>Ref. No.</b>	—
	gasket silicone ID ø 57.5mm ED ø 68mm thickness 2mm			
	<b>GEV No.</b>	359724	<b>Ref. No.</b>	—
	oven lamp glass thread ø 62mm H 46mm ø 74mm hard glas temp.-resist. 350°C			



## motors


## gear motors

for gyros grills




1

<b>GEV No.</b>	500605	<b>Ref. No.</b>	10130100
<b>description</b>	gear motor CROUZET type 805274 16.7W 230V 50Hz 1rpm shaft $\varnothing$ 7x8mm L 65mm W 65mm H 58mm		



1

<b>GEV No.</b>	500608	<b>Ref. No.</b>	10130104
<b>description</b>	gear motor CROUZET type 80527437 16.7W 230V 50Hz 1rpm shaft $\varnothing$ 8mm L 64mm W 64mm H 59mm for gyro grill		



1

<b>GEV No.</b>	499012	<b>Ref. No.</b>	10130104
<b>description</b>	gear motor MECHTEX 230V voltage AC 50Hz 1rpm shaft $\varnothing$ 8mm L 68mm W 68mm shaft length 22mm		



1

<b>GEV No.</b>	500606	<b>Ref. No.</b>	24011340
<b>description</b>	gear motor INOKSAN type 206 5W 230V 50Hz shaft $\varnothing$ 16x19mm L 370mm W 180mm H 205mm for gyro grill		



1

<b>GEV No.</b>	500607	<b>Ref. No.</b>	24023040
<b>description</b>	gear motor CROUZET type 89945210 16.7W 230V 50Hz 1rpm shaft $\varnothing$ 12x12.5mm L 130mm W 110mm H 110mm for gyro grill		

## electric accessories

## plugs - couplings - power sockets

## protective contact power sockets

## producer-specific power sockets

## miscellaneous



1





<b>GEV No.</b>	550672	<b>Ref. No.</b>	10025101
<b>description</b>	power socket CEE7/4 type F built-in version 3-pole contacts P+N+E max. 16A max 230V with fine fuse countries D/I for gyro grill		

## gas taps

## ECA



1

<b>GEV No.</b>	106013	<b>Ref. No.</b>	11030602	
<b>description</b>	gas tap ECA gas inlet pipe flange $\varnothing$ 21mm bypass nozzle $\varnothing$ 0.55mm gas outlet 1/4" (tube $\varnothing$ 8mm) thermocouple connection M8x1 shaft $\varnothing$ 8x6.5mm shaft L 20/13mm shaft flat upper front fixing M13x1			
<b>spare parts for</b>	106013			
	<b>GEV No.</b>	101051	<b>Ref. No.</b>	—
	magnet unit L 27mm D1 $\varnothing$ 12.5mm D2 $\varnothing$ 8.5mm suitable for JUNKERS/EGA/MADEC/SABAF standard			
<b>accessories for</b>	106013			
	<b>GEV No.</b>	101277	<b>Ref. No.</b>	—
	olive ID $\varnothing$ 8mm Qty 1 pcs			
	<b>GEV No.</b>	101351	<b>Ref. No.</b>	—
	mounting strap for gas tap			
	<b>GEV No.</b>	520656	<b>Ref. No.</b>	—
	union nut thread 1/4" tube $\varnothing$ 6/8mm			





## ignition parts


### thermocouples

#### plug-in thermocouples

#### plug-in thermocouples standard

with barrel socket  $\varnothing 6(6.5)$ mm

#### thermocouples SIT



<b>GEV No.</b>	107601	<b>Ref. No.</b>	11060004
<b>description</b>	thermocouple SIT M8x1 L 600mm plug connection $\varnothing 6.0(6.5)$ mm		

## gas burners

### ceramic burners



<b>GEV No.</b>	105586	<b>Ref. No.</b>	11070001
<b>description</b>	ceramic burner L 235mm W 172mm firing range 178x125mm for gyro grill		

### accessories

#### burner grids

<b>GEV No.</b>	105587	<b>Ref. No.</b>	24000210
<b>description</b>	burner grid L 423mm W 173mm for gyro grill		

<b>GEV No.</b>	105588	<b>Ref. No.</b>	24010210
<b>description</b>	burner grid L 490mm W 230mm for gyro grill		

<b>GEV No.</b>	105589	<b>Ref. No.</b>	24010410
<b>description</b>	burner grid L 500mm W 230mm for gyro grill		

<b>GEV No.</b>	105591	<b>Ref. No.</b>	24010371
<b>description</b>	burner grid L 500mm W 230mm for gyro grill		

<b>GEV No.</b>	105592	<b>Ref. No.</b>	24010510
<b>description</b>	burner grid L 660mm W 165mm for gyro grill		

<b>GEV No.</b>	105590	<b>Ref. No.</b>	24020210
<b>description</b>	burner grid L 670mm W 230mm for gyro grill		

<b>GEV No.</b>	105593	<b>Ref. No.</b>	24020310
<b>description</b>	burner grid L 670mm W 230mm for gyro grill		

<b>GEV No.</b>	105568	<b>Ref. No.</b>	24000720
<b>description</b>	burner grid L 493mm W 173mm		

<b>GEV No.</b>	105581	<b>Ref. No.</b>	24010760
<b>description</b>	burner grid L 563mm W 215mm		

<b>GEV No.</b>	105569	<b>Ref. No.</b>	24010720
<b>description</b>	burner grid L 731mm W 171mm		

<b>GEV No.</b>	105582	<b>Ref. No.</b>	24020720
<b>description</b>	burner grid L 732mm W 215mm		

## equipment-specific units

## for griddles

## sumps



1

<b>GEV No.</b>	693428	<b>Ref. No.</b>	24010310
<b>description</b>	grease collecting tray		

## for gyros grills

## brakes



1

<b>GEV No.</b>	691820	<b>Ref. No.</b>	24023520
<b>description</b>	locking lever for gyros grill motor mounting pos. upper thread M10		



1

<b>GEV No.</b>	691821	<b>Ref. No.</b>	24003111
<b>description</b>	locking lever for sliding valve mounting pos. lower thread M10		



1

<b>GEV No.</b>	691819	<b>Ref. No.</b>	24003051 24024390
<b>description</b>	slide for gyro grill mounting pos. lower thread M8		



1

<b>GEV No.</b>	691818	<b>Ref. No.</b>	24024360 24024391
<b>description</b>	slide for gyro grill mounting pos. upper thread M8		

## glass panels



1

<b>GEV No.</b>	693194	<b>Ref. No.</b>	24019502
<b>description</b>	glass panel L 450mm W 128mm thickness 4mm rectangular		



1

<b>GEV No.</b>	693195	<b>Ref. No.</b>	24029502
<b>description</b>	glass panel L 600mm W 130mm thickness 4mm rectangular		

## scoops




1

<b>GEV No.</b>	691825	<b>Ref. No.</b>	24000080
<b>description</b>	scoop for gyro grill L 130mm W 185/250mm		




skewers




1

<b>GEV No.</b>	691822	<b>Ref. No.</b>	24014112
<b>description</b>	skewer for gyro grill size 12x12mm L 585mm		



1


<b>GEV No.</b>	691823	<b>Ref. No.</b>	24013373
<b>description</b>	skewer for gyro grill size 12x12mm L 650mm		



1

<b>GEV No.</b>	691824	<b>Ref. No.</b>	24023126
<b>description</b>	skewer for gyro grill size 12x12mm L 800mm		


skewer plates



1


<b>GEV No.</b>	691817	<b>Ref. No.</b>	24000010
<b>description</b>	skewer plate ø 120mm intake 12x12mm		

skewer holders



1


<b>GEV No.</b>	691833	<b>Ref. No.</b>	24023501
<b>description</b>	skewer holder for gyro grill L 505mm W 25mm H 25mm mounting pos. lower		



1

<b>GEV No.</b>	691832	<b>Ref. No.</b>	24023510
<b>description</b>	skewer holder for gyro grill L 550mm W 20mm H 20mm mounting pos. upper		


cotter pins



1

<b>GEV No.</b>	693457	<b>Ref. No.</b>	24003133
<b>description</b>	retainer clip L 73mm wire gauge ø 3mm zinc-coated steel Qty 1 pcs		

miscellaneous



1

<b>GEV No.</b>	691834	<b>Ref. No.</b>	24013180
<b>description</b>	turnstile for gyro grill		

for hot dog machines


lids



1

<b>GEV No.</b>	693192	<b>Ref. No.</b>	24209025
<b>description</b>	lid for hot dog machine		

glass cylinders



1

<b>GEV No.</b>	693190	<b>Ref. No.</b>	24209022
<b>description</b>	glass cylinder ø 207mm with bottom H 240mm		

## skewers




**GEV No.** 693189 **Ref. No.** 24203001

**description** bun spikes aluminium

## for pizza ovens

## glass panels



1

**GEV No.** 693197 **Ref. No.** 22319033

**description** glass panel L 565mm W 230mm thickness 5mm rectangular

## firebricks



1

**GEV No.** 850062 **Ref. No.** 22209053

**description** firebrick L 515mm W 515mm H 15mm mounting pos. pizza oven delivery freight forwarding company only



1

**GEV No.** 850063 **Ref. No.** 22319052

**description** firebrick L 880mm W 290mm H 20mm mounting pos. pizza oven delivery freight forwarding company only

## doors



1

**GEV No.** 693196 **Ref. No.** 22200080

**description** door complete suitable for pizza oven



1

**GEV No.** 693198 **Ref. No.** 22300020

**description** door complete suitable for pizza oven

## for rolling grills

## pipes

## pipes



1

**GEV No.** 693185 **Ref. No.** 24303000

**description** pipe with gear wheel for roller grill

## for toasters

## drive shafts



1


**GEV No.** 693179 **Ref. No.** 24403023


**description** drive shaft for conveyor toaster  $\varnothing$  12/14mm SS L 320mm



1 			
<b>GEV No.</b>	693182	<b>Ref. No.</b>	24413023
<b>description</b>	drive shaft for conveyor toaster ø 8/12mm stainless steel L 360mm		


**miscellaneous**

1 			
<b>GEV No.</b>	693184	<b>Ref. No.</b>	24413052
<b>description</b>	conveyor belt L 1000mm W 310mm wire gauge ø 1.2mm		

1 			
<b>GEV No.</b>	693181	<b>Ref. No.</b>	24403052
<b>description</b>	conveyor belt L 490mm W 310mm wire gauge ø 2mm		

**gear wheels**

1 			
<b>GEV No.</b>	693180	<b>Ref. No.</b>	24403035
<b>description</b>	gear wheel teeth 10 shaft intake ø 14mm ø 63mm hub ø 30mm stainless steel		


1 			
<b>GEV No.</b>	693187	<b>Ref. No.</b>	24303006
<b>description</b>	gear wheel teeth 17 shaft intake ø 7mm ø 35mm hub ø 22mm stainless steel		


1 			
<b>GEV No.</b>	693183	<b>Ref. No.</b>	24413035
<b>description</b>	gear wheel teeth 20 shaft intake ø 12mm ø 48mm hub ø 22mm		

**knobs**

**producer-specific knobs**


**INOKSAN**


1 			
<b>GEV No.</b>	111551	<b>Ref. No.</b>	24506020
<b>description</b>	knob energy regulator Min/Max ø 55mm shaft ø 6x4.6mm shaft flat universal black		


1 			
<b>GEV No.</b>	111775	<b>Ref. No.</b>	24016012 24016012+27006104
<b>description</b>	knob gas tap without ignition flame t.max.°C°C ø 55mm shaft ø 8x6.5mm shaft flat universal black		


1 			
<b>GEV No.</b>	111261	<b>Ref. No.</b>	24506023+27006103
<b>description</b>	knob graduated ø 55mm shaft ø 6x4.6mm shaft flat universal black		


1 			
<b>GEV No.</b>	111546	<b>Ref. No.</b>	24106100 24106109
<b>description</b>	knob switch 0-1-0-1 ø 55mm shaft ø 6x4.6mm shaft flat universal black		


			
1			
<b>GEV No.</b>	111540	<b>Ref. No.</b>	24016101 INO2401 6107 + INO2700 6103
<b>description</b>	knob switch 4-position ø 55mm shaft ø 6x4.6mm shaft flat universal black		

			
1			
<b>GEV No.</b>	111552	<b>Ref. No.</b>	24016100 24016103 24016103+27006104
<b>description</b>	knob switch 7-position t.max. °C ø 55mm shaft ø 8x6.5mm shaft flat universal black		

			
1			
<b>GEV No.</b>	111541	<b>Ref. No.</b>	26106000
<b>description</b>	knob thermostat t.max. 110°C ø 55mm shaft ø 6x4.6mm shaft flat universal black temperature range 30-110°C rotation 270°		


			
1			
<b>GEV No.</b>	111544	<b>Ref. No.</b>	22206000 22206003+27006103
<b>description</b>	knob thermostat t.max. 500°C ø 55mm shaft ø 6x4.6mm shaft flat lower black temperature range 50-500°C rotation 270°		

			
1			
<b>GEV No.</b>	111547	<b>Ref. No.</b>	24106106 24106110
<b>description</b>	knob thermostat t.max. 90°C ø 55mm shaft ø 6x4.6mm shaft flat universal black temperature range 30-90°C rotation 270°		

			
1			
<b>GEV No.</b>	111545	<b>Ref. No.</b>	24106102
<b>description</b>	knob dial plate switch 0-1-0-1 grey		

## handles and hand wheels

### mushroom cap handles

			
1			
<b>GEV No.</b>	693193	<b>Ref. No.</b>	13120107
<b>description</b>	mushroom cap handle thread M4 handle ø 25mm L 21.5mm chrome-plated steel		

### bracket handles

			
1			
<b>GEV No.</b>	693427	<b>Ref. No.</b>	13120106
<b>description</b>	pull handle L 165mm H 55mm mounting distance 130mm thread M8		

## locks

### edgmount latches

#### handle latches

#### CAFF/FERMOD





			
1			
<b>GEV No.</b>	690400	<b>Ref. No.</b>	13120200
<b>description</b>	handle latch L 135mm mounting distance 120mm non lockable refrigeration units G 680		
<b>accessories for</b>	690400		
	<b>GEV No.</b>	690418	<b>Ref. No.</b> —
	door catch L 36mm W 19mm H 29mm mounting distance 12mm zinc-coated steel for refrigeration units		

Table continues overleaf



accessories for		690400	
	GEV No.	690419	Ref. No. —
door catch L 52mm W 20mm H 30mm mounting distance 26-37mm zamak for refrigeration units			
	GEV No.	700435	Ref. No. —
door catch L 58mm W 20mm H 35mm mounting distance 42mm zamak for refrigeration units			


## baskets

### wire baskets for hot dog machines

			
1			
GEV No.	693191	Ref. No.	24203021
description	grid basket for hot dog grill ø 180mm H 210mm		

## gaskets


### gaskets for heated units

door seals			
			
1			
GEV No.	901296	Ref. No.	04060203
description	door seal profile 2211 W 12mm L 4m suitable for INOKSAN for banquet trolley ABS200		

## transmission technology and ball bearings

### chains

#### roller chains 04B-1 single

1			
GEV No.	693188	Ref. No.	24303020
description	chain DIN/ISO 04 B-1 splitting 6mm links 53 internal width 2.8mm roller ø 4mm single without connecting bow		

## kitchen accessories


### spillage trays

1			
GEV No.	698240	Ref. No.	15340020
description	drain tray ø 450mm H 35mm		

## fastening material


### fasteners

#### retainer clips

1			
GEV No.	693457	Ref. No.	24003133
description	retainer clip L 73mm wire gauge ø 3mm zinc-coated steel Qty 1 pcs		

#### retaining rings

##### DIN 471

1			
GEV No.	693186	Ref. No.	13130025
description	retaining ring shaft ø 25mm thickness 1.2mm steel DIN 471		





<b>B</b>			
bi-metal thermostats		5	
<b>C</b>			
cam switches		6	
ceramic burners		9	
control thermostats		5	
<b>D</b>			
door seals		15	
<b>E</b>			
edgemount latches		14	
electric accessories		8	
energy regulators		5	
<b>F</b>			
fasteners		15	
fastening material		15	
<b>G</b>			
gas burners		9	
gas taps		8	
gaskets for heated units		15	
<b>H</b>			
handle latches		14	
heating elements		3	
heating elements for fryers		3	
heating elements for griddles		3	
heating elements for pizza ovens		3	
heating elements for salamanders/toasters		3	
hot plates		4	
<b>I</b>			
indicator lights		7	
indicator lights (complete)		7	
<b>L</b>			
lamps		7	
linear lamps		7	
<b>M</b>			
motors		8	
<b>O</b>			
oven lamps		7	
<b>P</b>			
plugs - couplings - power sockets		8	
protective contact power sockets		8	
push/momentary push switches		6	
<b>Q</b>			
quartz heating elements		4	
<b>R</b>			
radiation heaters		4	
retainer clips		15	
retaining rings		15	
rocker/momentary rocker switches		6	
<b>S</b>			
safety bi-metal thermostats		5	
safety thermostats		6	
spillage trays		15	
switches and momentary switches		6	
<b>T</b>			
thermocouples		9	
thermostats		5	