



GAS COMPONENTS



ELECTRIC COMPONENTS



WATER TECHNOLOGY



MECHANICAL COMPONENTS



TOOLS

Spare parts suitable for

LA-ROCCA

Find the complete and up-to-date range of products in our GEV Webshop



Manufacturer catalogue

The most important spare parts and accessories arranged clearly for every manufacturer

- ✓ Complete product range and all appliance data always up to date in the GEV Webshop
- ✓ Alphabetical Index at the end of the catalogue

GEV Webshop

www.gev-online.co.uk

www.gev-online.com





- 🔍 Add to Favourites
- 🔍 Sign In with email address and usual password
- 🔍 Easy-order – place several items in your basket at the same time
- 🔍 Quick Item search – no login needed





heating elements

heating elements for coffee machine

			
1			
GEV No.	417531	Ref. No.	10202 10222
description	heating element 1700W 240V heating circuits 1 mounting ø 37mm hole distance 52mm L 130mm W 40mm H 40mm hole ø 10mm tube ø 10mm connection M4		

			
1			
GEV No.	417495	Ref. No.	10221
description	heating element 1800W 245V heating circuits 1 mounting ø 37mm hole distance 51.5mm L 133mm W 35mm H 36mm hole ø 10mm tube ø 8mm connection male faston 6.3mm immersion heater 3 hole flange		


			
1			
GEV No.	417496	Ref. No.	10203
description	heating element 2600W 220V heating circuits 2 mounting ø 37mm hole distance 52mm L 415mm W 30mm H 58mm L1 25mm L2 50mm L3 340mm H1 25mm H2 28mm hole ø 10mm tube ø 8mm connection male faston 6.3mm immersion heater		

			
1			
GEV No.	417497	Ref. No.	10218
description	heating element 3500W 245V heating circuits 2 mounting ø 37mm hole distance 51.5mm L 413mm W 28mm H 63mm L1 24mm L2 44mm L3 345mm H1 25mm H2 38mm hole ø 10mm tube ø 8mm connection male faston 6.3mm immersion heater 3 hole flange		


thermostats

bi-metal thermostats

safety bi-metal thermostats


			
1			
GEV No.	376003	Ref. No.	27104
description	bi-metal safety thermostat hole distance mm switch-off temp. 165°C 1NC 1-pole 10A 250V connection F6.3		

bi-metal thermostats


			
1			
GEV No.	376002	Ref. No.	27103
description	bi-metal thermostat hole distance mm switch-off temp. 120°C 1NC 1-pole 10A 250V connection F6.3		

switches and momentary switches


rocker/momentary rocker switches

<h4>30x22mm</h4>			
			
1			
GEV No.	301060	Ref. No.	12120
description	rocker switch mounting measurements 30x22mm red 2NO 250V 16A illuminated connection male faston 6.3mm ambient temperature max. 125/55°C protection IP40		

rotary switches

<h4>GOTTAK</h4>			
			
1			
GEV No.	345148	Ref. No.	12188
description	rotary switch 3 0-1-2 sets of contacts 6 type 4RH 400V 10A shaft ø 4.8x6mm shaft L 21mm shaft oval connection male faston 6.3mm		


miscellaneous

			
1			
GEV No.	347421	Ref. No.	15126
description	rotary switch with cable harness 2 groups ESTRELLA		

lamps

indicator lights


indicator lights (complete)

<h4>ø 8mm</h4>			
			
1			
GEV No.	357027	Ref. No.	15040
description	indicator light ø 8mm 230V green cable length 180mm LED		





electronics

central units

			
1			
GEV No.	357026	Ref. No.	15041
description	indicator light ø 8mm 230V red cable length 180mm LED		

ø13mm
with plug-in socket

			
1			
GEV No.	359142	Ref. No.	12129
description	indicator light ø 13mm green 230V connection male faston 6.3mm temp.-resist. 120°C Qty 1 pcs		

			
1			
GEV No.	359141	Ref. No.	12111
description	indicator light ø 13mm red 230V connection male faston 6.3mm temp.-resist. 120°C Qty 1 pcs		



1			
GEV No.	402794	Ref. No.	13207
description	central unit 230V 50/60Hz type 3d5 Maestro 2GRCTZD voltage AC		



1			
GEV No.	402795	Ref. No.	13208
description	central unit 230V 50/60Hz type 3d5 Maestro 3GRCTZD voltage AC		



1			
GEV No.	402792	Ref. No.	12186
description	central unit 230V 50/60Hz type ET405 voltage AC		





1			
GEV No.	402793	Ref. No.	13238
description	central unit 240V 50/60Hz type 3d5 3GRCTZ XLC„LL“ (SC) voltage AC		


relays

level relays

GICAR


			
1			
GEV No.	402103	Ref. No.	12168
description	level controller 230/240V voltage AC 50/60Hz connection F6.3 type NRL30/1E-2C/F		

			
1			
GEV No.	402790	Ref. No.	13245
description	level controller 230V voltage AC 50/60Hz type RL30/2E-2C/F T.O. Pompa 3 LED		

1

GEV No.	400520	Ref. No.	12185
description	control box 2-group for coffee machine 230V type ET405		




1

GEV No.	402791	Ref. No.	13228
description	level controller 230V 50/60Hz type 30 MICRO ST + BUZZER voltage AC		


keypads

keypad units




1

GEV No.	402788	Ref. No.	12189
description	keypad unit buttons 5 black/white edition 1998 lighting LED		



1

GEV No.	402785	Ref. No.	13240
description	keypad unit buttons 6 black/white		



1

GEV No.	402789	Ref. No.	13233
description	keypad unit ESTRELLA buttons 6 chrome/black/white		

solenoid valves


solenoid valves (water)

metal

ODE


solenoid valves steam (water)

212A series




1

GEV No.	370617	Ref. No.	13216
description	solenoid valve brass 2-ways 230VAC connection cable L 46mm DN 4.5mm ODE type series 212A5 coil type B01 p max 5bar p min 0bar 50/60Hz		



1


GEV No.	370719	Ref. No.	13216
description	solenoid valve brass 2-ways 230VAC connection female faston 6.3mm L 46mm DN 4.5mm ODE coil type BDA p max 5bar 50Hz cable length 380mm		



1

GEV No.	370687	Ref. No.	13216
description	solenoid valve brass 2-ways 240VAC connection plug-in connection L 46mm DN 4.5mm ODE coil type BDA p max 5bar 50Hz		

electrodes



1

GEV No.	401162	Ref. No.	12142
description	level electrode 1/4" total length 129mm probe L 103mm insulated probe length 26mm connection male faston 6.3mm stainless steel ø 2.5mm		

equipment-specific units

for espresso machines

filter holders

filter holders standard

filter holder without spout



1

GEV No.	531027	Ref. No.	N/A
description	filter holder suitable for LA ROCCA without outlet mounting \varnothing 83mm hole \varnothing 8mm outlet 3/8" ID \varnothing 62mm wedge height 10mm wedge position horizontal number of wedges 2 lever straight chrome-plated brass		

filter holders short



1

GEV No.	531024	Ref. No.	12607
description	filter holder mounting \varnothing 83mm outlet 3/8" ID \varnothing 62mm handle M12x1.75 wedge height 10mm wedge position horizontal number of wedges 2 lever straight chrome-plated brass		

filters

for 1 cup



1

GEV No.	531023	Ref. No.	12502
description	coffee filter \varnothing 70mm mounting \varnothing 60mm H 24.5mm cups 1 amount of coffee 8g perforation \varnothing 0.35mm		

for 2 cups



1

GEV No.	526068	Ref. No.	12500
description	coffee filter \varnothing 70mm mounting \varnothing 60mm H 24.5mm cups 2 amount of coffee 14g		

blind filters



1

GEV No.	529102	Ref. No.	12510
description	blind filter \varnothing 70mm mounting \varnothing 60mm H 17mm		

brewing units

shower screens

with upstand and central hole



1

GEV No.	531022	Ref. No.	11363
description	shower screen \varnothing 55/56mm H 9mm hole \varnothing 5mm		

filter holder gaskets

flat

with chamfer



1

GEV No.	525497	Ref. No.	14455
description	filter holder gasket D1 \varnothing 72.5mm D2 \varnothing 47.5mm H 8.1mm		

shim gaskets



1

GEV No.	531026	Ref. No.	12198
description	shim gasket D1 \varnothing 72mm D2 \varnothing 48mm thickness 1mm steel		

components

nozzles

bushes



1

GEV No.	528321	Ref. No.	11336
description	filter support D1 \varnothing 13mm ID \varnothing 5mm int. \varnothing 1 11mm H 9mm brass		



with thread



1

GEV No. 525892 **Ref. No.** 11323

description nozzle bore ø 0.65mm thread M6x0.75 L 9mm

safety valves

safety valves

3/8"



1

GEV No. 531003 **Ref. No.** 10414
10415

description safety valve connection 3/8" triggering pressurebar suitable for LA ROCCA sealed

expansion valves

gaskets



1

GEV No. 525822 **Ref. No.** 10813

description gasket ED ø 15mm seat ø 6mm H 5.2mm overall height 10mm



1

GEV No. 525894 **Ref. No.** 14406

description sealing disc ED ø 15mm H 4mm

compression springs



1

GEV No. 531002 **Ref. No.** 10806

description compression spring ø 14.7mm L 26mm wire gauge ø 2mm windings 3.5

with non-return valve



1

GEV No. 531006 **Ref. No.** 00120

description expansion valve with non-return valve

aerators and air bleeders



1

GEV No. 529304 **Ref. No.** 00143

description aerator and air bleeder screw connection 1/4"

steam/water taps

steam/water taps

steam taps

steam taps (complete)



1

GEV No. 531010 **Ref. No.** 11182

description steam tap inlet 1/4" suitable for LA ROCCA tube ø 10mm



1

GEV No. 531008 **Ref. No.** 11136

description steam tap with pipe inlet 1/4" tube ø 10mm

knobs



1

GEV No. 111392 **Ref. No.** 11610

description knob steam ø 54mm shaft ø 8mm black for VERONA

components

gaskets



1

GEV No.	525895	Ref. No.	10810
----------------	--------	-----------------	-------

description	gasket D1 ø 13mm ID ø 4.5mm thickness 4mm NBR		
--------------------	---	--	--



1

GEV No.	525896	Ref. No.	14466
----------------	--------	-----------------	-------

description	gasket D1 ø 15mm ID ø 4mm thickness 4mm Viton		
--------------------	---	--	--



1

GEV No.	525893	Ref. No.	14464
----------------	--------	-----------------	-------

description	gasket D1 ø 15mm thickness 8mm since 2004		
--------------------	---	--	--

spring guides



1

GEV No.	531005	Ref. No.	11175
----------------	--------	-----------------	-------

description	spring guide for steam-/water-tap D1 ø 14.5mm D2 ø 9mm ID ø 7mm L 6.5mm		
--------------------	---	--	--

springs



1

GEV No.	525994	Ref. No.	11183
----------------	--------	-----------------	-------

description	compression spring ø 12mm L 21mm wire gauge ø 1.3mm windings 3.5 steel		
--------------------	--	--	--

water taps

knobs



1

GEV No.	111394	Ref. No.	11609
----------------	--------	-----------------	-------

description	knob water ø 54mm black		
--------------------	-------------------------	--	--

water taps



1

GEV No.	531007	Ref. No.	11137
----------------	--------	-----------------	-------

description	water tap with pipe inlet 1/4" tube ø 12mm		
--------------------	--	--	--

steam/water pipes

steam pipes



1

GEV No.	531013	Ref. No.	11181
----------------	--------	-----------------	-------

description	steam pipe H 145mm L 165mm ø 14mm tube ø 10mm		
--------------------	---	--	--



1

GEV No.	531015	Ref. No.	11187
----------------	--------	-----------------	-------

description	steam pipe H 165mm L 200mm ø 14mm tube ø 10mm VERONA suitable for LA ROCCA		
--------------------	--	--	--



1

GEV No.	531014	Ref. No.	11191
----------------	--------	-----------------	-------

description	steam pipe H 170mm L 190mm ø 13.5mm tube ø 10mm suitable for LA ROCCA		
--------------------	---	--	--

nozzles for steam pipes





1


GEV No.	531020	Ref. No.	11207
----------------	--------	-----------------	-------


description	steam nozzle thread M10x1 ø 16mm L 28mm thread L 13mm 4 holes bore ø 1.5mm stainless steel		
--------------------	--	--	--





nozzles for water pipes			
tap aerators			
			
1			
GEV No.	548385	Ref. No.	11128
description	tap aerator thread M22x1 with plastic insert at 3bar ca.44l/min		


accessories			
bushes			
			
1			
GEV No.	525898	Ref. No.	11149
description	bush D1 ø 14mm D2 ø 7mm int. ø 1 5.5mm H 5.5mm brass		


			
1			
GEV No.	525897	Ref. No.	14461
description	bush D1 ø 15mm int. ø 1 8mm H 12.8mm Viton gasket		


gaskets			
			
1			
GEV No.	531019	Ref. No.	11147
description	gasket PTFE D1 ø 15mm D2 ø 11.2mm thickness 3mm inner cone for steam pipe		

springs			
			
1			
GEV No.	531001	Ref. No.	11142
description	compression spring ø 10.7mm L 25.5mm wire gauge ø 1.6mm windings 5		


tube handles			
			
1			
GEV No.	525042	Ref. No.	11208
description	tube handle for pipe ø 10mm ø 13.5mm L 50mm rubber		

union nuts			
			
1			
GEV No.	531004	Ref. No.	11148 11171
description	union nut thread 3/8" L 35.1mm hole ø 12.3mm chrome-plated brass		

fine filters			
holders			
			
1			
GEV No.	528321	Ref. No.	11336
description	filter support D1 ø 13mm ID ø 5mm int. ø 1 11mm H 9mm brass		

fine filters			
			
1			
GEV No.	529911	Ref. No.	11337
description	fine filter flat ø 11mm H 0.25mm		


intake valves			
intake valves			
			
1			
GEV No.	531009	Ref. No.	10807
description	intake valve for LA ROCCA		

accessories			
springs			
			
1			
GEV No.	531000	Ref. No.	10814
description	compression spring ø 15mm L 26mm wire gauge ø 2mm		

level glasses

level glasses

level glasses (complete)



1

GEV No.	531011	Ref. No.	00122
description	level glass suitable for LA ROCCA		

level glass pipes



1

GEV No.	531016	Ref. No.	11005
description	water level tube ø 11mm H 145mm ID ø 8mm		

non-return valves

compression springs



1

GEV No.	525499	Ref. No.	10815
description	compression spring ø 8mm L 31.5mm wire gauge ø 0.5mm windings 10		



1

GEV No.	525498	Ref. No.	10804
description	compression spring ø 8mm L 34mm wire gauge ø 0.4mm windings 10.5		

pistons



1

GEV No.	531018	Ref. No.	10822
description	piston triangle ø 13mm L 19.6mm		

balls



1

GEV No.	528419	Ref. No.	10803
description	ball ø 11mm SS		

knobs

steam/water taps

steam/water taps



1

GEV No.	111392	Ref. No.	11610
description	knob steam ø 54mm shaft ø 8mm black for VERONA		

handles and hand wheels

cone handles



1

GEV No.	111393	Ref. No.	11613 + 11614 11617
description	handle thread M10x1.5 ø 27.5mm L 38mm black matt		

lever handles



1


GEV No.	111393	Ref. No.	11613 + 11614 11617
description	handle thread M10x1.5 ø 27.5mm L 38mm black matt		



gaskets


O-rings

EPDM



1


GEV No.	504512	Ref. No.	10812
description	O-ring EPDM thickness 1.78mm ID ø 14mm Qty 1 pcs		



1

GEV No.	532598	Ref. No.	10811
description	O-ring EPDM thickness 2mm ID ø 9.1mm Qty 1 pcs		


silicone



1


GEV No.	528222	Ref. No.	14409
description	O-ring silicone thickness 2.62mm ID ø 10.78mm Qty 1 pcs		

Viton




1

GEV No.	532571	Ref. No.	10809
description	O-ring Viton thickness 1.78mm ID ø 3.85mm Qty 1 pcs		



1


GEV No.	525899	Ref. No.	14414
description	O-ring Viton thickness 1.9mm ID ø 5.7mm Qty 1 pcs		



1

GEV No.	528525	Ref. No.	14439
description	O-ring Viton thickness 3.53mm ID ø 18.64mm Qty 1 pcs		

NBR




1

GEV No.	532597	Ref. No.	14405
description	O-ring NBR thickness 1.78mm ID ø 9.25mm Qty 1 pcs		

sealing washers


copper gaskets

DIN-7603-A



1


GEV No.	506226	Ref. No.	11004 14203
description	flat gasket copper ED ø 15mm ID ø 10.5mm thickness 1mm Qty 1 pcs		



1


GEV No.	525889	Ref. No.	14401
description	flat gasket copper ED ø 20mm ID ø 13.5mm thickness 1.6mm for thread 1/4" Qty 1 pcs		

DIN-7603-C




1

GEV No.	528520	Ref. No.	14428
description	gasket copper ED ø 22mm ID ø 16mm thickness 2mm		




1

GEV No.	527164	Ref. No.	14400
description	gasket copper ED ø 23mm ID ø 17mm thickness 3mm for thread 3/8"		





1


GEV No.	526431	Ref. No.	14440
description	gasket copper ED ø 26mm ID ø 21.5mm thickness 2.2mm for thread 1/2" Qty 1 pcs		


			
1			
GEV No.	525887	Ref. No.	14438
description	gasket copper ED ø 28mm ID ø 34mm thickness 3mm Qty 1 pcs		


PTFE gaskets


			
1			
GEV No.	525609	Ref. No.	14410
description	flat gasket PTFE ED ø 18mm ID ø 13.5mm thickness 2mm Qty 1 pcs		


			
1			
GEV No.	526679	Ref. No.	10825
description	flat gasket PTFE ED ø 18mm ID ø 13mm thickness 2mm Qty 1 pcs		

			
1			
GEV No.	525890	Ref. No.	14428(alt)
description	flat gasket PTFE ED ø 22mm ID ø 16mm thickness 2mm Qty 1 pcs		

			
1			
GEV No.	526013	Ref. No.	14432
description	flat gasket PTFE ED ø 22mm ID ø 17mm thickness 2mm Qty 1 pcs		


			
1			
GEV No.	525891	Ref. No.	14465
description	flat gasket PTFE ED ø 25mm ID ø 21.5mm thickness 2.5mm size 1/2" Qty 1 pcs		

			
1			
GEV No.	528683	Ref. No.	14433
description	flat gasket PTFE ED ø 26mm ID ø 21mm thickness 2mm Qty 1 pcs suitable for GAGGIA, SPAZIALE		


			
1			
GEV No.	525888	Ref. No.	10206
description	flat gasket PTFE ED ø 47mm ID ø 38mm thickness 2mm Qty 1 pcs		


special gaskets


group gaskets


			
1			
GEV No.	531012	Ref. No.	14427
description	gasket L 71.5mm W 71.5mm thickness 2mm aperture 9.5mm hole distance 56mm suitable for LA ROCCA fibre		

springs
compression springs


			
1			
GEV No.	531001	Ref. No.	11142
description	compression spring ø 10.7mm L 25.5mm wire gauge ø 1.6mm windings 5		


			
1			
GEV No.	525994	Ref. No.	11183
description	compression spring ø 12mm L 21mm wire gauge ø 1.3mm windings 3.5 steel		


			
1			
GEV No.	531002	Ref. No.	10806
description	compression spring ø 14.7mm L 26mm wire gauge ø 2mm windings 3.5		

			
1			
GEV No.	531000	Ref. No.	10814
description	compression spring ø 15mm L 26mm wire gauge ø 2mm		





			
1			
GEV No.	525499	Ref. No.	10815
description	compression spring ø 8mm L 31.5mm wire gauge ø 0.5mm windings 10		


			
1			
GEV No.	525498	Ref. No.	10804
description	compression spring ø 8mm L 34mm wire gauge ø 0.4mm windings 10.5		


			
1			
GEV No.	531017	Ref. No.	11325
description	push switch ø 8mm L 20mm wire gauge ø 0.8mm windings 4.5		


manometers

			
1			
GEV No.	541771	Ref. No.	12164
description	manometer double scale ø 58.5mm pressure range 0-2.5 / 0-16bar connection on the backside thread 1/8"		

			
1			
GEV No.	541772	Ref. No.	13204
description	manometer double scale ø 60mm pressure range 0-2.5 / 0-16bar connection on the backside thread 1/8"		

			
1			
GEV No.	541775	Ref. No.	13247
description	manometer ø 41mm pressure range 0-25bar thread 1/8" connection on the backside		


			
1			
GEV No.	541774	Ref. No.	13248
description	manometer ø 41mm pressure range 0-3bar thread 1/8" connection on the backside		

			
1			
GEV No.	541773	Ref. No.	13211
description	manometer ø 41mm pressure range 0-3bar thread 1/8" marking 1.4 - 1.6 connection on the backside		

fastening material

screws


hexagonal screws

			
1			
GEV No.	560448	Ref. No.	14042
description	hexagonal screw thread M5 thread L 8mm SS WS 8 Qty 1 pcs head thickness 4mm DIN 933 / ISO 4017		

washers

washers

miscellaneous

			
1			
GEV No.	531021	Ref. No.	14219
description	plain washer ID ø 7mm ED ø 11mm thickness 1mm stainless steel Qty 1 pcs		

B

bi-metal thermostats 3, 3

E

electrodes 5

F

fastening material 13

H

heating elements 3

heating elements for coffee machine 3

hexagonal screws 13

I

indicator lights 3

indicator lights (complete) 3

L

lamps 3

O

O-rings 11

R

relays 4

rocker/momentary rocker switches 3

rotary switches 3

S

safety bi-metal thermostats 3

screws 13

sealing washers 11

solenoid valves 5

switches and momentary switches 3

T

thermostats 3

W

washers 13