



**GAS COMPONENTS**



**ELECTRIC COMPONENTS**



**WATER TECHNOLOGY**



**MECHANICAL COMPONENTS**



**TOOLS**

Spare parts suitable for

**LA-SOMMELIERE**

Find the complete and up-to-date range of products in our GEV Webshop



# Manufacturer catalogue

The most important spare parts and accessories arranged clearly for every manufacturer

- ✓ Complete product range and all appliance data always up to date in the GEV Webshop
- ✓ Alphabetical Index at the end of the catalogue

## GEV Webshop

[www.gev-online.co.uk](http://www.gev-online.co.uk)

[www.gev-online.com](http://www.gev-online.com)



- 🔍 Add to Favourites
- 🔍 Sign In with email address and usual password
- 🔍 Easy-order – place several items in your basket at the same time
- 🔍 Quick Item search – no login needed



## thermostats


### refrigeration thermostats

#### DANFOSS

##### service thermostats DANFOSS


All Danfoss thermostats are supplied with fastening material application:

- 390552 - \*\*fridges
- 390553 - \*\*Refrigerators with defrosting push button
- 390554 - \*\*/\*\*Refrigerators with automatic defrosting
- 390555 - absorption refrigerators
- 390557 - Deep cooler with active signal
- 390558 - Freezing with passive signal
- 390559 - bottle cooler 390559




<b>GEV No.</b>	390668	<b>Ref. No.</b>	077B0338 7038042
<b>description</b>	thermostat type 077B0338 capillary pipe 2000mm		

#### control thermostats




<b>GEV No.</b>	390669	<b>Ref. No.</b>	7038257 (old version)
<b>description</b>	thermostat type 077B0303L capillary pipe 2000mm temperature range -8.5 up to -1°C probe ø 2mm probe Lmm DANFOSS		



<b>GEV No.</b>	391036	<b>Ref. No.</b>	7038257
<b>description</b>	thermostat type 077B2220 capillary pipe 860mm temperature range -34 up to -15°C probe ø 2mm		


#### RANCO

##### K50 series




<b>GEV No.</b>	390670	<b>Ref. No.</b>	A6004206
<b>description</b>	thermostat RANCO type K50-L3363 capillary pipe 2050mm probe ø9.5x130mm		

#### miscellaneous producers



<b>GEV No.</b>	390671	<b>Ref. No.</b>	152783
<b>description</b>	thermostat capillary pipe 800mm		




<b>GEV No.</b>	380869	<b>Ref. No.</b>	7038042
<b>description</b>	thermostat probe ø 3mm capillary pipe 500mm		

## switches and momentary switches

### push/momentary push switches

#### ø12mm



<b>GEV No.</b>	346594	<b>Ref. No.</b>	A07025
<b>description</b>	momentary push switch mounting ø 12mm black 1NO 250V 4A connection male faston 6.3mm ambient temperature max. 85°C protection IP40		



## lamps

## LED

## indicator lamps

## miscellaneous



1

<b>GEV No.</b>	700842	<b>Ref. No.</b>	BSF17019
----------------	--------	-----------------	----------

<b>description</b>	lamp LED cable length 115mm ø 140mm		
--------------------	-------------------------------------	--	--

## fluorescent lamps

## fluorescent lamps

## G13



1

<b>GEV No.</b>	359455	<b>Ref. No.</b>	Z0370019
----------------	--------	-----------------	----------

<b>description</b>	fluorescent lamp socket G13 L 438mm 15W with starter		
--------------------	--	--	--



1

<b>GEV No.</b>	357007	<b>Ref. No.</b>	AM100B18 AM100B21
----------------	--------	-----------------	----------------------

<b>description</b>	fluorescent lamp socket G13 L 895mm 30W ø 27mm 230V Qty 1 pcs		
--------------------	---	--	--

<b>accessories for</b>	357007		
------------------------	--------	--	--



<b>GEV No.</b>	380464	<b>Ref. No.</b>	AM100B19
----------------	--------	-----------------	----------

<b>description</b>	starter 4-65W		
--------------------	---------------	--	--



<b>GEV No.</b>	401505	<b>Ref. No.</b>	—
----------------	--------	-----------------	---

<b>description</b>	electrical ballast 36W 230V Qty 1 pcs		
--------------------	---------------------------------------	--	--



<b>GEV No.</b>	402065	<b>Ref. No.</b>	—
----------------	--------	-----------------	---

<b>description</b>	electrical ballast 30W 230V for fluorescent lamps Qty 1 pcs		
--------------------	---	--	--

## accessories

## starter



1

<b>GEV No.</b>	380464	<b>Ref. No.</b>	AM100B19
----------------	--------	-----------------	----------

<b>description</b>	starter 4-65W		
--------------------	---------------	--	--

## lamp accessories

## fascias



1

<b>GEV No.</b>	692054	<b>Ref. No.</b>	AM100B24
----------------	--------	-----------------	----------

<b>description</b>	bezel for lighting W 1200mm H 220mm D 45mm		
--------------------	--	--	--



1

<b>GEV No.</b>	694235	<b>Ref. No.</b>	CF100009
----------------	--------	-----------------	----------

<b>description</b>	cover for lamp L 1260mm W 60mm		
--------------------	--------------------------------	--	--

## relays

## power relays

## with bracket mounting



1

<b>GEV No.</b>	380867	<b>Ref. No.</b>	AM100B11
----------------	--------	-----------------	----------

<b>description</b>	relay SHANGFANG 12VDC 30A 1NO connection male faston 6.3mm screw mounting at 250V 30A manuf. no. 855AW-1A-C1		
--------------------	--	--	--

## miscellaneous



1

<b>GEV No.</b>	380868	<b>Ref. No.</b>	153122
----------------	--------	-----------------	--------

<b>description</b>	relay 230V		
--------------------	------------	--	--



electronic controllers









SHANGFANG

refrigeration controllers

built-in version



1

<b>GEV No.</b>	402150 <sup>1</sup>	<b>Ref. No.</b>	LG208H09
<b>description</b>	electronic controller SHANGFANG type SF-1015-2 mounting measurements 71x29mm 12V voltage AC NTC relay outputs 1 12VDC NTC front measurements 77x35mm built-in depth 40mm protection IP54 accuracy 1% built-in version alarm yes without accessories defr. funct. yes -45 up to +45°C display 3 digits		
<b>spare parts for</b>	402150		
	<b>GEV No.</b>	379054	<b>Ref. No.</b> —
	transformer primary 230VAC secondary 12VAC 3VA secondary 0.25A H 40mm L 45mm W 50mm connection screw 50/60Hz type 153/M		
	<b>GEV No.</b>	380867	<b>Ref. No.</b> AM100B11
	relay SHANGFANG 12VDC 30A 1NO connection male faston 6.3mm screw mounting at 250V 30A manuf. no. 855AW-1A-C1		
	<b>GEV No.</b>	381318	<b>Ref. No.</b> —
	temperature probe NTC cable silicone cable colours white cable length 3m probe -40 up to +110°C cable -50 up to +180°C probe ø7x25mm coded plug		
	<b>GEV No.</b>	381319	<b>Ref. No.</b> —
	temperature probe NTC cable silicone cable colours black cable length 3m evaporator probe -40 up to +110°C cable -50 up to +180°C probe ø7x25mm coded plug		
<b>accessories for</b>	402150		
	<b>GEV No.</b>	379054	<b>Ref. No.</b> —
	transformer primary 230VAC secondary 12VAC 3VA secondary 0.25A H 40mm L 45mm W 50mm connection screw 50/60Hz type 153/M		
	<b>GEV No.</b>	380867	<b>Ref. No.</b> AM100B11
	relay SHANGFANG 12VDC 30A 1NO connection male faston 6.3mm screw mounting at 250V 30A manuf. no. 855AW-1A-C1		
	<b>GEV No.</b>	381318	<b>Ref. No.</b> —
	temperature probe NTC cable silicone cable colours white cable length 3m probe -40 up to +110°C cable -50 up to +180°C probe ø7x25mm coded plug		
	<b>GEV No.</b>	381319	<b>Ref. No.</b> —
	temperature probe NTC cable silicone cable colours black cable length 3m evaporator probe -40 up to +110°C cable -50 up to +180°C probe ø7x25mm coded plug		

<sup>1</sup>without relay, cable harness, probe and transformer



1

<b>GEV No.</b>	402156	<b>Ref. No.</b>	CF100005
<b>description</b>	electronic controller SHANGFANG type SF-821 mounting measurements 71x29mm 230V voltage AC NTC relay outputs 1 NO-16A NTC front measurements 77x35mm built-in depth 60mm accuracy 1% defr. funct. yes -45 up to +100°C		

built-in version 2-piece



1

<b>GEV No.</b>	402148 <sup>1</sup>	<b>Ref. No.</b>	AM100B10 AM33643
<b>description</b>	electronic controller SHANGFANG type SF-1045 mounting measurements 71x29mm 230V voltage AC NTC relay outputs 2 NO-30A NO-30A NTC NTC Comp front measurements 77x35mm built-in depth 40mm protection IP54 accuracy 1% built-in version alarm incl. relay, cable harness, probe and transformer defr. funct. yes -45 up to +45°C display 3 digits		
<b>spare parts for</b>	402148		
	<b>GEV No.</b>	379054	<b>Ref. No.</b> —
	transformer primary 230VAC secondary 12VAC 3VA secondary 0.25A H 40mm L 45mm W 50mm connection screw 50/60Hz type 153/M		
	<b>GEV No.</b>	380867	<b>Ref. No.</b> AM100B11
	relay SHANGFANG 12VDC 30A 1NO connection male faston 6.3mm screw mounting at 250V 30A manuf. no. 855AW-1A-C1		
	<b>GEV No.</b>	381318	<b>Ref. No.</b> —
	temperature probe NTC cable silicone cable colours white cable length 3m probe -40 up to +110°C cable -50 up to +180°C probe ø7x25mm coded plug		
	<b>GEV No.</b>	381319	<b>Ref. No.</b> —
	temperature probe NTC cable silicone cable colours black cable length 3m evaporator probe -40 up to +110°C cable -50 up to +180°C probe ø7x25mm coded plug		
<b>accessories for</b>	402148		
	<b>GEV No.</b>	379054	<b>Ref. No.</b> —
	transformer primary 230VAC secondary 12VAC 3VA secondary 0.25A H 40mm L 45mm W 50mm connection screw 50/60Hz type 153/M		
	<b>GEV No.</b>	380867	<b>Ref. No.</b> AM100B11
	relay SHANGFANG 12VDC 30A 1NO connection male faston 6.3mm screw mounting at 250V 30A manuf. no. 855AW-1A-C1		
	<b>GEV No.</b>	381318	<b>Ref. No.</b> —
	temperature probe NTC cable silicone cable colours white cable length 3m probe -40 up to +110°C cable -50 up to +180°C probe ø7x25mm coded plug		
	<b>GEV No.</b>	381319	<b>Ref. No.</b> —
	temperature probe NTC cable silicone cable colours black cable length 3m evaporator probe -40 up to +110°C cable -50 up to +180°C probe ø7x25mm coded plug		

<sup>1</sup>incl. relay, cable harness, probe and transformer



## accessories



1

<b>GEV No.</b>	380867	<b>Ref. No.</b>	AM100B11
<b>description</b>	relay SHANGFANG 12VDC 30A 1NO connection male faston 6.3mm screw mounting at 250V 30A manuf. no. 855AW-1A-C1		

## electronics

## PCBs



1

<b>GEV No.</b>	401852	<b>Ref. No.</b>	CVH21021 CVH21021_BIS
<b>description</b>	keypad PCB refrigeration L 180mm W 42mm with display buttons 4		



1

<b>GEV No.</b>	402151	<b>Ref. No.</b>	D123BP0302
<b>description</b>	PCB refrigerator L 100mm W 98mm suitable for CM270		



1

<b>GEV No.</b>	401845	<b>Ref. No.</b>	CVH21046
<b>description</b>	power PCB L 235mm W 70mm suitable for MC209/CVH210 230V 15A		

## compressors

## EMBRACO / ASPERA

R134A

LBP monophase

*Lower evaporation temperature below -20°C*

1

<b>GEV No.</b>	605119	<b>Ref. No.</b>	A6001206
<b>description</b>	compressor coolant R134a type NE2121Z 220-240V 50Hz LBP fully hermetic 11.7kg 1/4HP cylinder capacity 9.26cm <sup>3</sup> CSIR H 215mm 163W 217W 285W 368W 465W 575W test method EN 12900		

HBP monophase

*High evaporation temperature above -15°C*

1

<b>GEV No.</b>	605115	<b>Ref. No.</b>	A6001256
<b>description</b>	compressor coolant R134a type T6217Z 220-240V 50Hz HBP fully hermetic 16.8kg 1/2HP cylinder capacity 22.4cm <sup>3</sup> CSIR H 225mmWWW 718W 973W 1275W 1624W 2020W 2464W test method ASHRAE		



SECOP DANFOSS

R134A

LBP monophase

Lower evaporation temperature below -20°C



1

<b>GEV No.</b>	605052	<b>Ref. No.</b>	AC2PT37
<b>description</b>	compressor coolant R134a type TL5G 220-240V 50Hz LBP/HBP fully hermetic 7.5kg 1/6HP cylinder capacity 5.08cm <sup>3</sup> RSIR/CSIR H 173mm 69W 97W 132W 172W 220W 277W 345W 423W 461W test method ASHRAE		
<b>spare parts for</b>	605052		
	<b>GEV No.</b>	380076	<b>Ref. No.</b> —
	start relay DANFOSS 117U6000 HST		

HBP monophase

High evaporation temperature above -15°C



1

<b>GEV No.</b>	605052	<b>Ref. No.</b>	AC2PT37
<b>description</b>	compressor coolant R134a type TL5G 220-240V 50Hz LBP/HBP fully hermetic 7.5kg 1/6HP cylinder capacity 5.08cm <sup>3</sup> RSIR/CSIR H 173mm 69W 97W 132W 172W 220W 277W 345W 423W 461W test method ASHRAE		
<b>spare parts for</b>	605052		
	<b>GEV No.</b>	380076	<b>Ref. No.</b> —
	start relay DANFOSS 117U6000 HST		

HMBP monophase

High/Medium evaporation temperature above -20/-15 °C



1

<b>GEV No.</b>	605091	<b>Ref. No.</b>	195BO193
<b>description</b>	compressor coolant R134a type FR8.5G 220-240V 50Hz HMBP 10.6kg 1/4HP power input 261W cylinder capacity 7.95cm <sup>3</sup> RSIR/CSIR H 196mm 85W 123W 171W 228W 298W 381W 478W 592W 722WW		
<b>spare parts for</b>	605091		
	<b>GEV No.</b>	380484	<b>Ref. No.</b> —
	start relay DANFOSS 117U6015/F394 HST		




1

<b>GEV No.</b>	605193	<b>Ref. No.</b>	LG330H19
<b>description</b>	compressor coolant R134a type NL11MF 220-240V 50Hz HMBP 10.5kg 1/3HP cylinder capacity 11.15cm <sup>3</sup> RSIR/CSIR H 203mmWW 321W 418W 534W 670W 832W 1020W 1239W test method ASHRAE		
<b>spare parts for</b>	605193		
	<b>GEV No.</b>	381530	<b>Ref. No.</b> —
	start relay DANFOSS 117U6022 HST		



1

<b>GEV No.</b>	605087	<b>Ref. No.</b>	153117
<b>description</b>	compressor coolant R134a type SC12G 220-240V 50Hz HMBP fully hermetic 12.6kg 1/3HP power input 470W cylinder capacity 12.9cm <sup>3</sup> RSIR/CSIR H 203mm 140W 216W 312W 430W 574W 746W 951W 1191W 1469W test method ASHRAE 79.6W 1790W		
<b>spare parts for</b>	605087		
	<b>GEV No.</b>	380483	<b>Ref. No.</b>
	start relay DANFOSS 117U6003 HST		



1

<b>GEV No.</b>	605118	<b>Ref. No.</b>	AM100B5 CF100031
<b>description</b>	compressor Guangzhou type AQAW91 coolant R134a 220V 50Hz		

miscellaneous

various



1

<b>GEV No.</b>	605121	<b>Ref. No.</b>	BSF17026
<b>description</b>	compressor BAIXUE type QDH28G coolant R134a 230V 50Hz		



1

<b>GEV No.</b>	605117	<b>Ref. No.</b>	BC82A11
<b>description</b>	compressor Guangzhou type AS30 coolant R134a 230V 50Hz		



1

<b>GEV No.</b>	605116	<b>Ref. No.</b>	AM33633
<b>description</b>	compressor Guangzhou type AQAW77 coolant R134a 220V 50Hz		



1

<b>GEV No.</b>	605120	<b>Ref. No.</b>	MB88NAEM134
<b>description</b>	compressor LG type MA57LAEG coolant R134a 230V 50Hz		





fans

axial fans

import



1

<b>GEV No.</b>	601609 <sup>1</sup>	<b>Ref. No.</b>	AC2P-T15 AC2PW04
<b>description</b>	axial fan L 119mm W 119mm H 25mm 230VAC 50-60Hz 14W bearing ball bearing connection male faston 2.8mm input current 0.07A housing aluminium		

<sup>1</sup>with ball bearings



1

<b>GEV No.</b>	601604 <sup>1</sup>	<b>Ref. No.</b>	AC2PT33 AM33615 LG208H16
<b>description</b>	axial fan L 119mm W 119mm H 38mm 230VAC 50/60Hz 17/15W bearing slide bearing manuf. no. AA1282HS-AT connection cable 300mm fan wheel ø 110mm temp.-resist. 70°C input current 0.1A airflow 130m <sup>3</sup> /h 2600rpm		

<sup>1</sup>with slide bearings



1

<b>GEV No.</b>	601601 <sup>1</sup>	<b>Ref. No.</b>	SA03018
<b>description</b>	axial fan L 119mm W 119mm H 38mm 230VAC 50/60Hz 22W bearing slide bearing manuf. no. DP200A2123XST.GN SUNON input current 0.14A		

<sup>1</sup>with slide bearings



1

<b>GEV No.</b>	601606	<b>Ref. No.</b>	AM100B30
<b>description</b>	axial fan L 119mm W 119mm H 38mm 230VAC 50/60Hz bearing slide bearing set 4-piece		

refrigeration fans

refrigeration motors universal

IMPORT

multi fit fan motors



1

<b>GEV No.</b>	601050	<b>Ref. No.</b>	S1000112
<b>description</b>	fan motor 34W 230V 50-60Hz L2 90mm L3 121mm W 84mm cable length 500mm 1300rpm YZF34-45-18/26 5 mounting options bearing slide bearing		



1

<b>GEV No.</b>	601020	<b>Ref. No.</b>	A6002001
<b>description</b>	fan motor 5W 230V 50-60Hz L1 44mm L2 48mm L3 79mm W 84mm cable length 500mm 1300rpm YZF5-13-18/26 5 mounting options bearing slide bearing		



cooling motors (complete)



1			
<b>GEV No.</b>	601610	<b>Ref. No.</b>	CF100023
<b>description</b>	fan 230V 5W 50/60Hz fan wheel ø 172mm shaft L 20mm W 105mm blade angle 28° connection with cable mounting distance 208mm ø 220mm		

cold air circulating fans (other)



1			
<b>GEV No.</b>	601605	<b>Ref. No.</b>	A6002088
<b>description</b>	fan motor 230V 50-60Hz 26W shaft ø 4.5mm shaft L 42mm		

cross flow fans

EMMEVI - FERGAS

with standard coil




1			
<b>GEV No.</b>	601018	<b>Ref. No.</b>	A6002035 A6002036
<b>description</b>	cross flow fan TG 180 roller ø 60mm roller length 180mm motor position right 230V/50Hz 25W universal bearing silicone connection male faston 6.3mm -10 up to +60°C 230V connections 1-2 1950U/min connections 1-4 1500U/min		

equipment-specific units

for fridges

bottom parts



1			
<b>GEV No.</b>	691934	<b>Ref. No.</b>	BSF17027
<b>description</b>	bottom L 423mm W 378mm H 58mm for condenser Mini 4F		

housing and bezels

covers



1			
<b>GEV No.</b>	691933	<b>Ref. No.</b>	AM100B39
<b>description</b>	cover LG1000 L 1200mm W 68mm H 305mm		



1			
<b>GEV No.</b>	691935	<b>Ref. No.</b>	AM3363
<b>description</b>	cover LG336 L 615mm W 180mm plate thickness max. 1mm		
<b>accessories for</b>	691935		



	<b>GEV No.</b>	691936	<b>Ref. No.</b>	AM3364
<b>description</b>	side panel mounting pos. left W 72mm H 183mm thickness 28mm LG336			



1			
<b>GEV No.</b>	691936	<b>Ref. No.</b>	AM3364
<b>description</b>	side panel mounting pos. left W 72mm H 183mm thickness 28mm LG336		
<b>accessories for</b>	691936		

	<b>GEV No.</b>	691935	<b>Ref. No.</b>	AM3363
<b>description</b>	cover LG336 L 615mm W 180mm plate thickness max. 1mm			




lids



1

<b>GEV No.</b>	694242	<b>Ref. No.</b>	N1S418* N6A608
<b>description</b>	lid mounting pos. upper W 860mm D 560mm thickness 60mm plastic		



1

<b>GEV No.</b>	694233	<b>Ref. No.</b>	CF100013D
<b>description</b>	door right W 670mm H 1570mm thickness 40mm		

doors

doors



1

<b>GEV No.</b>	694250	<b>Ref. No.</b>	CF100013G
<b>description</b>	door right suitable for refrigerator W 670mm H 1570mm thickness 40mm		



1

<b>GEV No.</b>	195003	<b>Ref. No.</b>	BSF17012
<b>description</b>	door W 425mm H 565mm thickness 17mm glas		



1

<b>GEV No.</b>	694251	<b>Ref. No.</b>	D270CP0201
<b>description</b>	door W 580mm H 1435mm thickness 63mm		



1

<b>GEV No.</b>	692047	<b>Ref. No.</b>	AM100B35 AM3366
<b>description</b>	glass door W 600mm H 1370mm thickness 40mm		



1


<b>GEV No.</b>	694231	<b>Ref. No.</b>	DL115P02
<b>description</b>	glass door W 480mm H 800mm thickness 52mm		

miscellaneous



1

<b>GEV No.</b>	692048	<b>Ref. No.</b>	138
<b>description</b>	drain tray L 380mm W 178mm H 50mm plastic		




1

<b>GEV No.</b>	692059	<b>Ref. No.</b>	CF100019
<b>description</b>	rack L 210mm W 20mm plastic		



1

<b>GEV No.</b>	694232	<b>Ref. No.</b>	CVH21031
<b>description</b>	glass door W 590mm H 1800mm thickness 32mm		



1

<b>GEV No.</b>	692058	<b>Ref. No.</b>	CF100042
<b>description</b>	rack support for fridge plastic		



for freezer cabinets


lids



1

<b>GEV No.</b>	692049	<b>Ref. No.</b>	BG706103
<b>description</b>	lid for deep freezer W 1010mm D 720mm H 60mm with gasket		

housing and bezels




1

<b>GEV No.</b>	692052	<b>Ref. No.</b>	127862
<b>description</b>	front panel for deep freezer W 170mm H 55mm		

for display coolers

glass panels

glass panels



1

<b>GEV No.</b>	692050	<b>Ref. No.</b>	SH01017
<b>description</b>	glass panel H 5mm ø 575mm for fridge glas		

doors



1

<b>GEV No.</b>	694228	<b>Ref. No.</b>	BSF17037
<b>description</b>	door W 575mm H 330mm mounting pos. lateral glas thickness 10.6mm		

for ovens

glass panels



1

<b>GEV No.</b>	691932	<b>Ref. No.</b>	BSF17038
<b>description</b>	glass panel L 570mm W 389mm thickness 7mm mounting pos. rear Mini 4F		

locks

locking devices

universal

articles not yet classified



1

<b>GEV No.</b>	692341	<b>Ref. No.</b>	3414900023
<b>description</b>	key cylinder with key cam length 12mm hole distance 35mm hole ø 4mm ring ø 10.5mm		

## hinges

## door bearing



1

<b>GEV No.</b>	700844	<b>Ref. No.</b>	SB060420
----------------	--------	-----------------	----------

<b>description</b>	hinge L 34mm W 8mm H 18mm with bolt suitable for VT/VF		
--------------------	--	--	--

## equipment feet and end caps

## screw-in feet




1

<b>GEV No.</b>	701004	<b>Ref. No.</b>	C6025141
----------------	--------	-----------------	----------

<b>description</b>	equipment foot thread M10 thread L 45mm ø 42mm H 63.5mm Qty 1 pcs suitable for S1000		
--------------------	--	--	--

## baskets

## miscellaneous




1

<b>GEV No.</b>	692051	<b>Ref. No.</b>	157585
----------------	--------	-----------------	--------

<b>description</b>	grid basket L 550mm W 220mm H 340mm for deep freezer		
--------------------	--	--	--

## shelves and shelf rails

## bottle racks



1

<b>GEV No.</b>	970657	<b>Ref. No.</b>	CL270M
----------------	--------	-----------------	--------

<b>description</b>	bottle rack mounting pos. upper & center L 493mm H 40mm W 460mm chrome-plated steel		
--------------------	---	--	--

## grates

## producer-specific



1

<b>GEV No.</b>	970655	<b>Ref. No.</b>	BSF17010
----------------	--------	-----------------	----------

<b>description</b>	grate W 355mm D 305mm H 18mm chrome-plated steel suitable for Mini 4F		
--------------------	---	--	--



1

<b>GEV No.</b>	970656	<b>Ref. No.</b>	AM33620
----------------	--------	-----------------	---------

<b>description</b>	grate W 438mm D 500mm H 20mm plastic-coated wire gauge frame 6mm lengthwise wires gauge 3mm crossing wires 2 white suitable for LG336		
--------------------	---	--	--



1

<b>GEV No.</b>	970702	<b>Ref. No.</b>	ECO1P20
----------------	--------	-----------------	---------

<b>description</b>	grate W 505mm D 405mm H 23mm plastic-coated steel wire gauge frame 6mm lengthwise wires gauge 4mm crossing wires 3 white		
--------------------	--	--	--



1

<b>GEV No.</b>	970658	<b>Ref. No.</b>	CL1000
----------------	--------	-----------------	--------

<b>description</b>	grate W 550mm D 900mm H 35mm plastic-coated steel 4 shelf supports inclusive wire gauge frame 8mm lengthwise wires gauge 3mm crossing wires 3 suitable for S1000		
--------------------	--	--	--

<b>accessories for</b>	970658		
------------------------	--------	--	--



<b>GEV No.</b>	692044	<b>Ref. No.</b>	AM100B32
----------------	--------	-----------------	----------

<b>description</b>	shelf support W 22mm H 18mm L1 31mm L2 30mm		
--------------------	---	--	--



shelf rails and supports

producer-specific



1			
<b>GEV No.</b>	692046	<b>Ref. No.</b>	LG208H11
<b>description</b>	shelf support aluminium		



1			
<b>GEV No.</b>	690969	<b>Ref. No.</b>	B6012054
<b>description</b>	shelf support L 33/28mm W 22mm H 18mm		



1			
<b>GEV No.</b>	692045	<b>Ref. No.</b>	BSF17016
<b>description</b>	shelf support plastic		




1			
<b>GEV No.</b>	692044	<b>Ref. No.</b>	AM100B32
<b>description</b>	shelf support W 22mm H 18mm L1 31mm L2 30mm		

**gaskets**

refrigeration gaskets


plug-in gaskets

profile 9049




1			
<b>GEV No.</b>	900920	<b>Ref. No.</b>	A6010056
<b>description</b>	refrigeration gasket profile 9049 W 560mm L 775mm plug size		

profile 9011




<b>GEV No.</b>	900942	<b>Ref. No.</b>	CVH13030
<b>description</b>	refrigeration gasket profile 9011 W 560mm L 1175mm plug size		




<b>GEV No.</b>	900943	<b>Ref. No.</b>	CVH21032
<b>description</b>	refrigeration gasket profile 9011 W 560mm L 1770mm plug size		

profile 9156



<b>GEV No.</b>	901648	<b>Ref. No.</b>	AM100B46
<b>description</b>	refrigeration gasket profile 9156 W 595mm L 1340mm plug size Qty 1 pcs		

profile 9967



<b>GEV No.</b>	900921	<b>Ref. No.</b>	BG706102 BG706102/1
<b>description</b>	refrigeration gasket profile 9967 W 960mm L 640mm plug size		

## evaporators


## for fridges

## producer-specific



1

<b>GEV No.</b>	750273	<b>Ref. No.</b>	9200005049 AC2PT07
<b>description</b>	evaporator L 375mm W 50mm H 330mm		



1

<b>GEV No.</b>	750265	<b>Ref. No.</b>	AM33646
<b>description</b>	evaporator L 458mm W 138mm H 145mm suitable for LG336		



1

<b>GEV No.</b>	750264	<b>Ref. No.</b>	CF100002
<b>description</b>	evaporator L 570mm W 140mm H 150mm with capillary pipe		



1

<b>GEV No.</b>	750266	<b>Ref. No.</b>	A6006060
<b>description</b>	evaporator L 775mm W 105mm H 217mm suitable for S1000		

## condensers

## condensers



1

<b>GEV No.</b>	750274	<b>Ref. No.</b>	CF100024
<b>description</b>	condenser W 410mm D 110mm H 220mm		

## evaporation and condensing trays

## evaporation trays



1


<b>GEV No.</b>	750275	<b>Ref. No.</b>	B6030249
<b>description</b>	evaporation tray L 887mm W 228mm H 40mm for evaporator		

## hoses

## industrial hoses

## silicone hoses

## without fabric



1

<b>GEV No.</b>	530053	<b>Ref. No.</b>	7
<b>description</b>	silicone hose ID $\varnothing$ 8mm ED $\varnothing$ 13mm L 1.85m thickness 2.5mm transparent		



**A**

axial fans 9

**C**

compressors 6

cross flow fans 10

**E**

electronic controllers 5

evaporators 16

**F**

fans 9

fluorescent lamps 4,4

**G**

grates 14

**H**

hoses 16

**I**

industrial hoses 16

**L**

lamp accessories 4

lamps 4

LED 4

**P**

plug-in gaskets 15

push/momentary push switches 3

**R**

refrigeration fans 9

refrigeration gaskets 15

refrigeration motors universal 9

refrigeration thermostats 3

relays 4

**S**

shelves and shelf rails 14

silicone hoses 16

starter 4

switches and momentary switches 3

**T**

thermostats 3