



**GAS COMPONENTS**



**ELECTRIC COMPONENTS**



**WATER TECHNOLOGY**



**MECHANICAL COMPONENTS**



**TOOLS**

Spare parts suitable for

**LÜKON**

Find the complete and up-to-date range of products in our GEV Webshop



# Manufacturer catalogue

The most important spare parts and accessories arranged clearly for every manufacturer

- ✓ Complete product range and all appliance data always up to date in the GEV Webshop
- ✓ Alphabetical Index at the end of the catalogue

## GEV Webshop

[www.gev-online.co.uk](http://www.gev-online.co.uk)

[www.gev-online.com](http://www.gev-online.com)



- 🔍 Add to Favourites
- 🔍 Sign In with email address and usual password
- 🔍 Easy-order – place several items in your basket at the same time
- 🔍 Quick Item search – no login needed




## heating elements


### heating elements for rechauds




<b>GEV No.</b>	415639	<b>Ref. No.</b>	5-001238 710.17
<b>description</b>	heating element 1200W 230V heating circuits 1 L 255mm W 256mm H 56mm L1 45mm L2 210mm connection distance 248mm tube ø 8.5mm connection male faston 6.3mm dry heating element		



<b>GEV No.</b>	418523	<b>Ref. No.</b>	5-000113 5-000976 508TF
<b>description</b>	heating element 200W 115V dry heating element		



<b>GEV No.</b>	418500	<b>Ref. No.</b>	5.000.000032 5-000110 5-000973
<b>description</b>	heating element 200W 230V heating circuits 1 L 335mm W 18mm H 53mm cable length 290mm connection cable dry heating element with mounting strap H1 37mm H2 18mm		



<b>GEV No.</b>	415638	<b>Ref. No.</b>	5-001237 705.17
<b>description</b>	heating element 750W 230V heating circuits 1 L 175mm W 260mm H 56mm L1 50mm L2 125mm connection distance 257mm tube ø 8.5mm connection male faston 6.3mm dry heating element		

## thermostats

### control and safety thermostats


EGO

control thermostats

55.13\_ series



<b>GEV No.</b>	375356	<b>Ref. No.</b>	5-000023
<b>description</b>	thermostat t.max. 180°C temperature range 100-180°C 1-pole 1NO 16A probe ø 6mm probe L 98mm capillary pipe 870mm capillary pipe isolatedmm gland nut shaft ø 6x4.6mm shaft L 23mm shaft position upper rotation 270°		



<b>GEV No.</b>	375802	<b>Ref. No.</b>	2.0001.00026 2-000024 2-001285
<b>description</b>	thermostat t.max. 85°C temperature range 30-85°C 1-pole 1CO 16A probe ø 6mm probe L 94mm capillary pipe 830mm capillary pipe isolatedmm gland nut shaft ø 6x4.6mm shaft L 23mm shaft position upper* rotation 270°		

## switches and momentary switches

### push/momentary push switches

27.2x22.2mm



<b>GEV No.</b>	346598 <sup>1</sup>	<b>Ref. No.</b>	2-000068 2-001325 2-5-1
<b>description</b>	push switch mounting measurements 27.2x22.2mm green 1NO 250V 16A illuminated connection male faston 6.3mm ambient temperature max. 55/120°C protection IP40		

<sup>1</sup>illuminated

## fuses

### thermal fuses



<b>GEV No.</b>	358308	<b>Ref. No.</b>	5-000107 5-000970
<b>description</b>	thermal fuse switch-off temp. 128°C nominalA		

## electric accessories

### plugs - couplings - power sockets

#### appliance sockets/plugs

#### medium temperature appliances 120°C



<b>GEV No.</b>	550707	<b>Ref. No.</b>	2-000154 2-001405 2-4-1
<b>description</b>	medium temperature appliance plug C16 male faston 6.3mm max 10A/250V T120 thermoplastic		

## equipment-specific units

### for rechauds

#### warming plates

#### warming plates



<b>GEV No.</b>	693809	<b>Ref. No.</b>	5-000435 5-001290 Platte, komplett
<b>description</b>	warming plate plate size 280x165x10mm with handle		

## consumables

### fuses

#### thermal fuses



<b>GEV No.</b>	358308	<b>Ref. No.</b>	5-000107 5-000970
<b>description</b>	thermal fuse switch-off temp. 128°C nominalA		

**A**

appliance sockets/plugs 4

**C**

consumables 4

control thermostats 3

**E**

electric accessories 4

**F**

fuses 4, 4

**H**

heating elements 3

heating elements for rechauds 3

**P**

plugs - couplings - power sockets 4

push/momentary push switches 3

**S**

switches and momentary switches 3

**T**

thermal fuses 4

thermostats 3