



GAS COMPONENTS



ELECTRIC COMPONENTS



WATER TECHNOLOGY



MECHANICAL COMPONENTS



TOOLS

Spare parts suitable for

MIELE

Find the complete and up-to-date range of products in our GEV Webshop



Manufacturer catalogue

The most important spare parts and accessories arranged clearly for every manufacturer

- ✓ Complete product range and all appliance data always up to date in the GEV Webshop
- ✓ Alphabetical Index at the end of the catalogue

GEV Webshop

www.gev-online.co.uk

www.gev-online.com




- 🔍 Add to Favourites
- 🔍 Sign In with email address and usual password
- 🔍 Easy-order – place several items in your basket at the same time
- 🔍 Quick Item search – no login needed




heating elements

heating elements for convection

			
1			
GEV No.	416405	Ref. No.	8346760
description	heating element 2400W 230V heating circuits 1 ID ø 190mm ED ø 204mm L 216mm H 30mm L1 5mm W1 25mm H1 10mm H2 20mm flange length 70mm flange width 22mm hole distance 56mm connection male faston 6.3mm connection length 50mm tube ø 6.5mm mounting thread M4 rectangular flange		

switches and momentary switches

cam switches

			
on/off			
1			
GEV No.	300129	Ref. No.	8016200
description	cam switch 2 operating positions 2NO sequence 0-1 16A shaft ø 6x4.6mm shaft L 23mm connection male faston 6.3mm ceramic		

thermostats

control and safety thermostats

EGO			
control thermostats			
55.34_ series			
			
1			
GEV No.	375038	Ref. No.	08018882
description	thermostat t.max. 300°C temperature range 50-300°C 3-pole 3NO 16A probe ø 6mm probe L 79mm capillary pipe 1740mm capillary pipe isolated 800mm gland nut shaft ø 6x4.6mm shaft L 23mm shaft position upper rotation 270°		
accessories for	375038		
	GEV No.	110123	Ref. No. —
	knob thermostat t.max. 300°C ø 50mm shaft ø 6x4.6mm shaft flat upper black temperature range 50-300°C rotation 270°		

contactors

MOELLER/EATON

			
power contactors			
1			
GEV No.	380694	Ref. No.	8023224
description	power contactor resistive load 35A 230VAC (AC3/400V) 17A/7.5kW main contacts 3NO auxiliary contacts 1NO connection screw connection type DILM 17-10		

C

cam switches	3
contactors	3
control thermostats	3

H

heating elements	3
heating elements for convection	3

S

switches and momentary switches	3
---------------------------------	---

T

thermostats	3
-------------	---