



**GAS COMPONENTS**



**ELECTRIC COMPONENTS**



**WATER TECHNOLOGY**



**MECHANICAL COMPONENTS**



**TOOLS**

Spare parts suitable for

**MOBILE-CONTAINING**

Find the complete and up-to-date range of products in our GEV Webshop



# Manufacturer catalogue

The most important spare parts and accessories arranged clearly for every manufacturer

- ✓ Complete product range and all appliance data always up to date in the GEV Webshop
- ✓ Alphabetical Index at the end of the catalogue

## GEV Webshop

[www.gev-online.co.uk](http://www.gev-online.co.uk)

[www.gev-online.com](http://www.gev-online.com)






- 🔍 Add to Favourites
- 🔍 Sign In with email address and usual password
- 🔍 Easy-order – place several items in your basket at the same time
- 🔍 Quick Item search – no login needed




## heating elements


### heating elements for plate warmers


1 			
<b>GEV No.</b>	418305	<b>Ref. No.</b>	957418
<b>description</b>	heating element 200W 230V L 442mm W 38mm heating circuits 1 connection male faston 6.3mm dry heating element tube ø 8.5mm connection length 23mm		

1 			
<b>GEV No.</b>	418304	<b>Ref. No.</b>	957400
<b>description</b>	heating element 400W 230V 2 hole fixing thread M14x1.25 L 132mm W 126mm H 46mm heating circuits 1 connection male faston 6.3mm L1 110mm L2 22mm immersion heater tube ø 8mm mounting distance 100mm		
<b>accessories for</b>	418304		
	<b>GEV No.</b>	521101	<b>Ref. No.</b> —
	nut thread M14x1.5 H 5mm WS 19 SS Qty 1 pcs		


### heating elements for heated trolleys

1 			
<b>GEV No.</b>	418307	<b>Ref. No.</b>	957500
<b>description</b>	heating element 1600W 230V L 555mm W 140mm connection male faston 6.3mm dry heating element tube ø 8.5mm heating circuits 1 connection length 22mm		



1 			
<b>GEV No.</b>	418308	<b>Ref. No.</b>	957460
<b>description</b>	heating element 1600W 230V L 685mm W 53mm connection male faston 6.3mm dry heating element tube ø 8.5mm heating circuits 1 connection distance 45mm		

1 			
<b>GEV No.</b>	418306	<b>Ref. No.</b>	957420
<b>description</b>	heating element 600W 230V L 355mm W 40mm connection male faston 6.3mm dry heating element tube ø 8.5mm heating circuits 1 connection distance 32mm		

### heater battery


1 			
<b>GEV No.</b>	415121	<b>Ref. No.</b>	957230
<b>description</b>	heater battery mounting distance 185mm W 40mm H 35mm 2000W 230V heating circuits 2 connection cable cable length 150mm L 192mm		

### heating elements for convection

1 			
<b>GEV No.</b>	415123	<b>Ref. No.</b>	957226
<b>description</b>	heating element 1750W 220V heating circuits 1 ID ø 186mm ED ø 199mm L 222mm H 29mm L1 14mm W1 30mm H1 9mm H2 20mm flange length 70mm flange width 22mm hole distance 56mm connection male faston 6.3mm tube ø 6.3mm convection heating element hole ø 5mm rectangular flange		
<b>accessories for</b>	415123		
	<b>GEV No.</b>	510368	<b>Ref. No.</b> —
	gasket L 70mm W 23.5mm hole ø 5mm hole distance 56mm FIBER thickness 2mm for heating element		

## thermostats

### bi-metal thermostats

bi-metal thermostats			
1 			
<b>GEV No.</b>	390518	<b>Ref. No.</b>	957130
<b>description</b>	bi-metal thermostat		

control and safety thermostats

EGO

control thermostats

55.13\_ series



**GEV No.** 375744 **Ref. No.** 957050

**description** thermostat t.max. 120°C temperature range 30-120°C 1-pole 1NO 16A probe ø 6mm probe L 85mm capillary pipe 2970mm capillary pipe isolated 2950mm gland nut shaft ø 6x4.6mm shaft L 18mm shaft position° shaft position upper rotation 270°

switches and momentary switches

rocker/momentary rocker switches

19x13mm



**GEV No.** 347513<sup>1</sup> **Ref. No.** 957110

**description** rocker switch mounting measurements 19x13mm green 2NO 250V 10A illuminated connection male faston 2.8mm ambient temperature max. 85/55°C protection IP40

<sup>1</sup>illuminated

30x22mm



**GEV No.** 347531 **Ref. No.** 95.7041

**description** rocker switch mounting measurements 30x22mm green 2NO 250V 20A illuminated 0-1 connection male faston 6.3mm ambient temperature max. 125/55°C protection IP65 with rubber collar

keypads

control panel



**GEV No.** 401410 **Ref. No.** 95.7000.SPARE 957010

**description** switch panel L 210mm W 110mm H 10mm

fans

cross flow fans

COPREL

with moulded coils



**GEV No.** 601456 **Ref. No.** 957220

**description** cross flow fan roller ø 45mm roller length 180mm laminated core thickness 15mm motor position right 230V/50Hz 26W universal bearing silicone connection male faston 6.3mm -30 up to +100°C 230V 50/60Hz

accessories for cross flow fans

heater battery




**GEV No.** 415121 **Ref. No.** 957230

**description** heater battery mounting distance 185mm W 40mm H 35mm 2000W 230V heating circuits 2 connection cable cable length 150mm L 192mm



hot air fans

miscellaneous



1

<b>GEV No.</b>	601271	<b>Ref. No.</b>	957225
<b>description</b>	hot air fan 220-230V 38W L1 65mm L2 25mm L3 20mm L4 87mm fan wheel ø 150mm FIME type C25X0G14/07CLH		

electric accessories

cables

spiral cables




1

<b>GEV No.</b>	550071	<b>Ref. No.</b>	957020
<b>description</b>	spiral cable plug type CEE7/7 type E+F 1.5mm <sup>2</sup> 3-pole with plug L 500mm expansion 5:1 countries A/D/I black		

terminals

terminal blocks




1

<b>GEV No.</b>	508353	<b>Ref. No.</b>	957070 957075
<b>description</b>	lustre terminal 3-pole cross section 4mm <sup>2</sup> max. 32A max 750V temp.-resist. 150°C		

knobs


producer-specific knobs

MOBILE CONTAINING




1

<b>GEV No.</b>	112695	<b>Ref. No.</b>	95.7065
<b>description</b>	knob thermostat t.max. 120°C 0-120°C ø 36mm shaft ø 6x4.6mm shaft flat upper black		



1

<b>GEV No.</b>	111903	<b>Ref. No.</b>	957060
<b>description</b>	knob thermostat t.max. 120°C 0-120°C ø 39mm shaft ø 6x4.6mm shaft flat upper black rotation 270°		




1

<b>GEV No.</b>	111904	<b>Ref. No.</b>	957061
<b>description</b>	knob thermostat t.max. 120°C 0-120°C ø 39mm shaft ø 6x4.6mm shaft flat upper black rotation 270°		

handles and hand wheels

handle bars

consoles



1

<b>GEV No.</b>	690718	<b>Ref. No.</b>	95.8170
<b>description</b>	console for handle rod tube ø 20x20mm		

## hinges

### miscellaneous



<b>GEV No.</b>	693472	<b>Ref. No.</b>	957014
<b>description</b>	hinge		

## DERBY RUOTE

### with fixing plate

#### chrome-plated steel



<b>GEV No.</b>	701287	<b>Ref. No.</b>	958050
----------------	--------	-----------------	--------

**description** swivel castor ø 125mm plate fixing housing chrome-plated sheet steel plate size 95x70mm hole distance 70x50mm capacity 100kg bearing cup-and-cone bearing wheel body polypropylene tread TPE tyres H 162mm wheel width 30mm Qty 1 pcs

**accessories for** 701287



<b>GEV No.</b>	701286	<b>Ref. No.</b>	—
----------------	--------	-----------------	---

swivel castor with swivel brake ø 125mm plate fixing housing chrome-plated sheet steel plate size 95x70mm hole distance 70x50mm capacity 100kg bearing cup-and-cone bearing wheel body polypropylene tread TPE tyres H 162mm wheel width 30mm Qty 1 pcs

## TENTE

### with fixing plate


#### chrome-plated steel



<b>GEV No.</b>	700300	<b>Ref. No.</b>	958060
----------------	--------	-----------------	--------

**description** swivel castor with swivel brake ø 125mm plates fixing 95x70mm housing zinc-plated sheet steel hole distance 75x50mm capacity 100kg bearing precision ball bearing wheel body polypropylene tread thermoplastic rubber H 160mm wheel width 32mm -20 up to +60°C

## bumper angles



<b>GEV No.</b>	690935 <sup>1</sup>	<b>Ref. No.</b>	958000
----------------	---------------------	-----------------	--------

**description** bumper angle outer length 145mm inner length 120mm W 24mm H 30mm mounting distance 70mm hole distance 22.5mm hole ø 3.6mm plastic black

**accessories for** 690935



<b>GEV No.</b>	690936	<b>Ref. No.</b>	958350
----------------	--------	-----------------	--------

plug for bumper angle ø 9mm L 9.5mm black Qty 1 pcs

<sup>1</sup>suitable plug 690936



<b>GEV No.</b>	690936	<b>Ref. No.</b>	958350
----------------	--------	-----------------	--------

**description** plug for bumper angle ø 9mm L 9.5mm black Qty 1 pcs

## springs

### compression springs



<b>GEV No.</b>	700526	<b>Ref. No.</b>	957650
----------------	--------	-----------------	--------

**description** compression spring ø 12mm L 36mm wire gauge ø 1.8mm



<b>GEV No.</b>	700525	<b>Ref. No.</b>	957640
----------------	--------	-----------------	--------

**description** compression spring ø 8mm L 20mm wire gauge ø 1mm

### tension springs



<b>GEV No.</b>	700523	<b>Ref. No.</b>	957610
----------------	--------	-----------------	--------

**description** tension spring ø 18.3mm total length 116mm wire gauge ø 1.3mm



## ancillary products

### clamps

#### hose clamps

DIN 3017 - W2



1

<b>GEV No.</b>	520110	<b>Ref. No.</b>	958355
<b>description</b>	hose clamp ø 8-12mm width 9mm Qty 10 pcs DIN 3017		

## fastening material

### fasteners

#### clamps

#### hose clamps

DIN 3017 - W2



1

<b>GEV No.</b>	520110	<b>Ref. No.</b>	958355
<b>description</b>	hose clamp ø 8-12mm width 9mm Qty 10 pcs DIN 3017		





**B**

bi-metal thermostats 3,3

**C**

cables 5

castors and bumper angles 6

clamps 7,7

control thermostats 4

cross flow fans 4

**E**

electric accessories 5

**F**

fans 4

fasteners 7

fastening material 7

**H**

heater battery 3

heating elements 3,3

heating elements for convection 3

heating elements for heated trolleys 3

heating elements for plate warmers 3

hose clamps 7,7

hot air fans 5

**R**

rocker/momentary rocker switches 4

**S**

spiral cables 5

switches and momentary switches 4

**T**

terminals 5

thermostats 3