



**GAS COMPONENTS**



**ELECTRIC COMPONENTS**



**WATER TECHNOLOGY**



**MECHANICAL COMPONENTS**



**TOOLS**

Spare parts suitable for

**QUALITYESPRES-**

Find the complete and up-to-date range of products in our GEV Webshop



# Manufacturer catalogue

The most important spare parts and accessories arranged clearly for every manufacturer

- ✓ Complete product range and all appliance data always up to date in the GEV Webshop
- ✓ Alphabetical Index at the end of the catalogue

## GEV Webshop

[www.gev-online.co.uk](http://www.gev-online.co.uk)

[www.gev-online.com](http://www.gev-online.com)







- 🔍 Add to Favourites
- 🔍 Sign In with email address and usual password
- 🔍 Easy-order – place several items in your basket at the same time
- 🔍 Quick Item search – no login needed





## heating elements


### heating elements for coffee machine

			
<b>GEV No.</b>	417001	<b>Ref. No.</b>	02212439
<b>description</b>	heating element 2600W 230V heating circuits 2 mounting $\varnothing$ 42mm hole distance 74mm L 330mm W 30mm H 60mm L1 23mm L2 65mm L3 202mm H1 30mm H2 30mm hole $\varnothing$ 12mm tube $\varnothing$ 8.5mm thermostat sleeves $\varnothing$ 7mm length thermostat sleeves 195mm thermostat sleeve eccentric, non clinging number of thermostat sleeves 1 connection M6 immersion heater 2 hole flange		
<b>accessories for</b>	417001		
	<b>GEV No.</b>	528002	<b>Ref. No.</b> —
	flat gasket PTFE ED $\varnothing$ 57mm ID $\varnothing$ 42mm thickness 3mm Qty 1 pcs equiv. no. 12001/W10470 suitable for		
	<b>GEV No.</b>	528488	<b>Ref. No.</b> —
	flat gasket fibre ED $\varnothing$ 57mm ID $\varnothing$ 42mm thickness 3mm Qty 1 pcs		

			
<b>GEV No.</b>	417290	<b>Ref. No.</b>	08024804
<b>description</b>	heating element 3000W 230V heating circuits 2 mounting $\varnothing$ 42mm hole distance 74mm L 250mm W 28mm H 65mm L1 20mm L2 40mm L3 190mm H1 30mm H2 35mm hole $\varnothing$ 10mm tube $\varnothing$ 8.3mm thermostat sleeves $\varnothing$ 7mm length thermostat sleeves 210mm number of thermostat sleeves 1 connection M4 immersion heater 2 hole flange		


			
<b>GEV No.</b>	417108	<b>Ref. No.</b>	08148002
<b>description</b>	heating element 3500W 230V heating circuits 2 mounting $\varnothing$ 42mm hole distance 74mm L 380mm W 30mm H 50mm L1 25mm L2 70mm L3 275mm H1 25mm H2 25mm hole $\varnothing$ 10mm tube $\varnothing$ 8.5mm thermostat sleeves $\varnothing$ 7mm length thermostat sleeves 190mm thermostat sleeve not clinging number of thermostat sleeves 1 connection M4 immersion heater 2 hole flange		

			
<b>GEV No.</b>	417105	<b>Ref. No.</b>	02212538
<b>description</b>	heating element 3700W 230V heating circuits 2 mounting $\varnothing$ 42mm hole distance 74mm L 530mm W 28mm H 50mm L1 30mm L2 75mm L3 400mm H1 25mm H2 25mm hole $\varnothing$ 9mm tube $\varnothing$ 8.4mm thermostat sleeves $\varnothing$ 7.5mm length thermostat sleeves 185mm thermostat sleeve eccentric, non clinging number of thermostat sleeves 1 connection M6 immersion heater 2 hole flange suitable for FAEMA		

			
<b>GEV No.</b>	417289	<b>Ref. No.</b>	08335100
<b>description</b>	heating element 4600W 230V heating circuits 2 mounting $\varnothing$ 42mm hole distance 74mm L 565mm W 34mm H 70mm L1 20mm L2 40mm L3 505mm H1 30mm H2 40mm hole $\varnothing$ 10mm tube $\varnothing$ 8.3mm thermostat sleeves $\varnothing$ 7mm length thermostat sleeves 210mm thermostat sleeve centre number of thermostat sleeves 1 connection M4 immersion heater 2 hole flange		



## accessories

### hexagonal nuts

			
<b>GEV No.</b>	361184	<b>Ref. No.</b>	05060680
<b>description</b>	nut thread 1/2" H 6mm nickel-plated brass WS 24 Qty 1 pcs		

### sealing washers


#### O-rings

 			
<b>GEV No.</b>	510893	<b>Ref. No.</b>	07763204
<b>description</b>	O-ring EPDM thickness 2.62mm ID $\varnothing$ 9.92mm Qty 1 pcs		

## thermostats

### bi-metal thermostats

#### bi-metal thermostats

			
<b>GEV No.</b>	390319	<b>Ref. No.</b>	08368400
<b>description</b>	bi-metal thermostat hole distance 23.8mm switch-off temp. 80°C 1NC 1-pole 16A connection F6.3 2 hole fixing		

### control and safety thermostats

#### EGO

#### safety thermostats

#### 55.32\_ series

			
<b>GEV No.</b>	390324	<b>Ref. No.</b>	07476906
<b>description</b>	safety thermostat switch-off temp. 169°C 3-pole 3NC 20A probe $\varnothing$ 4mm probe L 128mm capillary pipe 890mm capillary pipe isolated 210/210mm gland nut probe SS		



various

safety thermostats



<b>GEV No.</b>	375501	<b>Ref. No.</b>	08324600
<b>description</b>	safety thermostat switch-off temp. 172°C 1-pole 16A probe ø 3mm probe L 135mm capillary pipe 88mm capillary pipe isolated 80mm gland nut probe SS		

## switches and momentary switches

rocker/momentary rocker switches

30x22mm



<b>GEV No.</b>	301002	<b>Ref. No.</b>	07967010 07967020
<b>description</b>	rocker switch mounting measurements 30x22mm orange 2NO 250V 16A illuminated 0-I connection male faston 6.3mm ambient temperature max. 85/125°C protection IP65		
<b>accessories for</b>	301002		
	<b>GEV No.</b>	301036	<b>Ref. No.</b> —
	protective cover internal size 30x22mm for rocker switch mounting measurementsmm		



<b>GEV No.</b>	301001	<b>Ref. No.</b>	07967000
<b>description</b>	rocker switch mounting measurements 30x22mm red 2NO 250V 16A illuminated 0-I connection male faston 6.3mm ambient temperature max. 125/55°C protection IP65		
<b>accessories for</b>	301001		
	<b>GEV No.</b>	301036	<b>Ref. No.</b> —
	protective cover internal size 30x22mm for rocker switch mounting measurementsmm		

labelled



<b>GEV No.</b>	300125	<b>Ref. No.</b>	04001140 09000209
<b>description</b>	rocker switch mounting measurements 30x22mm green 2NO 230V 16A 0-I connection male faston 6.3mm ambient temperature max. 125/55°C protection IP65 with cover cap		
<b>accessories for</b>	300125		
	<b>GEV No.</b>	301036	<b>Ref. No.</b> —
	protective cover internal size 30x22mm for rocker switch mounting measurementsmm		

microswitches

roller-lever actuated

microswitches



<b>GEV No.</b>	345250	<b>Ref. No.</b>	04001130 09000208
<b>description</b>	microswitch with handle with a switch 250V 16A 1CO connection male faston 6.3mm L 27mm L1 36mm ambient temperature max. 125°C mounting distance 22mm type RL6-1-FGE-P12-5-L actuating force: 90g		

pin-plunger actuated



<b>GEV No.</b>	527736	<b>Ref. No.</b>	10975704
<b>description</b>	microswitch 250V 16A 1CO connection male faston 4.8mm ambient temperature max. 125°C mounting distance 22mm with plunger blue/black		



<b>GEV No.</b>	345105	<b>Ref. No.</b>	010957504
<b>description</b>	microswitch with plunger 250V 16A 1CO connection male faston 6.3mm L 28mm ambient temperature max. 125°C mounting distance 22mm type SM-51 actuating force: 280g black		

roller actuated

roller 90°




<b>GEV No.</b>	345104	<b>Ref. No.</b>	07421605
<b>description</b>	microswitch with roller plunger 250V 16A 1CO connection male faston 6.3mm L 24mm ambient temperature max. 125°C thread L 12mm thread M10x0.75 mounting distance 22mm actuating force: 280g type EF83161.1		




rotary switches

GOTTAK

			
1			
<b>GEV No.</b>	345148	<b>Ref. No.</b>	07847908
<b>description</b>	rotary switch 3 0-1-2 sets of contacts 6 type 4RH 400V 10A shaft ø 4.8x6mm shaft L 21mm shaft oval connection male faston 6.3mm		

accessories

symbol labels

			
1			
<b>GEV No.</b>	347266	<b>Ref. No.</b>	08283301
<b>description</b>	symbol label 0-1 ø 60mm bore ø 7mm mounting distance 28mm		


			
1			
<b>GEV No.</b>	347265	<b>Ref. No.</b>	08283202 08336200
<b>description</b>	symbol label 0-1-heating off ø 53mm bore ø 7mm mounting distance 28mm		

lamps

indicator lights


indicator lights (complete)

ø 9mm


			
1			
<b>GEV No.</b>	359491	<b>Ref. No.</b>	08456900
<b>description</b>	indicator light ø 9mm clear connection plug cable length 33mm		

ø 10mm

with screw socket


			
1			
<b>GEV No.</b>	346881	<b>Ref. No.</b>	08329800
<b>description</b>	indicator light ø 10mm 230V red connection male faston 6.3mm		

with plug-in socket

			
1			
<b>GEV No.</b>	359486	<b>Ref. No.</b>	08478100
<b>description</b>	indicator light ø 10mm 250V red connection male faston 6.3mm cable length 400mm		


ø 12mm

with plug-in socket


			
1			
<b>GEV No.</b>	359043	<b>Ref. No.</b>	07847800
<b>description</b>	indicator light ø 12mm red 230V connection male faston 6.3mm temp.-resist. 120°C Qty 1 pcs		


ø 13mm

with plug-in socket

			
1			
<b>GEV No.</b>	359143	<b>Ref. No.</b>	07847820
<b>description</b>	indicator light ø 13mm yellow 230V connection male faston 6.3mm temp.-resist. 120°C Qty 1 pcs		

miscellaneous


			
1			
<b>GEV No.</b>	359490	<b>Ref. No.</b>	08428600
<b>description</b>	indicator lamp clear 230V connection male faston 6.3mm cable length 80mm ø 7mm		

			
1			
<b>GEV No.</b>	359489	<b>Ref. No.</b>	08428500
<b>description</b>	indicator light lens red ø 10.5mm		

LED

indicator lamps

miscellaneous

			
1			
<b>GEV No.</b>	359487	<b>Ref. No.</b>	08477800
<b>description</b>	indicator light LED mounting ø 10mm 250 red connection with plug 1W		





## contactors

### LOVATO

#### power contactors



1

<b>GEV No.</b>	380964	<b>Ref. No.</b>	0651/060119
<b>description</b>	power contactor resistive load 20A 230VAC (AC3/400V) 9A/4kW main contacts 4NO auxiliary contacts connection screw connection type 11BG09T4A230		

## solid state relays

### miscellaneous



1

<b>GEV No.</b>	403941	<b>Ref. No.</b>	08371300
<b>description</b>	solid state relay CARLO GAVAZZI 2 phase 40A 24-280V 5-15VDC L 58mm W 44mm male faston 6.3mm type RA2A23D40C		

## relays

### level relays

#### miscellaneous



1

<b>GEV No.</b>	403445	<b>Ref. No.</b>	08386800
<b>description</b>	level controller 230V type		

## transformers

### open transformers

#### with plug connection



1

<b>GEV No.</b>	402441	<b>Ref. No.</b>	04300660 09000222
<b>description</b>	transformer primary 230V secondary 7.5/15V 40VA secondary 0.6/2.4A connection male faston 6.3mm 50/60Hz		

### toroidal core transformers



1

<b>GEV No.</b>	402381	<b>Ref. No.</b>	08414800
<b>description</b>	transformer primary 220V secondary 30V 80VA connection male faston 6.3mm 50/60Hz		

## probes

### producer-specific probes

#### probes



1

<b>GEV No.</b>	379464	<b>Ref. No.</b>	08370500
<b>description</b>	temperature probe NTC cable silicone probe -40 up to +110°C cable -50 up to +180°C connection coded plug thread 3/8" probe ø12x-8mm cable length 0.5m		




1


<b>GEV No.</b>	379461	<b>Ref. No.</b>	08370510
<b>description</b>	temperature probe NTC cable silicone probe -40 up to +110°C cable -50 up to +180°C connection plug thread 3/8" probe ø10x8mm cable length 0.5m		



sensors

1 


<b>GEV No.</b>	379467	<b>Ref. No.</b>	08417900
<b>description</b>	temperature probe set PTC probe L 26mm probe ø 5mm 2-group		

1 

<b>GEV No.</b>	379465	<b>Ref. No.</b>	08418000
<b>description</b>	temperature probe set PTC probe L 26mm probe ø 5mm 3-group		

electronics

EPROMS


1 

<b>GEV No.</b>	402432	<b>Ref. No.</b>	09001278 43524660
<b>description</b>	EPROM type CP-A for coffee grinder CODE 09001278		


PCBs

1 

<b>GEV No.</b>	402783	<b>Ref. No.</b>	08331610 08372000
<b>description</b>	display espresso machine QUALITY ESPRESSO model new		

1 

<b>GEV No.</b>	402369	<b>Ref. No.</b>	08372010
<b>description</b>	display L 106mm W 48mm with keypad		

1 

<b>GEV No.</b>	402385	<b>Ref. No.</b>	08264301
<b>description</b>	display L 131mm W 47mm with keypad		

1 

<b>GEV No.</b>	402443	<b>Ref. No.</b>	08506200 09001263 43310420
<b>description</b>	PCB for coffee grinder suitable for QUALITY ESPRESSO		

1 

<b>GEV No.</b>	402363	<b>Ref. No.</b>	08406400
<b>description</b>	probe L 128mm W 106mm with keypad		

central units

1 

<b>GEV No.</b>	402357	<b>Ref. No.</b>	08363800 08363800/6
<b>description</b>	central unit 230V		



			
1			
<b>GEV No.</b>	402361	<b>Ref. No.</b>	08363900 08363900/09
<b>description</b>	central unit 230V		


			
1			
<b>GEV No.</b>	402356	<b>Ref. No.</b>	08220303 08220303/06
<b>description</b>	central unit 2-group 230V		


			
1			
<b>GEV No.</b>	402358	<b>Ref. No.</b>	08351500 08351500/6
<b>description</b>	central unit 3-4-group 230V		

			
1			
<b>GEV No.</b>	402359	<b>Ref. No.</b>	08371740
<b>description</b>	central unit 3-group 230V		

			
1			
<b>GEV No.</b>	402362	<b>Ref. No.</b>	08371720
<b>description</b>	central unit 3-group 230V		


			
1			
<b>GEV No.</b>	402360	<b>Ref. No.</b>	08455700
<b>description</b>	central unit 4-group 230V		


			
1			
<b>GEV No.</b>	402368	<b>Ref. No.</b>	08414500
<b>description</b>	central unit temperature 24V		


			
1			
<b>GEV No.</b>	400445	<b>Ref. No.</b>	08280307 08280307/09 08280307/6
<b>description</b>	control box 4-group for coffee machine		


## keypads


### front foils

			
1			
<b>GEV No.</b>	526689	<b>Ref. No.</b>	08456700
<b>description</b>	front foil for indicator light L 50mm W 16mm		

			
1			
<b>GEV No.</b>	402389	<b>Ref. No.</b>	08264509
<b>description</b>	front foil with keypad L 112mm W 36mm		


			
1			
<b>GEV No.</b>	401434	<b>Ref. No.</b>	08109600
<b>description</b>	keypad foil coffee machine Arienne/Arieta 1-2-3-4 gr. L 92mm W 26mm buttons 5		


			
1			
<b>GEV No.</b>	401433	<b>Ref. No.</b>	08274607
<b>description</b>	keypad foil coffee machine Ottima/Genova/Compac L 80mm W 44mm buttons 5		


			
1			
<b>GEV No.</b>	402386	<b>Ref. No.</b>	08272106
<b>description</b>	keypad foil grey L 80mm W 44mm buttons 5		






			
1			
<b>GEV No.</b>	400442	<b>Ref. No.</b>	08274201
<b>description</b>	keypad foil L 80mm W 44mm buttons 5		


			
1			
<b>GEV No.</b>	401432	<b>Ref. No.</b>	08274409
<b>description</b>	keypad foil L 80mm W 44mm buttons 5		

			
1			
<b>GEV No.</b>	402387	<b>Ref. No.</b>	08221608
<b>description</b>	keypad foil silver L 80mm W 44mm buttons 5		


			
1			
<b>GEV No.</b>	402388	<b>Ref. No.</b>	08323900
<b>description</b>	keypad foil suitable for GENOVA L 80mm W 44mm buttons 5		

membrane keypads


			
1			
<b>GEV No.</b>	525549	<b>Ref. No.</b>	09001137 42923151
<b>description</b>	keypad foil for coffee grinder suitable for QUALITY ESPRESSO L 85mm W 62mm		


			
1			
<b>GEV No.</b>	400447	<b>Ref. No.</b>	N/A
<b>description</b>	membrane keypad		


keypad units


			
Image not available			
1			
<b>GEV No.</b>	400440	<b>Ref. No.</b>	08272205 + 08274409
<b>description</b>	keypad unit		

			
1			
<b>GEV No.</b>	402375	<b>Ref. No.</b>	08337000
<b>description</b>	keypad unit buttons 1 L 106mm W 50mm		

			
1			
<b>GEV No.</b>	402382	<b>Ref. No.</b>	08332600
<b>description</b>	keypad unit buttons 1 L 50mm W 46mm		

			
1			
<b>GEV No.</b>	402383	<b>Ref. No.</b>	08331900 08331910
<b>description</b>	keypad unit buttons 1 L 50mm W 46mm		

			
1			
<b>GEV No.</b>	402384	<b>Ref. No.</b>	08373100
<b>description</b>	keypad unit buttons 1 L 50mm W 46mm Spezial		



1

<b>GEV No.</b>	402366	<b>Ref. No.</b>	08405700
<b>description</b>	keypad unit buttons 1 red L 106mm W 76mm		




1

<b>GEV No.</b>	402374	<b>Ref. No.</b>	08474500
<b>description</b>	keypad unit buttons 5 L 106mm W 50mm		




1

<b>GEV No.</b>	402372	<b>Ref. No.</b>	08336900 08336910
<b>description</b>	keypad unit buttons 2 L 106mm W 50mm		



1

<b>GEV No.</b>	402376	<b>Ref. No.</b>	08332200
<b>description</b>	keypad unit buttons 5 L 106mm W 50mm		




1

<b>GEV No.</b>	402371	<b>Ref. No.</b>	08405800
<b>description</b>	keypad unit buttons 2 red L 106mm W 76mm		



1

<b>GEV No.</b>	402377	<b>Ref. No.</b>	08330700
<b>description</b>	keypad unit buttons 5 L 106mm W 50mm		




1

<b>GEV No.</b>	402378	<b>Ref. No.</b>	08234213
<b>description</b>	keypad unit buttons 5 black with LED suitable for ARIANNA, COMPAC L 142mm W 62mm with bush		




1

<b>GEV No.</b>	402373	<b>Ref. No.</b>	08378400
<b>description</b>	keypad unit buttons 5 L 125mm W 50mm		




1

<b>GEV No.</b>	402379	<b>Ref. No.</b>	08234205
<b>description</b>	keypad unit buttons 5 grey with LED suitable for ARIANNA, COMPAC L 142mm W 62mm with bush		




1

<b>GEV No.</b>	402364	<b>Ref. No.</b>	08427600
<b>description</b>	keypad unit buttons 5 L 185mm W 70mm		


1

<b>GEV No.</b>	402365	<b>Ref. No.</b>	08427610
<b>description</b>	keypad unit buttons 5 L 185mm W 70mm ECONOMY		



1

<b>GEV No.</b>	400441	<b>Ref. No.</b>	08272205
<b>description</b>	keypad unit buttons 5 L 91mm W 51mm		



1

<b>GEV No.</b>	402367	<b>Ref. No.</b>	08405620
<b>description</b>	keypad unit buttons 5 white L 106mm W 76mm		



1

<b>GEV No.</b>	402380	<b>Ref. No.</b>	08109400 08211906
<b>description</b>	keypad unit coffee machine Arienne/Arieta 1-2-3-4 gr. buttons 5 L 110mm W 39mm		

## solenoid valves


### solenoid valves (water)

metal


PARKER

2-way


E-146 series



1

<b>GEV No.</b>	370067	<b>Ref. No.</b>	N/A	
<b>description</b>	solenoid valve 2-ways 230VAC connection 1/4" L 40mm DN 3mm slide-on receptacle DIN -20° up to 130°C PARKER type series VE-146 coil type ZB09 membranes FKM (water) p max 7bar			
<b>spare parts for</b>	370067			
	<b>GEV No.</b>	371029	<b>Ref. No.</b>	—
	solenoid coil PARKER 230VAC 9VA coil type ZB09 seat ø 14mm H 33mm W 34mm D 43mm			


**accessories for** 370067

	<b>GEV No.</b>	371090	<b>Ref. No.</b>	—
	power socket plug type DIN 43650A screw			

## compressors

### CUBIGEL

#### accessories



1


<b>GEV No.</b>	380913	<b>Ref. No.</b>	07985500
<b>description</b>	start relay MTRP3920 743 250V 8A		

## motors


### motors


#### for coffee grinders

#### complete




1



<b>GEV No.</b>	525529	<b>Ref. No.</b>	09001132 09112400 42922200	
<b>description</b>	motor with belt pulley 24V 1 phase shaft ø 2mm type WRS-365SH-14134 ø 28mm L 32mm			
<b>accessories for</b>	525529			
	<b>GEV No.</b>	525531	<b>Ref. No.</b>	09000302 09710320
	round belt for coffee grinder thickness 2.68mm ø 50.47mm			



1

<b>GEV No.</b>	525530	<b>Ref. No.</b>	09001133 09112500 42922210	
<b>description</b>	motor with belt pulley ø 28mm L 32mm cable length 150mm cable colours red/orange			
<b>accessories for</b>	525530			
	<b>GEV No.</b>	525531	<b>Ref. No.</b>	09000302 09710320
	round belt for coffee grinder thickness 2.68mm ø 50.47mm			



			
1			
<b>GEV No.</b>	525528	<b>Ref. No.</b>	09001131 42922180
<b>description</b>	motor with belt pulley ø 28mm L 32mm cable length 250mm cable colours blue/yellow		
<b>accessories for</b>	525528		
	<b>GEV No.</b>	525531	<b>Ref. No.</b> 09000302 09710320
round belt for coffee grinder thickness 2.68mm ø 50.47mm			

### equipment-specific units


#### for espresso machines

##### filter holders

##### filter holders standard


##### filter holders (complete)

			
1			
<b>GEV No.</b>	531173	<b>Ref. No.</b>	08485800
<b>description</b>	filter holder 1-way suitable for FUTURMAT complete number of wedges 2		

			
1			
<b>GEV No.</b>	531174	<b>Ref. No.</b>	08485900
<b>description</b>	filter holder 2-way suitable for FUTURMAT complete number of wedges 2		

			
1			
<b>GEV No.</b>	526729	<b>Ref. No.</b>	08480080 08486700
<b>description</b>	filter holder without filter suitable for QUALITY ESPRESSO 1-way mounting ø 83mm ID ø 61.5mm wedge height 10.4mm wedge position horizontal number of wedges 2		


##### filter holders short

			
1			
<b>GEV No.</b>	529041	<b>Ref. No.</b>	08486680
<b>description</b>	filter holder mounting ø 82.5mm outlet 3/8" ID ø 62mm handle M12x1.75 wedge height 10.5mm wedge position horizontal number of wedges 2 lever straight chrome-plated brass		

### condensators & interference suppression filters


#### starting capacitors

##### starting capacitors

			
1			
<b>GEV No.</b>	365129	<b>Ref. No.</b>	07273006
<b>description</b>	starting capacitor 88-106µF 220V 50-60Hz duty cycle 3s with discharge resistor 12.80.2360 ø 46mm L 85mm plastic connection male faston 6.3mm		

#### operating capacitors

##### plastic

			
1			
<b>GEV No.</b>	365127	<b>Ref. No.</b>	03203950 09000125
<b>description</b>	operating capacitor capacity 70µF 250V tolerance 5% 50Hz ambient temperature max. -25 to +85°C ø 45mm L 120mm M8 plastic connection male faston 6.3mm 16.18.39 protection		

##### metal

			
1			
<b>GEV No.</b>	365128	<b>Ref. No.</b>	03203120 09000117
<b>description</b>	operating capacitor capacity 16µF 450V tolerance 5% 50-60Hz ambient temperature max. -25 to +85°C ø 40mm L 100mm M8 aluminium connection male faston 6.3mm 16.26.16 protection		





 <p>1</p>			
<b>GEV No.</b>	531185	<b>Ref. No.</b>	08480050
<b>description</b>	filter holder mounting ø 83mm hole ø 17mm ID ø 62mm handle M12x1.75 wedge height 10.5mm wedge position horizontal number of wedges 2 lever inclined chrome-plated brass		
<b>accessories for</b>	531185		
	<b>GEV No.</b>	526699	<b>Ref. No.</b> 08366650
	filter holder spout thread 3/8" 1-way curved outlet distance mm		
	<b>GEV No.</b>	526719	<b>Ref. No.</b> 08366750
	filter holder spout thread 3/8" 2-way curved outlet distance 55mm		
	<b>GEV No.</b>	526733	<b>Ref. No.</b> 08480100
	screw connection thread 3/8" for outlet ø 25mm H 14mm chrome-plated brass		


 <p>1</p>			
<b>GEV No.</b>	526785	<b>Ref. No.</b>	08486650 08486680
<b>description</b>	filter holder mounting ø 83mm hole ø 17mm ID ø 62mm handle M12x1.75 wedge height 10.5mm wedge position horizontal number of wedges 2 lever straight chrome-plated brass		
<b>accessories for</b>	526785		
	<b>GEV No.</b>	526699	<b>Ref. No.</b> 08366650
	filter holder spout thread 3/8" 1-way curved outlet distance mm		
	<b>GEV No.</b>	526719	<b>Ref. No.</b> 08366750
	filter holder spout thread 3/8" 2-way curved outlet distance 55mm		
	<b>GEV No.</b>	526733	<b>Ref. No.</b> 08480100
	screw connection thread 3/8" for outlet ø 25mm H 14mm chrome-plated brass		


handles

with bore

 <p>1</p>			
<b>GEV No.</b>	526745	<b>Ref. No.</b>	08412010
<b>description</b>	handle ø 32mm L 123mm black L1 50mm		


 <p>1</p>			
<b>GEV No.</b>	526746	<b>Ref. No.</b>	08412000
<b>description</b>	handle ø 33mm L 125mm grey L1 56mm		


 <p>1</p>			
<b>GEV No.</b>	526751	<b>Ref. No.</b>	08335700
<b>description</b>	handle ø 35mm L 123mm black L1 44mm		

 <p>1</p>			
<b>GEV No.</b>	529049	<b>Ref. No.</b>	08103600
<b>description</b>	handle ø 36mm aperture 13x13mm ID ø 9mm IT L 127mm black		

end caps

 <p>1</p>			
<b>GEV No.</b>	526688	<b>Ref. No.</b>	08412300
<b>description</b>	end cap ø 25mm silver		

 <p>1</p>			
<b>GEV No.</b>	526748	<b>Ref. No.</b>	08336000
<b>description</b>	end cap ø 32mm black		

 <p>1</p>			
<b>GEV No.</b>	526744	<b>Ref. No.</b>	08412210
<b>description</b>	ring for handle ø 33mm black		

 <p>1</p>			
<b>GEV No.</b>	526747	<b>Ref. No.</b>	08412200
<b>description</b>	ring ø 33mm grey		



sleeves



1			
<b>GEV No.</b>	526675	<b>Ref. No.</b>	08412110
<b>description</b>	sleeve ø 34mm L 50mm black		



1			
<b>GEV No.</b>	526749	<b>Ref. No.</b>	08412100
<b>description</b>	sleeve ø 35mm L 51mm grey		



1			
<b>GEV No.</b>	526750	<b>Ref. No.</b>	08335900
<b>description</b>	sleeve ø 36mm L 40mm black		

screws



1			
<b>GEV No.</b>	529123	<b>Ref. No.</b>	05193800
<b>description</b>	cylinder head bolt thread M8 L 80mm thread L 30mm WS 6 SS Qty 1 pcs DIN 912/ISO 4762		



1			
<b>GEV No.</b>	526793	<b>Ref. No.</b>	08335800
<b>description</b>	handle holder thread M12 L 76mm thread L 100mm zinc-coated steel		

spouts

with thread 3/8"



1			
<b>GEV No.</b>	526699	<b>Ref. No.</b>	08366650
<b>description</b>	filter holder spout thread 3/8" 1-way curved outlet distance mm		



1			
<b>GEV No.</b>	526719	<b>Ref. No.</b>	08366750
<b>description</b>	filter holder spout thread 3/8" 2-way curved outlet distance 55mm		

accessories



1			
<b>GEV No.</b>	526733	<b>Ref. No.</b>	08480100
<b>description</b>	screw connection thread 3/8" for outlet ø 25mm H 14mm chrome-plated brass		

brewing units

shower screens

with upstand



1			
<b>GEV No.</b>	526788	<b>Ref. No.</b>	02610004
<b>description</b>	shower screen ø 58mm H 17.5mm		

filter holder gaskets


flat


standard




1			
<b>GEV No.</b>	528030	<b>Ref. No.</b>	01652809
<b>description</b>	filter holder gasket D1 ø 72.7mm D2 ø 57.2mm H 8mm Qty 1 pcs		





brewing units with solenoid valve			
filters			
filters			
			
1			
<b>GEV No.</b>	526738	<b>Ref. No.</b>	NT0029
<b>description</b>	filter set for brewing unit		


brewing units manual			
components			
drain units			
drain pipes			
			
1			
<b>GEV No.</b>	526786	<b>Ref. No.</b>	02010809
<b>description</b>	drain pipe thread M30x1.5 T1: 1/2" L 72mm chrome-plated brass WS 36		


			
1			
<b>GEV No.</b>	528534	<b>Ref. No.</b>	02010809
<b>description</b>	drain pipe thread M30x1.5 T1: 1/2" L 73mm WS 36 L1 21.5mm L2 36.5mm		


			
1			
<b>GEV No.</b>	528538	<b>Ref. No.</b>	02121002
<b>description</b>	end piece thread 1/2" int. ø 1 12mm int. ø 2 15mm L 36mm chrome-plated brass WS 26		


tap aerators			
			
1			
<b>GEV No.</b>	526791	<b>Ref. No.</b>	02121101
<b>description</b>	tap aerator D1 ø 8mm D2 ø 14.5mm ID ø 6mm H 14.2mm 4 holes brass		

shafts			
			
1			
<b>GEV No.</b>	528532	<b>Ref. No.</b>	02326106
<b>description</b>	shaft thread M4 square L 34mm W 6mm brass		

bushes			
			
1			
<b>GEV No.</b>	528920	<b>Ref. No.</b>	01860402
<b>description</b>	bush D1 ø 15mm D2 ø 10.8mm ID ø 8mm H 30mm brass		

			
1			
<b>GEV No.</b>	526790	<b>Ref. No.</b>	02446300
<b>description</b>	filter support D1 ø 13mm ID ø 5mm int. ø 1 11mm H 9mm brass		

gaskets			
			
1			
<b>GEV No.</b>	528494	<b>Ref. No.</b>	01954502
<b>description</b>	gasket rubber ED ø 13mm ID ø 4mm thickness 4mm Qty 1 pcs		

gasket supports			
			
1			
<b>GEV No.</b>	528528	<b>Ref. No.</b>	01955103 02021608
<b>description</b>	gasket support ED ø 16mm ID ø 13mm H 13mm for gasket thread M3 brass L 13mm int. ø 1 13mm		

miscellaneous



1

<b>GEV No.</b>	528530	<b>Ref. No.</b>	02211100
<b>description</b>	bolt square brass thread M3 L 11mm W 6mm H 6mm thread L 10mm		




1

<b>GEV No.</b>	528531	<b>Ref. No.</b>	02211001
<b>description</b>	bolt square brass thread M3 L 12mm W 6mm H 6mm thread L 10mm		



1

<b>GEV No.</b>	528535	<b>Ref. No.</b>	02326007
<b>description</b>	bolt square brass thread M3 L 6mm W 6mm H 6mm		



1

<b>GEV No.</b>	526792	<b>Ref. No.</b>	02326007
<b>description</b>	nut triangle brass thread M3 L 6.2mm W 6.2mm H 6.2mm		




1

<b>GEV No.</b>	528529	<b>Ref. No.</b>	04732202
<b>description</b>	plain washer ID ø 3.5mm ED ø 6.6mm thickness 0.5mm brass Qty 1 pcs		

nozzle holders



1

<b>GEV No.</b>	528523	<b>Ref. No.</b>	02102309
<b>description</b>	nozzle holder thread M30x1.5 IT M16x1.5 IT 1 M6 ø 25.5mm int. ø 1 15.3mm int. ø 2 17.8mm L 66.5mm total length 82mm WS 36 chrome-plated brass		
<b>accessories for</b>	528523		
	<b>GEV No.</b>	525318	<b>Ref. No.</b>
			—
	shaft bearing suitable for FAEMA E61		



1

<b>GEV No.</b>	526783	<b>Ref. No.</b>	02102300 02102309
<b>description</b>	nozzle holder thread M30x1.5 IT M16x1.5 IT 1 M8 ø 26mm int. ø 1 15mm int. ø 2 17.5mm L 66.5mm total length 82mm WS 36 chrome-plated brass		



1

<b>GEV No.</b>	526782	<b>Ref. No.</b>	08299100
<b>description</b>	nozzle holder thread M8 int. ø 1 4mm int. ø 2 7mm L 12mm total length 18.5mm WS 8 brass		



1

<b>GEV No.</b>	526781	<b>Ref. No.</b>	08299000
<b>description</b>	nozzle holder thread M8 int. ø 1 4mm int. ø 2 7mm L 42mm total length 48mm WS 8 brass		

springs



1

<b>GEV No.</b>	528526	<b>Ref. No.</b>	02318400
<b>description</b>	compression spring ø 12.9mm L 41mm wire gauge ø 1.2mm		

filters



1

<b>GEV No.</b>	526737	<b>Ref. No.</b>	NT0028
<b>description</b>	filter set for brewing unit E61		

camshafts



1

<b>GEV No.</b>	528539	<b>Ref. No.</b>	01769702
<b>description</b>	camshaft shaft ø 8mm shaft intake ø 10mm L 79mm W 20.5mm H 17mm thread M6 brass		




1

<b>GEV No.</b>	528527	<b>Ref. No.</b>	02102200
<b>description</b>	spindle shaft ø 4mm L 40mm thread M4 brass for cam shaft		




valves




1

<b>GEV No.</b>	526736	<b>Ref. No.</b>	02022804
<b>description</b>	valve for outlet L 19.3mm ED ø 16mm brass		



1


<b>GEV No.</b>	526734	<b>Ref. No.</b>	02023000
<b>description</b>	valve L 58.2mm ED ø 16mm brass		



1

<b>GEV No.</b>	526735	<b>Ref. No.</b>	02022903
<b>description</b>	valve L 59.4mm triangle ED ø 16mm brass		

screw connections




1

<b>GEV No.</b>	527802	<b>Ref. No.</b>	01878909
<b>description</b>	screw connection thread 1/2" int. ø 1 11mm int. ø 2 15mm L 9mm WS 24 chrome-plated brass		



1

<b>GEV No.</b>	526730	<b>Ref. No.</b>	02026300
<b>description</b>	screw connection thread M30x1.5 IT 1/2" ø 36mm int. ø 1 8mm int. ø 2 15mm L 26mm total length 38mm WS 26 chrome-plated brass		




1

<b>GEV No.</b>	526726	<b>Ref. No.</b>	01770601
<b>description</b>	stop bolt thread M6 ø 6.5mm total length 13mm SS		

components

nozzles


with thread



1

<b>GEV No.</b>	528486	<b>Ref. No.</b>	02446706
<b>description</b>	nozzle bore ø 0.7mm thread M6x0.75 L 9mm WS 7		

without thread



1

<b>GEV No.</b>	526732	<b>Ref. No.</b>	08298800
<b>description</b>	nozzle bore ø 0.65mm ø 7mm L 21mm		


screws



1

<b>GEV No.</b>	560373	<b>Ref. No.</b>	05194402
<b>description</b>	cylinder head bolt thread M4 thread L 12mm WS 3 SS Qty 1 pcs intake internal hexagon DIN 912/ISO 4762		

screw connections




1

<b>GEV No.</b>	528661	<b>Ref. No.</b>	02736403
<b>description</b>	end cap thread M12x1.5 L 18mm chrome-plated brass WS 16		



1

<b>GEV No.</b>	526724	<b>Ref. No.</b>	07557200
<b>description</b>	end cap thread M16x1.5 ID ø 10mm L 22mm chrome-plated brass WS 22		



1

<b>GEV No.</b>	527270	<b>Ref. No.</b>	02446201
<b>description</b>	end cap thread M16x1.5 ID ø 8.9mm L 21mm chrome-plated WS 22		

water dispersions

water dispersions

group 2



1

<b>GEV No.</b>	526787	<b>Ref. No.</b>	02012904
<b>description</b>	water distributor ø 30mm hole ø 1.5mm H 15mm ET M10x1 grooves 6 1.5mm brass 2 holes perforation ø 1mm		

expansion valves



1

<b>GEV No.</b>	529317	<b>Ref. No.</b>	N/A
<b>description</b>	expansion valve T1: 1/4" ET T2: 1/4" IT L 58mm		

gaskets



1

<b>GEV No.</b>	526694	<b>Ref. No.</b>	07412109
<b>description</b>	gasket copper ED ø 30mm ID ø 21mm thickness 1.5mm		



1

<b>GEV No.</b>	526692	<b>Ref. No.</b>	01853704
<b>description</b>	gasket ED ø 15mm seat ø 6mm H 4mm overall height 9mm		

gasket supports



1

<b>GEV No.</b>	528769	<b>Ref. No.</b>	01853803
<b>description</b>	gasket support D1 ø 10.5mm D2 ø 17mm ID ø 6mm int. ø 1 15mm L 9mm brass		

compression springs



1

<b>GEV No.</b>	526690	<b>Ref. No.</b>	00109108
<b>description</b>	compression spring ø 15mm L 27mm wire gauge ø 2.2mm		

with non-return valve



1

<b>GEV No.</b>	529323	<b>Ref. No.</b>	07843808
<b>description</b>	expansion valve connection 3/8" with non-return valve		

drain pans

drain pans



1

<b>GEV No.</b>	526697	<b>Ref. No.</b>	0271/050106 08478700
<b>description</b>	drain pan L 106mm W 76mm H 32mm hose ø 18mm		

aerators and air bleeders



1

<b>GEV No.</b>	526780	<b>Ref. No.</b>	08178808
<b>description</b>	aerator and air bleeder screw connection 1/4"		

boilers

pipes




1

<b>GEV No.</b>	526722	<b>Ref. No.</b>	07695604
<b>description</b>	aspiration tube tube ø 10mm pipe length 145mm T1: 1/4" T2: 1/4"		








			
1			
<b>GEV No.</b>	526721	<b>Ref. No.</b>	08489000
<b>description</b>	aspiration tube tube ø 8mm pipe length 130mm T1: 1/4"		

heat exchangers

injector tubes

			
1			
<b>GEV No.</b>	526739	<b>Ref. No.</b>	08489500
<b>description</b>	injector T1: 1/4"		






			
1			
<b>GEV No.</b>	526740	<b>Ref. No.</b>	08355000
<b>description</b>	injector T1: 1/4" T2: 1/4"		





			
1			
<b>GEV No.</b>	526720	<b>Ref. No.</b>	08362100
<b>description</b>	injector pipe tube ø 6mm pipe length 125mm T1: 1/4" T2: 1/4"		

steam/water taps

steam/water taps

steam/water taps

			
1			
<b>GEV No.</b>	528427	<b>Ref. No.</b>	08204802
<b>description</b>	steam/water tap inlet 1/4" outlet 3/8" brass		
<b>accessories for</b>	528427		
	<b>GEV No.</b>	510893	<b>Ref. No.</b> 07763204
	O-ring EPDM thickness 2.62mm ID ø 9.92mm Qty 1 pcs		
	<b>GEV No.</b>	528184	<b>Ref. No.</b> 08165300
	compression spring ø 10.8mm L 25mm wire gauge ø 1.8mm		
	<b>GEV No.</b>	528401	<b>Ref. No.</b> —
	flat gasket fibre ED ø 22mm ID ø 16mm thickness 2mm Qty 1 pcs		
	<b>GEV No.</b>	528653	<b>Ref. No.</b> 08165508
	plain washer D1 ø 7mm D2 ø 14.5mm thickness 2mm brass		


<b>accessories for</b>	528427		
	<b>GEV No.</b>	528654	<b>Ref. No.</b> 08165201
	bush D1 ø 15mm D2 ø 11mm H 7.7mm nylon ID ø 7mm		
	<b>GEV No.</b>	529587	<b>Ref. No.</b>
	steam pipe		
	<b>GEV No.</b>	529588	<b>Ref. No.</b> —
	steam pipe SS		
	<b>GEV No.</b>	529589	<b>Ref. No.</b> —
	water pipe		


steam taps


steam taps (complete)

			
1			
<b>GEV No.</b>	526775	<b>Ref. No.</b>	08493200
<b>description</b>	steam tap inlet 1/4" pipe length 150mm tube ø 8mm shaft 6mm		

			
1			
<b>GEV No.</b>	526774	<b>Ref. No.</b>	08448400 08448440
<b>description</b>	steam tap inlet 1/4" pipe length 160mm tube ø 10mm shaft M6		

			
1			
<b>GEV No.</b>	526725	<b>Ref. No.</b>	08165904
<b>description</b>	steam tap inlet 3/8" pipe length 150mm tube ø 8mm shaft 6mm		

			
1			
<b>GEV No.</b>	526777	<b>Ref. No.</b>	08388700
<b>description</b>	steam tap mounting pos. left inlet 3/8" pipe length 150mm tube ø 10mm shaft M6		

			
1			
<b>GEV No.</b>	526776	<b>Ref. No.</b>	08388600
<b>description</b>	steam tap mounting pos. right inlet 3/8" pipe length 150mm tube ø 10mm shaft M6		



components


shafts


			
1			
<b>GEV No.</b>	526773	<b>Ref. No.</b>	11156530
<b>description</b>	shaft ø 14mm D2 ø 6mm L 85.5mm SS		

			
1			
<b>GEV No.</b>	526772	<b>Ref. No.</b>	08389200
<b>description</b>	shaft ø 14mm D2 ø 7.6mm L 86mm thread M6 SS		


bushes


			
1			
<b>GEV No.</b>	526010	<b>Ref. No.</b>	03001500
<b>description</b>	bush steam/water tap D1 ø 10.5mm D2 ø 9mm ID ø 6.3mm H 4.6mm brass		
<b>accessories for</b>	526010		
	<b>GEV No.</b>	<b>Ref. No.</b>	
	526005		—
	shaft steam tap ø 14.8mm L 92.5mm thread M6 brass		


<b>gaskets</b>			
			
1			
<b>GEV No.</b>	528648	<b>Ref. No.</b>	11181302
<b>description</b>	gasket D1 ø 12.2mm thickness 6mm		

<b>springs</b>			
			
1			
<b>GEV No.</b>	526789	<b>Ref. No.</b>	08389900
<b>description</b>	compression spring ø 11.3mm L 31mm wire gauge ø 1.5mm		


<b>tap bodies</b>			
			
1			
<b>GEV No.</b>	526762	<b>Ref. No.</b>	08165003
<b>description</b>	tap body T1: M16x1 T2: 3/8" T3: 1/4" L 49mm		

			
1			
<b>GEV No.</b>	526763	<b>Ref. No.</b>	08493100
<b>description</b>	tap body T1: M16x1 T2: 3/8" T3: M12x1 L 49mm		

<b>union nuts</b>			
			
1			
<b>GEV No.</b>	526727	<b>Ref. No.</b>	08389800
<b>description</b>	nut thread M6 L 7.5mm WS 10		

<b>washers</b>			
			
1			
<b>GEV No.</b>	526695	<b>Ref. No.</b>	07413107
<b>description</b>	plain washer D1 ø 29mm D2 ø 22.6mm thickness 1.5mm brass		



			
1			
<b>GEV No.</b>	528653	<b>Ref. No.</b>	08165508
<b>description</b>	plain washer D1 ø 7mm D2 ø 14.5mm thickness 2mm brass		

screw connections


			
1			
<b>GEV No.</b>	526761	<b>Ref. No.</b>	07358609
<b>description</b>	screw connection T1: M16x1 L 66mm ID ø 12mm WS 26 brass		

water taps

water taps

			
1			
<b>GEV No.</b>	526691	<b>Ref. No.</b>	08493300
<b>description</b>	water tap inlet 1/4" pipe length 60mm tube ø 10mm shaft 6mm		

			
1			
<b>GEV No.</b>	526693	<b>Ref. No.</b>	08205908
<b>description</b>	water tap inlet 3/8" pipe length 60mm tube ø 10mm shaft 6mm		

			
1			
<b>GEV No.</b>	526760	<b>Ref. No.</b>	08340400
<b>description</b>	water tap with water pipe inlet 1/4" pipe length 84mm tube ø 10mm		

steam/water pipes

steam pipes

			
1			
<b>GEV No.</b>	529587	<b>Ref. No.</b>	08165722+08165110+08207400
<b>description</b>	steam pipe		


			
1			
<b>GEV No.</b>	526769	<b>Ref. No.</b>	08341400
<b>description</b>	steam pipe H 100mm W 80mm tube ø 8mm SS		


			
1			
<b>GEV No.</b>	526779	<b>Ref. No.</b>	08448540
<b>description</b>	steam pipe thread 1/2" H 180mm 1-2 group tube ø 10mm cable length 1000mm		


			
1			
<b>GEV No.</b>	526778	<b>Ref. No.</b>	08448550
<b>description</b>	steam pipe thread 1/2" H 180mm 3-4 group tube ø 10mm with probe cable length 1400mm		


			
1			
<b>GEV No.</b>	526768	<b>Ref. No.</b>	08340300
<b>description</b>	steam pipe thread M10x1 L 170mm W 105mm tube ø 10mm SS		


			
1			
<b>GEV No.</b>	526767	<b>Ref. No.</b>	08165722
<b>description</b>	steam pipe thread M8x1 L 140mm W 80mm tube ø 8mm SS		


nozzles for steam pipes			
			
1			
<b>GEV No.</b>	526765	<b>Ref. No.</b>	08391900
<b>description</b>	nozzle thread M10x1 ø 15mm L 22mm 4 holes bore ø 1.25mm SS		


			
1			
<b>GEV No.</b>	526764	<b>Ref. No.</b>	08207400
<b>description</b>	nozzle thread M8x1 ø 13mm L 22mm 4 holes bore ø 1.25mm SS		


nozzles for water pipes			
tap aerators			
			
1			
<b>GEV No.</b>	529608	<b>Ref. No.</b>	09000325
<b>description</b>	tap aerator D1 ø 23mm H 15mm thread M22x1		


accessories			
bushes			
			
1			
<b>GEV No.</b>	526797	<b>Ref. No.</b>	08397800
<b>description</b>	bush D1 ø 14.5mm D2 ø 10.8mm H 7.7mm PTFE ID ø 7mm		


			
1			
<b>GEV No.</b>	528654	<b>Ref. No.</b>	08165201
<b>description</b>	bush D1 ø 15mm D2 ø 11mm H 7.7mm nylon ID ø 7mm		


gaskets			
			
1			
<b>GEV No.</b>	510893	<b>Ref. No.</b>	07763204
<b>description</b>	O-ring EPDM thickness 2.62mm ID ø 9.92mm Qty 1 pcs		


springs			
			
1			
<b>GEV No.</b>	528184	<b>Ref. No.</b>	08165300
<b>description</b>	compression spring ø 10.8mm L 25mm wire gauge ø 1.8mm		


tube handles			
			
1			
<b>GEV No.</b>	526743	<b>Ref. No.</b>	09000586
<b>description</b>	tube handle for pipe ø 10mm ø 15mm L 28mm silicone		

			
1			
<b>GEV No.</b>	526742	<b>Ref. No.</b>	08339100 08339100P
<b>description</b>	tube handle for pipe ø 10mm ø 15mm L 50mm rubber		


			
1			
<b>GEV No.</b>	526741	<b>Ref. No.</b>	08339000
<b>description</b>	tube handle for pipe ø 8mm ø 12.5mm L 50mm rubber		

union nuts			
			
1			
<b>GEV No.</b>	526766	<b>Ref. No.</b>	08165110 08165130+0847990
<b>description</b>	union nut thread 3/8" L 34mm hole ø 12mm		

fine filters			
			
1			
<b>GEV No.</b>	528326	<b>Ref. No.</b>	N/A
<b>description</b>	fine filter flat ø 11.2mm		


			
1			
<b>GEV No.</b>	529911	<b>Ref. No.</b>	02435808
<b>description</b>	fine filter flat ø 11mm H 0.25mm		



			
1			
<b>GEV No.</b>	526731	<b>Ref. No.</b>	08298700
<b>description</b>	fine filter ø 8.5mm H 15mm for brewing unit stainless steel		


intake valves

intake valves


			
1			
<b>GEV No.</b>	529524	<b>Ref. No.</b>	07466006
<b>description</b>	intake valve water inlet 1/4" outlet 1/4" 3/8"		

accessories

gaskets

			
1			
<b>GEV No.</b>	528596	<b>Ref. No.</b>	02932200
<b>description</b>	gasket ED ø 12mm ID ø 4mm overall height 4mm conical		

gasket supports

			
1			
<b>GEV No.</b>	526771	<b>Ref. No.</b>	03059003
<b>description</b>	gasket support D1 ø 6mm D2 ø 16mm int. ø 1 3mm H 6.8mm plastic		


valves

			
1			
<b>GEV No.</b>	526770	<b>Ref. No.</b>	07665409
<b>description</b>	valve L 66mm ED ø 17mm		

level glasses

level glasses


gaskets

			
1			
<b>GEV No.</b>	526696	<b>Ref. No.</b>	08367000
<b>description</b>	gasket D1 ø 11mm D2 ø 8mm H 10mm		

level glasses (complete)


			
1			
<b>GEV No.</b>	526698	<b>Ref. No.</b>	08181505 08181604
<b>description</b>	water level tube L 180mm W 72mm ø 11mm thread 1/2"		

level glass pipes

			
1			
<b>GEV No.</b>	529367	<b>Ref. No.</b>	08181703
<b>description</b>	water level tube ø 11mm H 108mm		

non-return valves

compression springs

			
1			
<b>GEV No.</b>	526723	<b>Ref. No.</b>	01720606
<b>description</b>	compression spring ø 7.8mm L 34mm wire gauge ø 0.4mm		

for coffee grinders


grinding burrs

grinding burrs straight


standard

			
1			
<b>GEV No.</b>	527224	<b>Ref. No.</b>	00896209
<b>description</b>	grinding burrs pair turn direction left D1 ø 54mm ID ø 31mm H 8mm tooth spacing 3.5mm hole ø 4.5mm bore ø 6.5mm mounting ø 45 straight suitable for FAEMA (FP)		




			
1			
<b>GEV No.</b>	525533	<b>Ref. No.</b>	09000298 (Standard)
<b>description</b>	grinding burrs pair turn direction left D1 ø 64mm ID ø 37mm H 9mm tooth spacing 3mm hole ø 5.6mm bore ø 8.5mm mounting ø 50		

TITAN

			
1			
<b>GEV No.</b>	523039	<b>Ref. No.</b>	09000298 09710020
<b>description</b>	grinding burrs pair titanium turn direction left D1 ø 64mm ID ø 37mm H 8.5mm tooth spacing 3mm hole ø 5.6mm bore ø 8.5mm mounting ø 50		

screws

			
1			
<b>GEV No.</b>	525562	<b>Ref. No.</b>	04148219
<b>description</b>	screw thread M4 thread L 8mm head ø 5.5mm head thickness 3mm		


			
1			
<b>GEV No.</b>	525561	<b>Ref. No.</b>	04148110
<b>description</b>	screw thread M5 thread L 8mm head ø 7mm head thickness 3.5mm		


spillage trays


			
1			
<b>GEV No.</b>	525548	<b>Ref. No.</b>	09000546 11025311
<b>description</b>	drain tray L 240mm W 170mm for coffee grinder		


miscellaneous


			
1			
<b>GEV No.</b>	525543	<b>Ref. No.</b>	09000548 11025331
<b>description</b>	bezel L 142mm plastic		


			
1			
<b>GEV No.</b>	525558	<b>Ref. No.</b>	2600/010133
<b>description</b>	equipment foot ø 29mm L 12mm rubber for coffee grinder		


			
1			
<b>GEV No.</b>	525546	<b>Ref. No.</b>	09103400
<b>description</b>	flap left plastic		


			
1			
<b>GEV No.</b>	525545	<b>Ref. No.</b>	09103300
<b>description</b>	flap right plastic		


			
1			
<b>GEV No.</b>	111286	<b>Ref. No.</b>	09000299 09710030
<b>description</b>	knob spring L 20.3mm W 9.5mm H 12.5mm		

			
1			
<b>GEV No.</b>	525539	<b>Ref. No.</b>	09000421 10012690
<b>description</b>	pin for stop ø 4mm L 15mm		


			
1			
<b>GEV No.</b>	525541	<b>Ref. No.</b>	09000547 11025321
<b>description</b>	protector L 58mm plastic		


			
1			
<b>GEV No.</b>	800014	<b>Ref. No.</b>	08290900
<b>description</b>	puller for knob ø 59mm H 21.5mm ID ø 35mm plastic		


			
1			
<b>GEV No.</b>	525542	<b>Ref. No.</b>	09000739 19019650
<b>description</b>	retainer clip L 42mm		


			
1			
<b>GEV No.</b>	525531	<b>Ref. No.</b>	09000302 09710320
<b>description</b>	round belt for coffee grinder thickness 2.68mm ø 50.47mm		







 <p>Image not available</p>			
1			
<b>GEV No.</b>	525552	<b>Ref. No.</b>	09000682 12001840
<b>description</b>	spring for stop ø 4mm L 15mm		


<b>dosing containers</b>			
<b>dosing container lids</b>			
			
1			
<b>GEV No.</b>	525557	<b>Ref. No.</b>	00882506
<b>description</b>	lid for dosing container mounting ø 114mm ø 124mm plastic		


<b>springs</b>			
group 1			
			
1			
<b>GEV No.</b>	525560	<b>Ref. No.</b>	00883603
<b>description</b>	tension spring for lever L1 12mm L2 17mm L3 12mm ø 14mm wire gauge ø 1.3mm		


<b>levers</b>			
<b>levers</b>			
			
1			
<b>GEV No.</b>	525559	<b>Ref. No.</b>	07147804
<b>description</b>	lever for dosing container hole ø 20mm L 130mm metal		


<b>coffee presses</b>				
<b>components</b>				
<b>holders</b>				
				
1				
<b>GEV No.</b>	525534	<b>Ref. No.</b>	09000562 09000564 11025461 11025464	
<b>description</b>	bracket for coffee press aluminium L 80mm			
<b>accessories for</b>	525534			
	<b>GEV No.</b>	525535	<b>Ref. No.</b>	09000948 41105851
	coffee press ø 57mm H 16mm thread M4 plastic			
	<b>GEV No.</b>	525536	<b>Ref. No.</b>	09000053
	screw for coffee press thread M4 L 20mm			


<b>accessories for</b>	525534			
	<b>GEV No.</b>	525537	<b>Ref. No.</b>	09001136 42923051
	coffee press ø 52mm H 19mm thread M4 plastic			

<b>pressers</b>			
			
1			
<b>GEV No.</b>	525537	<b>Ref. No.</b>	09001136 42923051
<b>description</b>	coffee press ø 52mm H 19mm thread M4 plastic		

			
1			
<b>GEV No.</b>	525535	<b>Ref. No.</b>	09000948 41105851
<b>description</b>	coffee press ø 57mm H 16mm thread M4 plastic		

<b>screws</b>			
			
1			
<b>GEV No.</b>	525536	<b>Ref. No.</b>	09000053
<b>description</b>	screw for coffee press thread M4 L 20mm		

<b>adjustment mechanism</b>			
<b>setting rings</b>			
			
1			
<b>GEV No.</b>	525540	<b>Ref. No.</b>	09000543 11025280
<b>description</b>	setting ring for coffee grinder ø 85mm ID ø 54mm H 17mm plastic		

			
1			
<b>GEV No.</b>	525554	<b>Ref. No.</b>	01314608
<b>description</b>	setting ring mounting ø 88mm ø 125mm ID ø 52mm H 54mm		

## coffee beans containers

## container lids



1

<b>GEV No.</b>	525547	<b>Ref. No.</b>	09000549
----------------	--------	-----------------	----------

<b>description</b>	lid for coffee beans container L 280mm W 190mm		
--------------------	--	--	--

## coffee beans containers



1

<b>GEV No.</b>	525527	<b>Ref. No.</b>	09001108 09102700
----------------	--------	-----------------	----------------------

<b>description</b>	coffee beans container with lid L 280mm W 190mm H 180mm seat ø 51mm		
--------------------	---	--	--

<b>spare parts for</b>	525527		
------------------------	--------	--	--



<b>GEV No.</b>	525547	<b>Ref. No.</b>	09000549
----------------	--------	-----------------	----------

lid for coffee beans container L 280mm W 190mm

## support for filter holder



1

<b>GEV No.</b>	525550	<b>Ref. No.</b>	09000789 31095450
----------------	--------	-----------------	----------------------

<b>description</b>	filter holder support large SS		
--------------------	--------------------------------	--	--



1

<b>GEV No.</b>	525551	<b>Ref. No.</b>	09001130 42922151
----------------	--------	-----------------	----------------------

<b>description</b>	filter holder support standard plastic		
--------------------	--	--	--



1

<b>GEV No.</b>	530888	<b>Ref. No.</b>	09111200
----------------	--------	-----------------	----------

<b>description</b>	filter holder support standard steel		
--------------------	--------------------------------------	--	--

## manifolds



1

<b>GEV No.</b>	525544	<b>Ref. No.</b>	09001201
----------------	--------	-----------------	----------

<b>description</b>	manifold 2-way L 230mm plastic for coffee grinder		
--------------------	---	--	--

<b>spare parts for</b>	525544		
------------------------	--------	--	--



<b>GEV No.</b>	525542	<b>Ref. No.</b>	09000739 19019650
----------------	--------	-----------------	----------------------

retainer clip L 42mm

## knobs

## steam/water taps

## steam/water taps



1

<b>GEV No.</b>	111305	<b>Ref. No.</b>	08183311
----------------	--------	-----------------	----------

<b>description</b>	knob ø 42mm shaft ø 6x5mm shaft flat on both sides black		
--------------------	--	--	--



1

<b>GEV No.</b>	111307	<b>Ref. No.</b>	08099700
----------------	--------	-----------------	----------

<b>description</b>	knob ø 42mm shaft ø 6x5mm shaft flat on both sides black		
--------------------	--	--	--





1


<b>GEV No.</b>	111098	<b>Ref. No.</b>	08183303
----------------	--------	-----------------	----------


<b>description</b>	knob ø 42mm shaft ø 6x5mm shaft flat on both sides grey		
--------------------	---	--	--





			
1			
<b>GEV No.</b>	111063	<b>Ref. No.</b>	08185911
<b>description</b>	knob ø 50mm black		

			
1			
<b>GEV No.</b>	111020	<b>Ref. No.</b>	07678709 08225401
<b>description</b>	knob zero mark white ø 38mm shaft ø 6x5mm shaft flat on both sides black		


			
1			
<b>GEV No.</b>	530623	<b>Ref. No.</b>	PZ901788
<b>description</b>	turning handle ø 48mm L 43mm shaft ø 23mm black		


			
1			
<b>GEV No.</b>	526757	<b>Ref. No.</b>	08411410
<b>description</b>	turning handle ø 50mm shaft ø 23.5mm black		


			
1			
<b>GEV No.</b>	526756	<b>Ref. No.</b>	08411400
<b>description</b>	turning handle ø 50mm shaft ø 23.5mm grey		


			
1			
<b>GEV No.</b>	526755	<b>Ref. No.</b>	08335400
<b>description</b>	turning handle ø 51mm shaft ø 24mm black		


**knob dial plates**


			
1			
<b>GEV No.</b>	526752	<b>Ref. No.</b>	08389500
<b>description</b>	cam disc ø 17.5mm L 10mm fixed		


			
1			
<b>GEV No.</b>	526753	<b>Ref. No.</b>	08389600
<b>description</b>	cam disc ø 24mm L 15mm mobile		


			
1			
<b>GEV No.</b>	526754	<b>Ref. No.</b>	08389710
<b>description</b>	coupling ø 45mm L 35mm		


			
1			
<b>GEV No.</b>	526758	<b>Ref. No.</b>	08389700
<b>description</b>	coupling ø 45mm L 35mm		

			
1			
<b>GEV No.</b>	528760	<b>Ref. No.</b>	08185804
<b>description</b>	knob adapter ø 45mm L 43mm		


			
1			
<b>GEV No.</b>	111113	<b>Ref. No.</b>	08147804
<b>description</b>	knob dial plate steam ø 15mm		

			
1			
<b>GEV No.</b>	111114	<b>Ref. No.</b>	08147903
<b>description</b>	knob dial plate water ø 15mm		

			
1			
<b>GEV No.</b>	111103	<b>Ref. No.</b>	08100000
<b>description</b>	knob dial plate water t.max. 12°C		

			
1			
<b>GEV No.</b>	526759	<b>Ref. No.</b>	08411500
<b>description</b>	sign for handle ø 47mm L 4mm		

**accessories**

			
1			
<b>GEV No.</b>	111273	<b>Ref. No.</b>	09000277
<b>description</b>	cotter pin ø 1.3mm L 25mm		

## miscellaneous



1

<b>GEV No.</b>	111303	<b>Ref. No.</b>	08411610
----------------	--------	-----------------	----------

<b>description</b>	knob ø 42mm W 25mm black
--------------------	--------------------------



1

<b>GEV No.</b>	111302	<b>Ref. No.</b>	08411600
----------------	--------	-----------------	----------

<b>description</b>	knob ø 42mm W 25mm grey
--------------------	-------------------------

<b>accessories for</b>	111302
------------------------	--------



<b>GEV No.</b>	111301	<b>Ref. No.</b>	08411700
----------------	--------	-----------------	----------

<b>description</b>	sign ø 38mm
--------------------	-------------



1

<b>GEV No.</b>	525538	<b>Ref. No.</b>	09000537 11025211
----------------	--------	-----------------	----------------------

<b>description</b>	knob shaft ø 8x7 black plastic
--------------------	--------------------------------



1

<b>GEV No.</b>	111304	<b>Ref. No.</b>	08336100
----------------	--------	-----------------	----------

<b>description</b>	knob zero mark ø 42mm L 24mm black
--------------------	------------------------------------

## accessories

## button springs



1

<b>GEV No.</b>	111286	<b>Ref. No.</b>	09000299 09710030
----------------	--------	-----------------	----------------------

<b>description</b>	knob spring L 20.3mm W 9.5mm H 12.5mm
--------------------	---------------------------------------

## covers



1

<b>GEV No.</b>	111301	<b>Ref. No.</b>	08411700
----------------	--------	-----------------	----------

<b>description</b>	sign ø 38mm
--------------------	-------------

## rosettes



1

<b>GEV No.</b>	111306	<b>Ref. No.</b>	08099500
----------------	--------	-----------------	----------

<b>description</b>	rosette for filling valve knob ø 42mm ø 55mm black
--------------------	--



1

<b>GEV No.</b>	111069	<b>Ref. No.</b>	08099518
----------------	--------	-----------------	----------

<b>description</b>	rosette for filling valve knob ø 42mm ø 55mm grey
--------------------	---

## handles and hand wheels

## lever handles



1

<b>GEV No.</b>	528658	<b>Ref. No.</b>	08111200
----------------	--------	-----------------	----------

<b>description</b>	lever handle plastic black shaft 6.5x6.5mm
--------------------	--

## equipment feet and end caps

## equipment feet with stem



1

<b>GEV No.</b>	525558	<b>Ref. No.</b>	2600/010133
----------------	--------	-----------------	-------------

<b>description</b>	equipment foot ø 29mm L 12mm rubber for coffee grinder
--------------------	--



**gaskets**

**O-rings**

**EPDM**

1

<b>GEV No.</b>	529412	<b>Ref. No.</b>	08291007
<b>description</b>	O-ring EPDM thickness 2.62mm ID ø 10.78mm Qty 1 pcs		

1

<b>GEV No.</b>	528487	<b>Ref. No.</b>	07763204
<b>description</b>	O-ring EPDM thickness 2.62mm ID ø 9.19mm Qty 1 pcs		

1

<b>GEV No.</b>	510893	<b>Ref. No.</b>	07763204
<b>description</b>	O-ring EPDM thickness 2.62mm ID ø 9.92mm Qty 1 pcs		

**silicone**

1

<b>GEV No.</b>	532716	<b>Ref. No.</b>	NM01.057
<b>description</b>	O-ring silicone thickness 2mm ID ø 5mm Qty 10 pcs		

1

<b>GEV No.</b>	532715	<b>Ref. No.</b>	140320459
<b>description</b>	O-ring silicone thickness 2mm ID ø 8mm Qty 10 pcs		

**Viton**

1

<b>GEV No.</b>	525532	<b>Ref. No.</b>	08494700
<b>description</b>	O-ring Viton thickness 1.5mm ID ø 14mm Qty 1 pcs		

1

<b>GEV No.</b>	528687	<b>Ref. No.</b>	0371/040103
<b>description</b>	O-ring Viton thickness 1.78mm ID ø 3.69mm Qty 1 pcs		

1

<b>GEV No.</b>	101526	<b>Ref. No.</b>	03070802
<b>description</b>	O-ring Viton thickness 1.78mm ID ø 4.48mm Qty 1 pcs		

1

<b>GEV No.</b>	529476	<b>Ref. No.</b>	07851900
<b>description</b>	O-ring Viton thickness 1.78mm ID ø 9.25mm Qty 1 pcs		

1

<b>GEV No.</b>	528649	<b>Ref. No.</b>	02476703
<b>description</b>	O-ring Viton thickness 2mm ID ø 6mm Qty 1 pcs		

1

<b>GEV No.</b>	528525	<b>Ref. No.</b>	02019701
<b>description</b>	O-ring Viton thickness 3.53mm ID ø 18.64mm Qty 1 pcs		


**sealing washers**

**rubber gaskets**

1


<b>GEV No.</b>	528494	<b>Ref. No.</b>	01954502
<b>description</b>	gasket rubber ED ø 13mm ID ø 4mm thickness 4mm Qty 1 pcs		





			
1			
<b>GEV No.</b>	528495	<b>Ref. No.</b>	10257608
<b>description</b>	gasket rubber ED ø 16mm ID ø 8mm thickness 4mm Qty 1 pcs		


**copper gaskets**


**DIN-7603-A**

			
1			
<b>GEV No.</b>	528197	<b>Ref. No.</b>	07411705
<b>description</b>	flat gasket copper ED ø 10mm ID ø 6mm thickness 1mm Qty 1 pcs		


			
1			
<b>GEV No.</b>	528662	<b>Ref. No.</b>	07411507
<b>description</b>	flat gasket copper ED ø 16mm ID ø 12mm thickness 1.5mm		


			
1			
<b>GEV No.</b>	529361	<b>Ref. No.</b>	01626804
<b>description</b>	flat gasket copper ED ø 18mm ID ø 13.5mm thickness 1.5mm for thread 1/4"		

			
1			
<b>GEV No.</b>	528660	<b>Ref. No.</b>	07412208
<b>description</b>	flat gasket copper ED ø 21mm ID ø 17mm thickness 1.5mm suitable for 3/8"		


			
1			
<b>GEV No.</b>	526694	<b>Ref. No.</b>	07412109
<b>description</b>	gasket copper ED ø 30mm ID ø 21mm thickness 1.5mm		


**DIN-7603-C**

			
1			
<b>GEV No.</b>	528520	<b>Ref. No.</b>	02455103
<b>description</b>	gasket copper ED ø 22mm ID ø 16mm thickness 2mm		

			
1			
<b>GEV No.</b>	529360	<b>Ref. No.</b>	02455202
<b>description</b>	gasket copper ED ø 26.1mm ID ø 21mm thickness 2.1mm for thread 1/2"		


**PTFE gaskets**

			
1			
<b>GEV No.</b>	528945	<b>Ref. No.</b>	05132808
<b>description</b>	flat gasket PTFE ED ø 22mm ID ø 16mm thickness 1.5mm Qty 1 pcs equiv. no. W10309 suitable for ESPRESSA, WEGA		

			
1			
<b>GEV No.</b>	526795	<b>Ref. No.</b>	05132900
<b>description</b>	flat gasket PTFE ED ø 36mm ID ø 30.2mm thickness 1.5mm Qty 1 pcs		


**special gaskets**


**group gaskets**

			
1			
<b>GEV No.</b>	526794	<b>Ref. No.</b>	08150203
<b>description</b>	group gasket L 78mm W 72mm thickness 1mm aperture 65x24mm hole distance 58mm		


**springs**


**compression springs**


			
1			
<b>GEV No.</b>	528184	<b>Ref. No.</b>	08165300
<b>description</b>	compression spring ø 10.8mm L 25mm wire gauge ø 1.8mm		


			
1			
<b>GEV No.</b>	526789	<b>Ref. No.</b>	08389900
<b>description</b>	compression spring ø 11.3mm L 31mm wire gauge ø 1.5mm		





			
1			
<b>GEV No.</b>	528526	<b>Ref. No.</b>	02318400
<b>description</b>	compression spring ø 12.9mm L 41mm wire gauge ø 1.2mm		


			
1			
<b>GEV No.</b>	528533	<b>Ref. No.</b>	02054609
<b>description</b>	compression spring ø 14.6mm L 43mm wire gauge ø 1.4mm		


			
1			
<b>GEV No.</b>	528475	<b>Ref. No.</b>	01784909
<b>description</b>	compression spring ø 14.7mm L 33mm wire gauge ø 2mm		

			
1			
<b>GEV No.</b>	528542	<b>Ref. No.</b>	01854306
<b>description</b>	compression spring ø 15mm L 27mm wire gauge ø 1.8mm windings 5		

			
1			
<b>GEV No.</b>	526690	<b>Ref. No.</b>	00109108
<b>description</b>	compression spring ø 15mm L 27mm wire gauge ø 2.2mm		

			
1			
<b>GEV No.</b>	528758	<b>Ref. No.</b>	08018707
<b>description</b>	compression spring ø 29.6mm L 28mm wire gauge ø 1.5mm		


			
1			
<b>GEV No.</b>	526723	<b>Ref. No.</b>	01720606
<b>description</b>	compression spring ø 7.8mm L 34mm wire gauge ø 0.4mm		


			
1			
<b>GEV No.</b>	528521	<b>Ref. No.</b>	02446409
<b>description</b>	compression spring ø 8.3mm L 19mm wire gauge ø 0.9mm windings 5		


### tension springs


			
1			
<b>GEV No.</b>	525560	<b>Ref. No.</b>	00883603
<b>description</b>	tension spring for lever L1 12mm L2 17mm L3 12mm ø 14mm wire gauge ø 1.3mm		

### manometers


			
1			
<b>GEV No.</b>	541709	<b>Ref. No.</b>	08385000
<b>description</b>	manometer double scale ø 60mm pressure range 0-2.5 / 0-16bar connection on the backside thread 1/8"		

			
1			
<b>GEV No.</b>	541710	<b>Ref. No.</b>	08339500
<b>description</b>	manometer double scale ø 60mm pressure range 0-2.5 / 0-16bar connection on the backside thread 1/8"		

			
1			
<b>GEV No.</b>	541711	<b>Ref. No.</b>	08405500
<b>description</b>	manometer double scale ø 60mm pressure range 0-2.5 / 0-16bar connection on the backside thread 1/8"		

			
1			
<b>GEV No.</b>	541713	<b>Ref. No.</b>	08130600
<b>description</b>	manometer double scale ø 60mm pressure range 0-2.5 / 0-16bar connection on the backside thread 1/8"		




			
1			
<b>GEV No.</b>	541712	<b>Ref. No.</b>	08323500
<b>description</b>	manometer pressure range 0-2.5bar ø 60mm connection 1/8" marking 0.7-1		

## dosing pumps

### accessories

#### hose couplings


##### metal

			
1			
<b>GEV No.</b>	361184	<b>Ref. No.</b>	05060680
<b>description</b>	nut thread 1/2" H 6mm nickel-plated brass WS 24 Qty 1 pcs		

## hoses

### industrial hoses

#### PTFE hoses

			
1			
<b>GEV No.</b>	520479	<b>Ref. No.</b>	67615610080
<b>description</b>	PTFE hose ED ø 10mm ID ø 8mm thickness 1mm L 1000mm		


## tools

### cleaning tools

#### brushes

##### pipe brushes

##### nylon


			
1			
<b>GEV No.</b>	802400	<b>Ref. No.</b>	09000410 09716130
<b>description</b>	brush nylon ø 30mm total length 480mm brush length 110mm		


## fastening material


### screws

#### cylinder head bolts

##### DIN 912/ISO 4762


			
1			
<b>GEV No.</b>	560373	<b>Ref. No.</b>	05194402
<b>description</b>	cylinder head bolt thread M4 thread L 12mm WS 3 SS Qty 1 pcs intake internal hexagon DIN 912/ISO 4762		

			
1			
<b>GEV No.</b>	560031	<b>Ref. No.</b>	05194006
<b>description</b>	cylinder head bolt thread M6 thread L 10mm WS 5 SS Qty 20 pcs DIN 912/ISO 4762		

			
1			
<b>GEV No.</b>	529123	<b>Ref. No.</b>	05193800
<b>description</b>	cylinder head bolt thread M8 L 80mm thread L 30mm WS 6 SS Qty 1 pcs DIN 912/ISO 4762		


### nuts


#### cap nuts

			
1			
<b>GEV No.</b>	560137	<b>Ref. No.</b>	08115600
<b>description</b>	cap nuts thread M6 WS 10 SS Qty 20 pcs DIN/ISO DIN 1587		

#### hexagonal nuts

##### hexagonal nuts inch thread

			
1			
<b>GEV No.</b>	361184	<b>Ref. No.</b>	05060680
<b>description</b>	nut thread 1/2" H 6mm nickel-plated brass WS 24 Qty 1 pcs		

			
1			
<b>GEV No.</b>	511472	<b>Ref. No.</b>	04531505
<b>description</b>	nut thread 3/8" H 4mm brass WS 21 Qty 1 pcs		



washers

washers

DIN 9021



<b>GEV No.</b>	560398	<b>Ref. No.</b>	07414501
<b>description</b>	plain washer ID ø 6.5mm ED ø 22mm thickness 1.5mm SS Qty 1 pcs		

miscellaneous



<b>GEV No.</b>	560399	<b>Ref. No.</b>	07412509
<b>description</b>	plain washer ID ø 21.5mm ED ø 32mm thickness 0.5mm SS Qty 1 pcs		



<b>GEV No.</b>	528529	<b>Ref. No.</b>	04732202
<b>description</b>	plain washer ID ø 3.5mm ED ø 6.6mm thickness 0.5mm brass Qty 1 pcs		



<b>GEV No.</b>	526728	<b>Ref. No.</b>	04711701
<b>description</b>	plain washer ID ø 6.5mm ED ø 14.5mm thickness 1mm brass Qty 1 pcs		



<b>GEV No.</b>	528522	<b>Ref. No.</b>	04715801
<b>description</b>	plain washer ID ø 6.7mm ED ø 10.8mm thickness 1mm brass Qty 1 pcs		




<b>GEV No.</b>	525884	<b>Ref. No.</b>	07414300
<b>description</b>	plain washer ID ø 8mm ED ø 16mm thickness 1.5mm brass Qty 1 pcs		

tooth lock washers

DIN 6798A



<b>GEV No.</b>	560127	<b>Ref. No.</b>	09000067 7568603
<b>description</b>	tooth lock washer ID ø 6.2mm ED ø 11mm SS DIN/ISO DIN 6798A Qty 20 pcs for thread M6		



<b>GEV No.</b>	560128	<b>Ref. No.</b>	07568702
<b>description</b>	tooth lock washer ID ø 8.3mm ED ø 15mm SS DIN/ISO DIN 6798A Qty 20 pcs for thread M8		

fasteners

cotter pins



<b>GEV No.</b>	111273	<b>Ref. No.</b>	09000277
<b>description</b>	cotter pin ø 1.3mm L 25mm		



<b>GEV No.</b>	695209	<b>Ref. No.</b>	05160007
<b>description</b>	cotter pin ø 2mm L 20mm SS		



<b>B</b>		
bi-metal thermostats	3, 3	
brushes	32	
<b>C</b>		
cap nuts	32	
cleaning tools	32	
compressors	11	
condensators & interference suppression filters	12	
contactors	6	
cotter pins	33	
cylinder head bolts	32	
<b>D</b>		
dosing pumps	32	
<b>F</b>		
fasteners	33	
fastening material	32	
<b>H</b>		
heating elements	3	
heating elements for coffee machine	3	
hexagonal nuts	32	
hose couplings	32	
hoses	32	
<b>I</b>		
indicator lights	5	
indicator lights (complete)	5	
industrial hoses	32	
<b>L</b>		
lamps	5	
LED	5	
<b>M</b>		
microswitches	4	
motors	11	
<b>N</b>		
nuts	32	
<b>O</b>		
operating capacitors	12	
O-rings	29	
<b>P</b>		
pipe brushes	32	
probes	6	
PTFE hoses	32	
<b>R</b>		
relays	6	
rocker/momentary rocker switches	4	
rotary switches	5	
<b>S</b>		
safety thermostats	3	
screws	32	
sealing washers	29	
solenoid valves	11	
solid state relays	6	
starting capacitors	12	
switches and momentary switches	4	
<b>T</b>		
thermostats	3	
tools	32	
tooth lock washers	33	
transformers	6	
<b>W</b>		
washers	33	