



**GAS COMPONENTS**



**ELECTRIC COMPONENTS**



**WATER TECHNOLOGY**



**MECHANICAL COMPONENTS**



**TOOLS**

Spare parts suitable for

**QUAMAR**

Find the complete and up-to-date range of products in our GEV Webshop



# Manufacturer catalogue

The most important spare parts and accessories arranged clearly for every manufacturer

- ✓ Complete product range and all appliance data always up to date in the GEV Webshop
- ✓ Alphabetical Index at the end of the catalogue

## GEV Webshop

[www.gev-online.co.uk](http://www.gev-online.co.uk)

[www.gev-online.com](http://www.gev-online.com)



- 🔍 Add to Favourites
- 🔍 Sign In with email address and usual password
- 🔍 Easy-order – place several items in your basket at the same time
- 🔍 Quick Item search – no login needed



## switches and momentary switches

### rocker/momentary rocker switches

30x22mm

blank



1

**GEV No.** 346144 **Ref. No.** 210018

**description** push switch mounting measurements 30x22mm white 2CO 250V 16A illuminated connection male faston 6.3mm ambient temperature max. 100/55°C protection IP65

**accessories for** 346144



**GEV No.** 301036 **Ref. No.** —  
protective cover internal size 30x22mm for rocker switch mounting measurementsmm

labelled



1

**GEV No.** 301164 **Ref. No.** 210018

**description** rocker switch mounting measurements 30x22mm green 2NO 250V 16A illuminated connection male faston 6.3mm ambient temperature max. 85°C protection IP65 with cover cap

**accessories for** 301164



**GEV No.** 301036 **Ref. No.** —  
protective cover internal size 30x22mm for rocker switch mounting measurementsmm

### microswitches

lever actuated



1

**GEV No.** 347291 **Ref. No.** 210021

**description** microswitch 250V 3A 1NC connection with cable ambient temperature max. 85°C cable length 380mm lever length 15mm

pin-plunger actuated



1

**GEV No.** 346145 **Ref. No.** 210031

**description** microswitch with plunger 250V 10A 1CO connection male faston 4.8mm ambient temperature max. 125°C mounting distance 22mm black

M10



1

**GEV No.** 347288 **Ref. No.** 210014

**description** microswitch with plunger thread M10x0.75 thread L 10mm 250V 16A 1NO connection male faston 6.3mm stroke 6mm mounting distance 22mm ambient temperature max. 125°C type VRSRB1AA1 actuating force: 160g

**accessories for** 347288



**GEV No.** 100779 **Ref. No.** —  
nut thread M10x0.75 H 3mm WS 14 SS Qty 2 pcs

accessories



1

**GEV No.** 525067 **Ref. No.** 130067

**description** extension for microswitch thread M10x0.75 ø 12mm H 45mm aluminium

### rotary switches

GIOVENZANA

rotary switches



1

**GEV No.** 347287<sup>1</sup> **Ref. No.** 210105

**description** rotary switch 2 0-1 sets of contacts 2 type PO16 690V 16A shaft ø 6x6mm shaft L 20mm shaft 5x5 with knob connection screw

<sup>1</sup>incl. knob and dial plate

### lamps

#### indicator lights

indicator lights (complete)

ø10mm

with screw socket



1

**GEV No.** 359791 **Ref. No.** 210032

**description** indicator light ø 10mm 230V green cable length 250mm

## contactors

### ABB

#### power contactors



1

<b>GEV No.</b>	380100	<b>Ref. No.</b>	210034
<b>description</b>	power contactor resistive load 20A 230VAC (AC3/400V) 12A/5.5kW main contacts 3NO auxiliary contacts 1NO connection screw connection type B6-30-10 / B7-30-10		



1

<b>GEV No.</b>	380110	<b>Ref. No.</b>	210035
<b>description</b>	power contactor resistive load 20A 400VAC (AC3/400V) 12A/5.5kW main contacts 3NO auxiliary contacts 1NO connection screw connection type B6-30-10 / B7-30-10		

## electronics

### PCBs



1

<b>GEV No.</b>	403203	<b>Ref. No.</b>	130142
<b>description</b>	display coffee grinder QUAMAR 4 buttons		



1

<b>GEV No.</b>	403202	<b>Ref. No.</b>	130140
<b>description</b>	electronics coffee grinder M80 suitable for QUAMAR 230V		



1

<b>GEV No.</b>	402431	<b>Ref. No.</b>	130140 old
<b>description</b>	PCB for coffee grinder 230V with display		

## motors

### motors

#### for coffee grinders

#### components



1

<b>GEV No.</b>	500239	<b>Ref. No.</b>	270012
<b>description</b>	motor 230V 50Hz 1 phase ø 100mm ID ø 65mm H 195mm shaft ø 16mm type T48		



1

<b>GEV No.</b>	500238	<b>Ref. No.</b>	270003
<b>description</b>	motor 230V 50Hz 1 phase ø 110mm ID ø 65mm H 160mm shaft ø 14mm type T80		

## condensators & interference suppression filters

### operating capacitors

#### plastic



1

<b>GEV No.</b>	365014	<b>Ref. No.</b>	150064
<b>description</b>	operating capacitor capacity 12.5µF 450V tolerance 5%Hz ambient temperature max. -25 to +85°C ø 35mm L 70mm M8 plastic connection male faston 6.3mm 45S.C3DS.12.5 protection		



			
1			
<b>GEV No.</b>	365021	<b>Ref. No.</b>	150063
<b>description</b>	operating capacitor capacity 16µF 425V tolerance 5% 50/60Hz ambient temperature max. -25 to +85°C ø 35mm L 73mm single M8 plastic connection male faston 6.3mm 416.10.99 protection		

			
1			
<b>GEV No.</b>	365013	<b>Ref. No.</b>	150070
<b>description</b>	operating capacitor capacity 8µF 400V tolerance 5%Hz ambient temperature max. -25 to +85°C ø 31.5mm L 55mm M8 plastic connection male faston 6.3mm protection		

## equipment-specific units

### for coffee grinders

#### grinding burrs


#### grinding burrs straight


#### standard

			
1			
<b>GEV No.</b>	527227	<b>Ref. No.</b>	260001 260003
<b>description</b>	grinding burrs pair turn direction right D1 ø 63mm ID ø 38mm H 9.5mm tooth spacing 3mm hole ø 5.5mm bore ø 8.5mm mounting ø 48 straight suitable for FIORENZATO		

			
1			
<b>GEV No.</b>	527228	<b>Ref. No.</b>	260001 260003
<b>description</b>	grinding burrs pair turn direction right D1 ø 83mm ID ø 45mm H 10mm tooth spacing 4mm hole ø 5.4mm bore ø 10mm mounting ø 64.5 straight suitable for FIORENZATO		

#### grinding burrs holders


			
1			
<b>GEV No.</b>	527260	<b>Ref. No.</b>	170090
<b>description</b>	grinding burr holder D1 ø 63mm D2 ø 80mm H 31mm type T80 suitable for FIORENZATO		


			
1			
<b>GEV No.</b>	527261	<b>Ref. No.</b>	170106
<b>description</b>	grinding burr holder D1 ø 83mm D2 ø 90mm H 34mm type T45 suitable for FIORENZATO		

#### containers

			
1			
<b>GEV No.</b>	525064	<b>Ref. No.</b>	180044
<b>description</b>	container for coffee powder ø 100mm H 180mm SS		

#### miscellaneous

			
1			
<b>GEV No.</b>	802047	<b>Ref. No.</b>	160097
<b>description</b>	equipment foot rubber ømm H 22mm mounting measurements 31x18mm T80 Qty 1 pcs		

			
1			
<b>GEV No.</b>	525063	<b>Ref. No.</b>	230030
<b>description</b>	spring L 35mm spring steel for container		

## dosing containers

## dosing containers (complete)



<b>GEV No.</b>	525070	<b>Ref. No.</b>	RMT800003
<b>description</b>	dosing unit complete lever right ø 125mm H 170mm		



<b>GEV No.</b>	525088	<b>Ref. No.</b>	RMT480006
<b>description</b>	dosing unit complete ø 136mm H 210mm suitable for T48		



<b>GEV No.</b>	527508	<b>Ref. No.</b>	RMT480006 RMT800003 RMUNI0007
<b>description</b>	dosing unit ø 120mm suitable for T80		

## dosing container lids



<b>GEV No.</b>	527320	<b>Ref. No.</b>	160064
<b>description</b>	lid for dosing container mounting ø 114mm ø 122mm H 22mm suitable for M80		



<b>GEV No.</b>	527323	<b>Ref. No.</b>	160078
<b>description</b>	lid for dosing container mounting ø 130mm ø 135mm H 24mm		



dosing units



1

<b>GEV No.</b>	527529	<b>Ref. No.</b>	RMT800010
<b>description</b>	dosing unit		

adjusting screws



1

<b>GEV No.</b>	527500	<b>Ref. No.</b>	RMT800013
<b>description</b>	adjusting screw for dosing container thread M8 L 40mm plastic		

springs


group 1



1

<b>GEV No.</b>	525075	<b>Ref. No.</b>	230027
<b>description</b>	tension spring ø 10mm total length 40mm wire gauge ø 1mm		

glass cylinders



1

<b>GEV No.</b>	525071	<b>Ref. No.</b>	160008
<b>description</b>	glass cylinder ø 115mm H 49mm plexiglas		



1

<b>GEV No.</b>	527322	<b>Ref. No.</b>	160083
<b>description</b>	glass cylinder ø 122mm H 10mm plexiglas		



1

<b>GEV No.</b>	527326	<b>Ref. No.</b>	160079
<b>description</b>	glass cylinder ø 132mm H 75mm plexiglas		


levers

levers



1

<b>GEV No.</b>	525074	<b>Ref. No.</b>	RMUNI0001
<b>description</b>	lever complete for dosing unit L 110mm SS		



1

<b>GEV No.</b>	527507	<b>Ref. No.</b>	RMUNI0007
<b>description</b>	lever complete L 110mm shaft ø 8mm plastic		



1

<b>GEV No.</b>	525073	<b>Ref. No.</b>	160075
<b>description</b>	lever for dosing unit hole ø 18.8mm L 110mm plastic		

coffee presses

coffee presses



1

<b>GEV No.</b>	525077	<b>Ref. No.</b>	RMM100009
<b>description</b>	coffee press ø 56mm L 70mm H 40mm		



1

<b>GEV No.</b>	527506	<b>Ref. No.</b>	160061 RMT800014
<b>description</b>	coffee press ø 57mm L 83mm H 41mm plastic		

## bodies



1

<b>GEV No.</b>	525072	<b>Ref. No.</b>	170174
----------------	--------	-----------------	--------

<b>description</b>	body for dosing container ø 120mm H 60mm aluminium		
--------------------	--	--	--



1

<b>GEV No.</b>	527325	<b>Ref. No.</b>	170111
----------------	--------	-----------------	--------

<b>description</b>	body ø 135mm H 65mm aluminium		
--------------------	-------------------------------	--	--

## automatic grinding

## automatic grinding



1

<b>GEV No.</b>	525060	<b>Ref. No.</b>	RMT800002
----------------	--------	-----------------	-----------

<b>description</b>	housing with microswitch H 35mm plastic for model T80-M80-M1		
--------------------	--	--	--



1

<b>GEV No.</b>	525061	<b>Ref. No.</b>	RMT480003
----------------	--------	-----------------	-----------

<b>description</b>	housing with microswitch H 36mm plastic for model T48		
--------------------	---	--	--

## return spring



1

<b>GEV No.</b>	525081	<b>Ref. No.</b>	160074
----------------	--------	-----------------	--------

<b>description</b>	cover plate mounting pos. lower ø 117mm plastic		
--------------------	---	--	--

## sector plates



1

<b>GEV No.</b>	527502	<b>Ref. No.</b>	160073
----------------	--------	-----------------	--------

<b>description</b>	sector plates plastic		
--------------------	-----------------------	--	--

## ratches

## pins



1

<b>GEV No.</b>	525066	<b>Ref. No.</b>	130060
----------------	--------	-----------------	--------

<b>description</b>	pin for stop ø 2.6mm D2 ø 4mm L 17mm		
--------------------	--------------------------------------	--	--



1

<b>GEV No.</b>	525065	<b>Ref. No.</b>	130059
----------------	--------	-----------------	--------

<b>description</b>	pressure pin for lever ø 4mm D2 ø 6mm L 16mm		
--------------------	--	--	--

## stars

## central



1

<b>GEV No.</b>	525080	<b>Ref. No.</b>	160071
----------------	--------	-----------------	--------

<b>description</b>	star mounting pos. centre ø 109mm hole ø 12mm H 31mm		
--------------------	--	--	--

## upper



1

<b>GEV No.</b>	527501	<b>Ref. No.</b>	160072
----------------	--------	-----------------	--------

<b>description</b>	star mounting pos. upper ø 107mm hole ø 8mm H 39mm		
--------------------	--	--	--

## bottom



1

<b>GEV No.</b>	525079	<b>Ref. No.</b>	160070
----------------	--------	-----------------	--------

<b>description</b>	star mounting pos. lower ø 109mm		
--------------------	----------------------------------	--	--

## accessories




1

<b>GEV No.</b>	525062	<b>Ref. No.</b>	130095
----------------	--------	-----------------	--------

<b>description</b>	bar ø 2mm L 118mm SS		
--------------------	----------------------	--	--







			
1			
<b>GEV No.</b>	525078	<b>Ref. No.</b>	160065
<b>description</b>	spacer ring ø 42mm ID ø 25mm H 4mm plastic		


adjustment mechanism


lockable adjustment

			
1			
<b>GEV No.</b>	525068	<b>Ref. No.</b>	160062
<b>description</b>	push button for setting ring L 36mm W 22mm shaft ø 6.2mm shaft length 23mm		


setting rings

			
1			
<b>GEV No.</b>	525084	<b>Ref. No.</b>	RMT480005
<b>description</b>	adjusting screw set ø 30mm H 250mm		

			
1			
<b>GEV No.</b>	527412	<b>Ref. No.</b>	170108
<b>description</b>	setting ring mounting ø 95mm ø 111mm ID ø 68mm H 41mm suitable for FIORENZATO for T45 equiv. no. 340181		


			
1			
<b>GEV No.</b>	527410	<b>Ref. No.</b>	170091
<b>description</b>	setting ring ø 106mm ID ø 68mm H 30mm suitable for FIORENZATO for T80		

springs

			
1			
<b>GEV No.</b>	525069	<b>Ref. No.</b>	230013
<b>description</b>	compression spring ø 5mm L 28mm wire gauge ø 0.5mm		

accessories

stickers

			
1			
<b>GEV No.</b>	525083	<b>Ref. No.</b>	240022
<b>description</b>	sticker for setting ring ø 95mm		

coffee powder dispenser

coffee powder dispenser

			
1			
<b>GEV No.</b>	525085	<b>Ref. No.</b>	RMT80D001
<b>description</b>	coffee discharge chute L 90mm aluminium ø 45mm		

coffee beans containers

container lids

			
1			
<b>GEV No.</b>	527313	<b>Ref. No.</b>	160149
<b>description</b>	lid for coffee beans container mounting ø 174mm ø 178mm		

			
1			
<b>GEV No.</b>	527315	<b>Ref. No.</b>	160081
<b>description</b>	lid for coffee beans container mounting ø 200mm ø 204mm		

## coffee beans containers



1

<b>GEV No.</b>	527312	<b>Ref. No.</b>	RMT480001
----------------	--------	-----------------	-----------

<b>description</b>	coffee beans container 3-piece seat ø 68mm
--------------------	--



1

<b>GEV No.</b>	525086	<b>Ref. No.</b>	RMT800012 RMT800015
----------------	--------	-----------------	------------------------

<b>description</b>	coffee beans container complete ø 175mm H 220mm seat ø 68mm container capacity 1.2kg M80
--------------------	--



1

<b>GEV No.</b>	527311	<b>Ref. No.</b>	RMT800001 RMT800012
<b>description</b>	coffee beans container complete ø 175mm H 220mm seat ø 68mm container capacity 1.2kg T80		



1

<b>GEV No.</b>	525089	<b>Ref. No.</b>	RMT480001
----------------	--------	-----------------	-----------

<b>description</b>	coffee beans container complete ø 200mm H 255mm seat ø 67mm T48
--------------------	---




1

<b>GEV No.</b>	525087	<b>Ref. No.</b>	RMM100001
<b>description</b>	coffee beans container complete ø 200mm H 255mm seat ø 68mm container capacity 1.5kg M1		






1

<b>GEV No.</b>	527314	<b>Ref. No.</b>	160080	
<b>description</b>	coffee beans container ø 172mm H 222mm seat ø 67mm M80			
<b>accessories for</b>	527314			
	<b>GEV No.</b>	527313	<b>Ref. No.</b>	160149
	lid for coffee beans container mounting ø 174mm ø 178mm			
	<b>GEV No.</b>	527318	<b>Ref. No.</b>	160063
	catch L 86mm W 48mm thickness 2mm plastic			
	<b>GEV No.</b>	527319	<b>Ref. No.</b>	160067
	protection cap ø 60mm suitable for FIORENZATO plexiglas			



1


<b>GEV No.</b>	527316	<b>Ref. No.</b>	160076	
<b>description</b>	coffee beans container ø 200mm H 255mm seat ø 67mm M1-T48			
<b>spare parts for</b>	527316			
	<b>GEV No.</b>	527315	<b>Ref. No.</b>	160081
	lid for coffee beans container mounting ø 200mm ø 204mm			
	<b>GEV No.</b>	527318	<b>Ref. No.</b>	160063
	catch L 86mm W 48mm thickness 2mm plastic			
	<b>GEV No.</b>	527319	<b>Ref. No.</b>	160067
	protection cap ø 60mm suitable for FIORENZATO plexiglas			

protection caps



1


<b>GEV No.</b>	527319	<b>Ref. No.</b>	160067
<b>description</b>	protection cap ø 60mm suitable for FIORENZATO plexiglas		



1

<b>GEV No.</b>	527411	<b>Ref. No.</b>	160091
<b>description</b>	protection cap ø 68mm plastic		

locks



1

<b>GEV No.</b>	527318	<b>Ref. No.</b>	160063
<b>description</b>	catch L 86mm W 48mm thickness 2mm plastic		

accessories



<b>GEV No.</b>	525082	<b>Ref. No.</b>	160066
<b>description</b>	ring for coffee beans container ø 96mm ID ø 69mm H 50mm plexiglas		

support for filter holder



<b>GEV No.</b>	527518	<b>Ref. No.</b>	170044
<b>description</b>	bracket for filter holder L 105mm W 57mm H 15mm aluminium		

counters

counters



<b>GEV No.</b>	527505	<b>Ref. No.</b>	210033
<b>description</b>	counter ø 20mm lever length 35mm for dosing unit		

for tilting bratt pans

miscellaneous



<b>GEV No.</b>	523510	<b>Ref. No.</b>	260005
<b>description</b>	deep-groove ball bearing type 6202-2RS shaft ø 15mm ED ø 35mm W 11mm with sealing discs deep-groove ball bearing DIN 625-1		

equipment feet and end caps

equipment feet with stem



<b>GEV No.</b>	802047	<b>Ref. No.</b>	160097
<b>description</b>	equipment foot rubber ømm H 22mm mounting measurements 31x18mm T80 Qty 1 pcs		

transmission technology and ball bearings

ball bearings

deep-groove ball bearings 2RS



<b>GEV No.</b>	523510	<b>Ref. No.</b>	260005
<b>description</b>	deep-groove ball bearing type 6202-2RS shaft ø 15mm ED ø 35mm W 11mm with sealing discs deep-groove ball bearing DIN 625-1		



<b>GEV No.</b>	523511	<b>Ref. No.</b>	260006
<b>description</b>	deep-groove ball bearing type 6203-2RS shaft ø 17mm ED ø 40mm W 12mm with sealing discs deep-groove ball bearing DIN 625-1		

springs

compression springs



<b>GEV No.</b>	527504	<b>Ref. No.</b>	230023
<b>description</b>	compression spring ø 10.3mm L 60mm wire gauge ø 1.3mm		



<b>GEV No.</b>	525069	<b>Ref. No.</b>	230013
<b>description</b>	compression spring ø 5mm L 28mm wire gauge ø 0.5mm		

tension springs



<b>GEV No.</b>	525075	<b>Ref. No.</b>	230027
<b>description</b>	tension spring ø 10mm total length 40mm wire gauge ø 1mm		

**C**

condensators & interference suppression filters	4
contactors	4

**I**

indicator lights	3
indicator lights (complete)	3

**L**

lamps	3
-------	---

**M**

microswitches	3
motors	4

**O**

operating capacitors	4
----------------------	---

**R**

rocker/momentary rocker switches	3
rotary switches	3

**S**

switches and momentary switches	3
---------------------------------	---