



**GAS COMPONENTS**



**ELECTRIC COMPONENTS**



**WATER TECHNOLOGY**



**MECHANICAL COMPONENTS**



**TOOLS**

Spare parts suitable for

**SILANOS**

Find the complete and up-to-date range of products in our GEV Webshop



# Manufacturer catalogue

The most important spare parts and accessories arranged clearly for every manufacturer

- ✓ Complete product range and all appliance data always up to date in the GEV Webshop
- ✓ Alphabetical Index at the end of the catalogue

## GEV Webshop

[www.gev-online.co.uk](http://www.gev-online.co.uk)

[www.gev-online.com](http://www.gev-online.com)



- 🔍 Add to Favourites
- 🔍 Sign In with email address and usual password
- 🔍 Easy-order – place several items in your basket at the same time
- 🔍 Quick Item search – no login needed




## heating elements


### heating elements for contact grills



<b>GEV No.</b>	416179	<b>Ref. No.</b>	905670 905671
<b>description</b>	heating element 1000W 230V L 177mm W 183mm H 25mm W1 45mm W2 105mm connection length 25mm tube ø 6.3mm windings 3 connection M4 dry heating element		
<b>For models:</b>	PIASTRA-DOPPIA, PIASTRA-DOPPIA-1-2-LISCIA-SOTTO, PIASTRA-DOPPIA-LISCIA, PIASTRA-DOPPIA-LISCIA-SOTTO, PIASTRA-DOPPIA-RIGATA, PIASTRA-SINGOLA, PIASTRA-SINGOLA-1-2-LISCIA, PIASTRA-SINGOLA-LISCIA, PIASTRA-SINGOLA-RIGATA		



<b>GEV No.</b>	416181	<b>Ref. No.</b>	905615
<b>description</b>	heating element 1200W 230V L 172mm W 270mm H 11mm tube ø 6.3mm connection M4 connection length 27mm dry heating element windings 4		
<b>For models:</b>	PIASTRA-MEDIA, PIASTRA-MEDIA-1-2-LISCIA, PIASTRA-MEDIA-LISCIA, PIASTRA-MEDIA-RIGATA		



<b>GEV No.</b>	416182	<b>Ref. No.</b>	905635
<b>description</b>	heating element 1400W 230V L 180mm W 280mm H 55mm W1 50mm W2 190mm connection length 27mm tube ø 6.3mm windings 4 connection M4 dry heating element		
<b>For models:</b>	PIASTRA-MEDIA, PIASTRA-MEDIA-1-2-LISCIA, PIASTRA-MEDIA-LISCIA, PIASTRA-MEDIA-RIGATA		



<b>GEV No.</b>	416178	<b>Ref. No.</b>	905650
<b>description</b>	heating element 750W 230V L 185mm W 180mm tube ø 6.3mm L1 95mm L2 90mm W1 155mm W2 25mm connection length 40mm cable length 530mm dry heating element		
<b>For models:</b>	PIASTRA-DOPPIA, PIASTRA-DOPPIA-1-2-LISCIA-SOTTO, PIASTRA-DOPPIA-LISCIA, PIASTRA-DOPPIA-LISCIA-SOTTO, PIASTRA-DOPPIA-RIGATA, PIASTRA-SINGOLA, PIASTRA-SINGOLA-1-2-LISCIA, PIASTRA-SINGOLA-LISCIA, PIASTRA-SINGOLA-RIGATA		

### heating elements for rolling grills



<b>GEV No.</b>	416184	<b>Ref. No.</b>	905712
<b>description</b>	heating element 170W 230V heating circuits 1 L 396mm connection cable lug ø5mm tube ø 8.5mm connection length 18mm dry heating element roller grill		
<b>For models:</b>	ROLLY-5S		



<b>GEV No.</b>	416183	<b>Ref. No.</b>	905710
<b>description</b>	heating element 170W 230V heating circuits 1 L 470mm connection cable lug ø5mm tube ø 8.5mm dry heating element roller grill		
<b>For models:</b>	ROLLY-16, ROLLY-5, ROLLY-8		



<b>GEV No.</b>	416185	<b>Ref. No.</b>	905711
<b>description</b>	heating element 170W 230V heating circuits 1 L 640mm connection male faston 7.3mm tube ø 8.5mm connection length 24mm dry heating element		
<b>For models:</b>	ROLLY-8L		

### quartz heating elements



<b>GEV No.</b>	418765	<b>Ref. No.</b>	905590
<b>description</b>	heating coil 1000W 230V		
<b>For models:</b>	F3, F6, FA3		



<b>GEV No.</b>	419148	<b>Ref. No.</b>	907382
<b>description</b>	quartz heating element 500W 115V L 390mm ø 10mm connection eye		







<b>GEV No.</b>	416020	<b>Ref. No.</b>	907380
<b>description</b>	quartz tube WV L 390mm ID ø 9mm ED ø 11mm		
<b>For models:</b>	F3, F6, FA3		

1 electric components






coil heating elements



	<b>GEV No.</b> 419164	<b>Ref. No.</b> TR0360
<b>description</b>	heating element 1500W 230V L 345mm W 95mm thread 3/8" connection M6 connection length 46mm dishwasher dry heating element heating circuits 1 2 hole fixing	
<b>For models:</b>	LAVASTOVIGLIE-A-TRAINO, LAVASTOVIGLIE-A-TRAINO-T1650, LAVASTOVIGLIE-A-TRAINO-T2000, LAVASTOVIGLIE-A-TRAINO-T3000	



	<b>GEV No.</b> 416328	<b>Ref. No.</b> TR0359
<b>description</b>	heating element 2000W 230V L 345mm W 96mm ø 26mm thread 3/8" connection M6 mounting distance 70mm connection length 45mm dry heating element heating circuits 1 2 hole fixing	
<b>For models:</b>	LAVASTOVIGLIE-A-NASTRO-N2500, LAVASTOVIGLIE-A-NASTRO-N3500, LAVASTOVIGLIE-A-NASTRO-N5000, LAVASTOVIGLIE-A-NASTRO-N6000, LAVASTOVIGLIE-A-NASTRO-N7500, LAVASTOVIGLIE-A-NASTRO-N9000, LAVASTOVIGLIE-A-TRAINO, LAVASTOVIGLIE-A-TRAINO-T1650, LAVASTOVIGLIE-A-TRAINO-T2000, LAVASTOVIGLIE-A-TRAINO-T3000	
<b>spare parts for</b>	416328	
	<b>GEV No.</b> 521137	<b>Ref. No.</b> —
<b>description</b>	flat gasket fibre ED ø 20mm ID ø 18mm thickness 1.5mm for thread 3/8" Qty 1 pcs	
<b>accessories for</b>	416328	
	<b>GEV No.</b> 361183	<b>Ref. No.</b> —
<b>description</b>	nut thread 3/8" H 6mm nickel-plated brass WS 20 Qty 1 pcs	




immersion heating elements

3 hole flange ø38.5mm

	<b>GEV No.</b> 416263	<b>Ref. No.</b> 905492 905493 905496 905500
<b>description</b>	heating element 2600W 230V mounting ø 38.5mm heating circuits 1 L 293mm W 26mm H 26mm number of thermostat sleeves 1 thermostat sleeves ø 7mm length thermostat sleeves 260mm thermostat sleeve not clinging tube ø 6.3mm hole distance 57mm hole ø 10mm 3 hole flange connection male faston 6.3mm immersion heater	
<b>For models:</b>	020, 250, 400, 620, 627, 627PS, Ambra, F19, F19A, F22, F22A, F28A, GLB615-GIGA, R20, R20A, R23A, Rubinia, SVELTINA	
<b>spare parts for</b>	416263	
	<b>GEV No.</b> 521120	<b>Ref. No.</b> 907981
<b>description</b>	O-ring EPDM thickness 5.34mm ID ø 37.47mm Qty 1 pcs	
<b>accessories for</b>	416263	
	<b>GEV No.</b> 532577	<b>Ref. No.</b> —
<b>description</b>	O-ring EPDM thickness 5.34mm ID ø 40.65mm Qty 1 pcs	

	<b>GEV No.</b> 416264	<b>Ref. No.</b> 905521
<b>description</b>	heating element 3000W 230V hole distance 57mm	
<b>For models:</b>	024, 030, E40, F27A, GLB785-GIGA, GLB795-GIGA, R29A, V40	
<b>accessories for</b>	416264	
	<b>GEV No.</b> 532577	<b>Ref. No.</b> —
<b>description</b>	O-ring EPDM thickness 5.34mm ID ø 40.65mm Qty 1 pcs	

	<b>GEV No.</b> 420061	<b>Ref. No.</b> 905569
<b>description</b>	heating element 3500W 230V heating circuits 3 L 366mm W 35mm H 60mm L1 30mm L2 56mm L3 280mm H1 36mm H2 24mm hole distance 57mm hole ø 10mm tube ø 6.2mm connection male faston 6.3mm	
<b>For models:</b>	A670-TRONIC, N700F, N700FPS, N700F-PS	
<b>accessories for</b>	420061	
	<b>GEV No.</b> 532577	<b>Ref. No.</b> —
<b>description</b>	O-ring EPDM thickness 5.34mm ID ø 40.65mm Qty 1 pcs	

	<b>GEV No.</b> 416267	<b>Ref. No.</b> 905560
<b>description</b>	heating element 4500W 230V mounting ø 38.5mm heating circuits 3 L 358mm W 32mm H 58mm L1 36mm L2 72mm L3 250mm H1 28mm H2 30mm hole distance 57mm hole ø 10mm tube ø 6.3mm connection male faston 6.3mm immersion heater 3 hole flange	
<b>For models:</b>	600, 670-TRONIC, 700, 800, 900, E45, E50, GLS805-GIGA, GLS845-GIGA, GLS905-GIGA, GLS925-GIGA, LAVASTOVIGLIE-A-NASTRO-N2500, LAVASTOVIGLIE-A-NASTRO-N3500, LAVASTOVIGLIE-A-NASTRO-N5000, LAVASTOVIGLIE-A-NASTRO-N6000, LAVASTOVIGLIE-A-TRAINO, LAVASTOVIGLIE-A-TRAINO-T2000, LAVASTOVIGLIE-A-TRAINO-T3000, N45, N50, N50-TRONIC-PDS-PBS, N700PS, N90, TS3700, V45, V50	
<b>spare parts for</b>	416267	
	<b>GEV No.</b> 521120	<b>Ref. No.</b> 907981
<b>description</b>	O-ring EPDM thickness 5.34mm ID ø 37.47mm Qty 1 pcs	
<b>accessories for</b>	416267	
	<b>GEV No.</b> 532577	<b>Ref. No.</b> —
<b>description</b>	O-ring EPDM thickness 5.34mm ID ø 40.65mm Qty 1 pcs	





<b>GEV No.</b>	416268	<b>Ref. No.</b>	905570 905571
<b>description</b>	heating element 6000W 230V mounting $\varnothing$ 38.5mm heating circuits 3 L 360mm W 34mm H 55mm L1 35mm L2 70mm L3 255mm H1 27mm H2 28mm hole distance 57mm hole $\varnothing$ 10mm tube $\varnothing$ 6.3mm connection male faston 6.3mm immersion heater 3 hole flange		
<b>spare parts for</b>	416268		
	<b>GEV No.</b>	<b>Ref. No.</b>	—
	532577		
	O-ring EPDM thickness 5.34mm ID $\varnothing$ 40.65mm Qty 1 pcs		

<b>GEV No.</b>	418764	<b>Ref. No.</b>	TR0320 TR0341
<b>description</b>	heating element 9000W 230V mounting $\varnothing$ 57.5mm heating circuits 3 L 510mm W 37mm H 50mm number of thermostat sleeves 1 thermostat sleeves $\varnothing$ 7mm length thermostat sleeves 459mm thermostat sleeve upper tube $\varnothing$ 8.5mm hole distance 72mm hole $\varnothing$ 8mm connection M4 3 hole flange immersion heater		
<b>For models:</b>	1300S, LAVASTOVIGLIE-A-NASTRO-N2500, LAVASTOVIGLIE-A-NASTRO-N3500, LAVASTOVIGLIE-A-NASTRO-N5000, LAVASTOVIGLIE-A-NASTRO-N6000, LAVASTOVIGLIE-A-NASTRO-N7500, LAVASTOVIGLIE-A-NASTRO-N9000, LAVASTOVIGLIE-A-TRAIINO, LAVASTOVIGLIE-A-TRAIINO-T1650, LAVASTOVIGLIE-A-TRAIINO-T2000, LAVASTOVIGLIE-A-TRAIINO-T3000, LP67, LP67E, LP67E-TRONIC, LP84, TS3700		

<b>GEV No.</b>	416269	<b>Ref. No.</b>	TR0335
<b>description</b>	heating element 8000W 230V mounting $\varnothing$ 38.5mm heating circuits 3 L 545mm W 32mm H 60mm L1 38mm L2 55mm L3 447mm H1 27mm H2 33mm hole distance 57mm hole $\varnothing$ 10mm tube $\varnothing$ 6.3mm connection male faston 6.3mm immersion heater 3 hole flange		
<b>For models:</b>	LAVASTOVIGLIE-A-NASTRO-N5000, LAVASTOVIGLIE-A-NASTRO-N7500, LAVASTOVIGLIE-A-NASTRO-N9000, LAVASTOVIGLIE-A-TRAIINO, LAVASTOVIGLIE-A-TRAIINO-T1650, LAVASTOVIGLIE-A-TRAIINO-T2000, LAVASTOVIGLIE-A-TRAIINO-T3000, LP109, LP124, T1400, TS3700		
<b>accessories for</b>	416269		
	<b>GEV No.</b>	<b>Ref. No.</b>	—
	532577		
	O-ring EPDM thickness 5.34mm ID $\varnothing$ 40.65mm Qty 1 pcs		

<b>GEV No.</b>	419138	<b>Ref. No.</b>	TR0331 TR0347
<b>description</b>	heating element 14000W 230V mounting $\varnothing$ 57.5mm heating circuits 3 L 515mm W 37mm H 50mm number of thermostat sleeves 1 thermostat sleeves $\varnothing$ 7.5mm length thermostat sleeves 450mm thermostat sleeve upper tube $\varnothing$ 10mm hole distance 72mm hole $\varnothing$ 8x10mm connection length 30mm connection M5 3 hole flange immersion heater		
<b>For models:</b>	T1400		
<b>accessories for</b>	419138		
	<b>GEV No.</b>	<b>Ref. No.</b>	—
	510409		TR0115
	O-ring EPDM thickness 5.34mm ID $\varnothing$ 56.52mm Qty 1 pcs		


3 hole flange  $\varnothing$ 57.5mm

<b>GEV No.</b>	418249	<b>Ref. No.</b>	905580 TR0342
<b>description</b>	heating element 10000W 230V mounting $\varnothing$ 57.5mm heating circuits 3 L 512mm W 50mm H 33mm number of thermostat sleeves 1 thermostat sleeves $\varnothing$ 8.5mm length thermostat sleeves 458mm thermostat sleeve eccentric, clinging tube $\varnothing$ 6.3mm hole distance 70mm hole $\varnothing$ 9mm connection length 30mm connection M4 3 hole flange immersion heater		

<b>GEV No.</b>	416265	<b>Ref. No.</b>	TR0340
<b>description</b>	heating element 6000W 400V mounting $\varnothing$ 57.5mm heating circuits 3 L 324mm W 43mm H 34mm number of thermostat sleeves 1 thermostat sleeves $\varnothing$ 7mm length thermostat sleeves 280mm thermostat sleeve clinging hole distance 73mm hole $\varnothing$ 8mm connection length 20mm connection M4 3 hole flange immersion heater		
<b>For models:</b>	LP67, LP67E, LP67E-TRONIC, LP84		



## with compression flange 50 x 26mm



<b>GEV No.</b>	416209	<b>Ref. No.</b>	904957 905858
<b>description</b>	heating element 2000W 230V heating circuits 1 compression flange 50x26mm L 180mm W 90mm H 24mm L1 55mm L2 125mm W1 28mm W2 35mm connection male faston 6.3mm tube ø 8.5mm connection length 28mm immersion heater		
<b>For models:</b>	GLS905-GIGA, GLS925-GIGA, N45, N50, N50-TRONIC-PDS-PBS, N90		
<b>accessories for</b>	416209		
	<b>GEV No.</b>	510387	<b>Ref. No.</b> —
	gasket L 46mm W 22mm ømm EPDM for heating element for flange 50x26mm		

## with round flange ø57.5mm



<b>GEV No.</b>	416266	<b>Ref. No.</b>	TR0330
<b>description</b>	heating element 12000W 230/400V heating circuits 3 mounting ø 57.5mm L 510mm W 37mm H 48mm connection M5 immersion heater thermostat sleeves ø 7mm number of thermostat sleeves 1 length thermostat sleeves 450mm thermostat sleeve eccentric, clinging		
<b>For models:</b>	LP109, LP124		



<b>GEV No.</b>	416404	<b>Ref. No.</b>	905720
<b>description</b>	heating element 1000W 230V		
<b>For models:</b>	250, 400, Ambra, Rubinia		




<b>GEV No.</b>	416259	<b>Ref. No.</b>	905771
<b>description</b>	heating element 1600W 230V heating circuits 1 L 275mm W 38mm H 28mm thread M10x1 mounting distance 27mm tube ø 7.1mm connection male faston 6.3mm 2 hole fixing connection length 26mm immersion heater		
<b>For models:</b>	020, 024, 030, 620, 627, 627PS, E40, F19, F19A, F22, F22A, F27A, F28A, GLB615-GIGA, GLB785-GIGA, GLB795-GIGA, R20, R20A, R23A, R29A, SVELTINA, V40		
<b>accessories for</b>	416259		
	<b>GEV No.</b>	510416	<b>Ref. No.</b> —
	flat gasket fibre ED ø 19mm ID ø 10.5mm thickness 1.5mm for thread M10 Qty 1 pcs		
	<b>GEV No.</b>	510893	<b>Ref. No.</b> 904391
	O-ring EPDM thickness 2.62mm ID ø 9.92mm Qty 1 pcs		
	<b>GEV No.</b>	520231	<b>Ref. No.</b> —
	nut thread M10x1 H 6mm WS 14 zinc-coated steel Qty 1 pcs		

<b>accessories for</b>	416259		
	<b>GEV No.</b>	521129	<b>Ref. No.</b> —
	nut thread M10 H 6mm SS WS 17 Qty 1 pcs DIN/ISO DIN 439		









<b>GEV No.</b>	417158	<b>Ref. No.</b>	905575 905747
<b>description</b>	heating element 2000W 230V heating circuits 1 L 355mm W 36mm H 40mm H1 14mm H2 26mm thread M10x1 mounting distance 30mm tube ø 6.25mm connection male faston 6.3mm immersion heater		
<b>For models:</b>	670-TRONIC, A670-TRONIC		
<b>accessories for</b>	417158		
	<b>GEV No.</b>	510416	<b>Ref. No.</b> —
	flat gasket fibre ED ø 19mm ID ø 10.5mm thickness 1.5mm for thread M10 Qty 1 pcs		
	<b>GEV No.</b>	510893	<b>Ref. No.</b> 904391
	O-ring EPDM thickness 2.62mm ID ø 9.92mm Qty 1 pcs		
	<b>GEV No.</b>	520231	<b>Ref. No.</b> —
	nut thread M10x1 H 6mm WS 14 zinc-coated steel Qty 1 pcs		
	<b>GEV No.</b>	521129	<b>Ref. No.</b> —
	nut thread M10 H 6mm SS WS 17 Qty 1 pcs DIN/ISO DIN 439		




<b>GEV No.</b>	416260	<b>Ref. No.</b>	905745
<b>description</b>	heating element 2500W 230V heating circuits 1 L 357mm W 34mm H 39mm H1 4mm H2 35mm thread M10x1 mounting distance 28mm tube ø 6.3mm connection male faston 6.3mm 2 hole fixing immersion heater connection length 25mm		
<b>For models:</b>	E45, E50, N700F, N700FPS, N700F-PS, V45, V50		
<b>accessories for</b>	416260		
	<b>GEV No.</b>	510416	<b>Ref. No.</b> —
	flat gasket fibre ED ø 19mm ID ø 10.5mm thickness 1.5mm for thread M10 Qty 1 pcs		
	<b>GEV No.</b>	510893	<b>Ref. No.</b> 904391
	O-ring EPDM thickness 2.62mm ID ø 9.92mm Qty 1 pcs		
	<b>GEV No.</b>	520231	<b>Ref. No.</b> —
	nut thread M10x1 H 6mm WS 14 zinc-coated steel Qty 1 pcs		
	<b>GEV No.</b>	521129	<b>Ref. No.</b> —
	nut thread M10 H 6mm SS WS 17 Qty 1 pcs DIN/ISO DIN 439		



			
<b>GEV No.</b>	416261	<b>Ref. No.</b>	905748
<b>description</b>	heating element 3000W 230V heating circuits 1 L 358mm W 32mm H 34mm H2 37mm thread M10x1 mounting distance 26mm tube ø 6.5mm connection male faston 6.3mm 2 hole fixing immersion heater		
<b>For models:</b>	1000, 1300S, 600, 700, 800, 900, E1000, GLS805-GIGA, GLS845-GIGA, GLS935-GIGA, GLS945-GIGA, GLS945S-GIGA, N1000-SILANOS, N1300, N700PS		
<b>accessories for</b>	416261		
	<b>GEV No.</b>	510416	<b>Ref. No.</b> —
	flat gasket fibre ED ø 19mm ID ø 10.5mm thickness 1.5mm for thread M10 Qty 1 pcs		
	<b>GEV No.</b>	510893	<b>Ref. No.</b> 904391
	O-ring EPDM thickness 2.62mm ID ø 9.92mm Qty 1 pcs		
	<b>GEV No.</b>	520231	<b>Ref. No.</b> —
	nut thread M10x1 H 6mm WS 14 zinc-coated steel Qty 1 pcs		
	<b>GEV No.</b>	521129	<b>Ref. No.</b> —
	nut thread M10 H 6mm SS WS 17 Qty 1 pcs DIN/ISO DIN 439		


			
<b>GEV No.</b>	375918	<b>Ref. No.</b>	907101
<b>description</b>	bi-metal safety thermostat hole distance 23.8mm switch-off temp. 300°C 1NC 1-pole 16A connection F6.3 thread M4		
<b>For models:</b>	F3, F6, FA3, FT600VTC, PIASTRA-DOPPIA, PIASTRA-DOPPIA-1-2-LISCIA-SOTTO, PIASTRA-DOPPIA-LISCIA, PIASTRA-DOPPIA-LISCIA-SOTTO, PIASTRA-DOPPIA-RIGATA, PIASTRA-MEDIA, PIASTRA-MEDIA-1-2-LISCIA, PIASTRA-MEDIA-LISCIA, PIASTRA-MEDIA-RIGATA, PIASTRA-SINGOLA, PIASTRA-SINGOLA-1-2-LISCIA, PIASTRA-SINGOLA-LISCIA, PIASTRA-SINGOLA-RIGATA		



			
<b>GEV No.</b>	390318	<b>Ref. No.</b>	907245
<b>description</b>	bi-metal safety thermostat switch-off temp. 95°C 1-pole 2 hole fixing		
<b>For models:</b>	A670-TRONIC		

## thermostats


### bi-metal thermostats


#### safety bi-metal thermostats

			
<b>GEV No.</b>	390717	<b>Ref. No.</b>	907297
<b>description</b>	bi-metal safety thermostat hole distance 23.8mm switch-off temp. 110°C 1NC 1-pole 16A 250V connection F6.3 2 hole fixing mounting ø 18.3mm		

			
<b>GEV No.</b>	390461	<b>Ref. No.</b>	907243
<b>description</b>	bi-metal safety thermostat hole distance 23.8mm switch-off temp. 95°C 1NC 1-pole 16A connection F6.3 2 hole fixing		
<b>For models:</b>	620		
<b>accessories for</b>	390461		
	<b>GEV No.</b>	550388	<b>Ref. No.</b> —
	bracket for contact thermostat mounting distance 24.5mm mounting ø 3.8		

#### bi-metal thermostats

			
<b>GEV No.</b>	391037	<b>Ref. No.</b>	907126
<b>description</b>	bi-metal thermostat hole distance 23.8mm switch-off temp. 42°C 1NC 1-pole 16A 250V connection F6.3 2 hole fixing		

			
<b>GEV No.</b>	390763	<b>Ref. No.</b>	907244
<b>description</b>	bi-metal thermostat hole distance 23.8mm switch-off temp. 55°C 1NC 1-pole 16A 250V connection F6.3 2 hole fixing for tank		
<b>For models:</b>	620		



control and safety thermostats

EGO

control thermostats


55.10/19\_ series



<b>GEV No.</b>	375002	<b>Ref. No.</b>	907130 907132 908326
<b>description</b>	thermostat t.max. 320°C temperature range 55-320°C 1-pole 1NO 16A probe ø 3.1mm probe L 226mm capillary pipe 870mm capillary pipe isolated 850mm gland nut shaft L 23mm shaft position upper rotation 270°		
<b>For models:</b>	FT600VTC, PIASTRA-DOPPIA, PIASTRA-DOPPIA-1-2-LISCIA-SOTTO, PIASTRA-DOPPIA-LISCIA, PIASTRA-DOPPIA-LISCIA-SOTTO, PIASTRA-DOPPIA-RIGATA, PIASTRA-MEDIA, PIASTRA-MEDIA-1-2-LISCIA, PIASTRA-MEDIA-LISCIA, PIASTRA-MEDIA-RIGATA, PIASTRA-SINGOLA, PIASTRA-SINGOLA-1-2-LISCIA, PIASTRA-SINGOLA-LISCIA, PIASTRA-SINGOLA-RIGATA, ROLLY-16, ROLLY-5, ROLLY-5S, ROLLY-8, ROLLY-8L		

IMIT / TEMPOMATIC / ARTERMO

control thermostats




<b>GEV No.</b>	390978 <sup>1</sup>	<b>Ref. No.</b>	TR0441
<b>description</b>	thermostat t.max. 210°C temperature range 40-210°C 1-pole 1CO 16A probe ø 5mm probe L 78mm capillary pipe 930mm capillary pipe isolatedmm gland nut shaft ø 6x4.6mm shaft L 20mm shaft position +135° rotation 270° outer switch probe thread probe material copper		
<b>For models:</b>	LAVASTOVIGLIE-A-NASTRO-N2500, LAVASTOVIGLIE-A-NASTRO-N3500, LAVASTOVIGLIE-A-NASTRO-N5000, LAVASTOVIGLIE-A-NASTRO-N6000, LAVASTOVIGLIE-A-NASTRO-N7500, LAVASTOVIGLIE-A-NASTRO-N9000, LAVASTOVIGLIE-A-TRAIINO, LAVASTOVIGLIE-A-TRAIINO-T1650, LAVASTOVIGLIE-A-TRAIINO-T2000, LAVASTOVIGLIE-A-TRAIINO-T3000		


<sup>1</sup>incl. knob

<b>GEV No.</b>	390310	<b>Ref. No.</b>	907124
<b>description</b>	thermostat t.max. 85°C temperature range fixed 55°C 1-pole 1CO 16A probe ø 9.5mm probe L 37mm capillary pipe 600mm capillary pipe isolated 540mm gland nut shaft ømm shaft Lmm shaft position rotation° screw-in probe probe thread 3/8" probe material SS		
<b>For models:</b>	020, 024, 030, 600, 620, 627, 627PS, 700, 800, 900, E40, E45, E50, F19, F19A, F22, F22A, F27A, F28A, GLB615-GIGA, GLB785-GIGA, GLB795-GIGA, GLS805-GIGA, GLS845-GIGA, GLS905-GIGA, GLS925-GIGA, N45, N50, N50-TRONIC-PDS-PBS, N700F, N700FPS, N700F-PS, N700PS, N90, R20, R20A, R23A, R29A, SVELTINA, V40, V45, V50		
<b>accessories for</b>	390310		
	<b>GEV No.</b>	506024	<b>Ref. No.</b> 902104
	nut thread 3/8" H 6mm SS WS 22 Qty 1 pcs		
	<b>GEV No.</b>	529349	<b>Ref. No.</b> —
	flat gasket FIBER ED ø 22mm ID ø 16.5mm thickness 2mm for thread 3/8" Qty 1 pcs		

<b>GEV No.</b>	390006	<b>Ref. No.</b>	907100 907110
<b>description</b>	thermostat t.max. 86°C temperature range 0-86°C 1-pole 1CO 16A probe ø 6.5mm probe L 95mm capillary pipe 1500mm capillary pipe isolatedmm gland nut shaft ø 6x4.6mm shaft L 19mm rotation 270°		
<b>For models:</b>	024, 030, 1000, 1300, 1300S, 250, 400, 600, 700, 800, 900, Ambra, E1000, E40, E45, E50, F19, F19A, F22, F22A, F27A, F28A, GLB785-GIGA, GLB795-GIGA, GLS935-GIGA, GLS945-GIGA, GLS945S-GIGA, LAVASTOVIGLIE-A-NASTRO-N2500, LAVASTOVIGLIE-A-NASTRO-N3500, LAVASTOVIGLIE-A-NASTRO-N5000, LAVASTOVIGLIE-A-NASTRO-N6000, LAVASTOVIGLIE-A-NASTRO-N7500, LAVASTOVIGLIE-A-NASTRO-N9000, LAVASTOVIGLIE-A-TRAIINO, LAVASTOVIGLIE-A-TRAIINO-T1650, LAVASTOVIGLIE-A-TRAIINO-T2000, LAVASTOVIGLIE-A-TRAIINO-T3000, N1000-SILANOS, N1300, N50, R20, R20A, R23A, R29A, Rubinia, SVELTINA, T1400, TS3700, V40, V45...(Other models you can see in the webshop)		
<b>accessories for</b>	390006		
	<b>GEV No.</b>	110100	<b>Ref. No.</b> 903982
	knob thermostat t.max. 90°C 0-90°C ø 42mm shaft ø 6x4.6mm shaft flat -135° black		
	<b>GEV No.</b>	110105	<b>Ref. No.</b> —
	rosette knob ø 42mm ø 56mm zero mark		

1

<b>GEV No.</b>	390683	<b>Ref. No.</b>	TR0440
<b>description</b>	thermostat t.max. 86°C temperature range 0-86°C 1-pole 1CO 16A probe ø 6.5mm probe L 98mm capillary pipe 1000mm capillary pipe isolated 960mm gland nut shaft ø 6x4.6mm shaft L 20mm shaft position +135° rotation 270° probe material copper		
<b>For models:</b>	020, 620, 627, 627PS, GLB615-GIGA, GLS805-GIGA, GLS845-GIGA, GLS905-GIGA, GLS925-GIGA, LP67E, LP67E-TRONIC, N45, N700F, N700FPS, N700F-PS, N700PS, N90, TS3700		
<b>accessories for</b>	390683		
	<b>GEV No.</b>	110100	<b>Ref. No.</b> 903982
	knob thermostat t.max. 90°C 0-90°C ø 42mm shaft ø 6x4.6mm shaft flat -135° black		

### safety thermostats




1

<b>GEV No.</b>	390023	<b>Ref. No.</b>	907125
<b>description</b>	safety thermostat switch-off temp. 90-110°C 1-pole 16A probe ø 6.5mm probe L 90mm capillary pipe 1000mm capillary pipe isolated-mm gland nut probe		
<b>For models:</b>	020, 024, 030, 1000, 1300, 1300S, 600, 620, 627, 627PS, 670-TRONIC, 700, 800, 900, E1000, E40, E45, E50, F19, F19A, F22, F22A, F27A, F28A, GLB615-GIGA, GLB785-GIGA, GLB795-GIGA, GLS805-GIGA, GLS845-GIGA, GLS905-GIGA, GLS925-GIGA, GLS935-GIGA, GLS945-GIGA, GLS945S-GIGA, LAVASTOVIGLIE-A-NASTRO-N2500, LAVASTOVIGLIE-A-NASTRO-N3500, LAVASTOVIGLIE-A-NASTRO-N5000, LAVASTOVIGLIE-A-NASTRO-N6000, LAVASTOVIGLIE-A-NASTRO-N7500, LAVASTOVIGLIE-A-NASTRO-N9000, LAVASTOVIGLIE-A-TRAINO, LAVASTOVIGLIE-A-TRAINO-T1650, LAVASTOVIGLIE-A-TRAINO-T2000, LAVASTOVIGLIE-A-TRAINO-T3000, LP67E, LP67E-TRONIC, N1000-SILANOS, N1300, N45, N50...(Other models you can see in the webshop)		

### various

#### safety thermostats




1

<b>GEV No.</b>	390676	<b>Ref. No.</b>	907120
<b>description</b>	safety thermostat switch-off temp. 60°C 1-pole 1CO 16A probe ø 7mm probe L 100mm capillary pipe 1500mm		
<b>For models:</b>	1000, 1300, 1300S, 250, 400, 600, 700, Ambra, E1000, GLS935-GIGA, GLS945-GIGA, GLS945S-GIGA, N1000-SILANOS, N1300, Rubinia		

## accessories

### plunger sockets



1


Image not available

<b>GEV No.</b>	519210	<b>Ref. No.</b>	905190
<b>description</b>	thermowell		
<b>For models:</b>	250, 400, 600, 700, Ambra, Rubinia		





1

<b>GEV No.</b>	519211	<b>Ref. No.</b>	905191 905192
<b>description</b>	thermowell thread 1/2" L 120mm single ø 6.5mm		
<b>For models:</b>	1000, 1300S, GLS935-GIGA, LAVASTOVIGLIE-A-TRAINO, LAVASTOVIGLIE-A-TRAINO-T2000, LAVASTOVIGLIE-A-TRAINO-T3000		




1

<b>GEV No.</b>	510986	<b>Ref. No.</b>	TR0298
<b>description</b>	thermowell thread 1/2" L 120mm SS double ø 6.5mm		
<b>accessories for</b>	510986		
	<b>GEV No.</b>	361184	<b>Ref. No.</b> —
	nut thread 1/2" H 6mm nickel-plated brass WS 24 Qty 1 pcs		
	<b>GEV No.</b>	521122	<b>Ref. No.</b> —
	flat gasket fibre ED ø 31mm ID ø 21.5mm thickness 2mm for thread 1/2" Qty 1 pcs		


## switches and momentary switches

### rocker/momentary rocker switches

#### 30x22mm





1

<b>GEV No.</b>	301003	<b>Ref. No.</b>	903610 903613 905310
<b>description</b>	rocker switch mounting measurements 30x22mm green 2NO 250V 16A illuminated 0-1 connection male faston 6.3mm ambient temperature max. 125/55°C protection IP65		
<b>For models:</b>	250, Ambra, PIASTRA-SINGOLA-1-2-LISCIA, PIASTRA-SINGOLA-LISCIA, PIASTRA-SINGOLA-RIGATA, ROLLY-16, ROLLY-5, ROLLY-5S, ROLLY-8, ROLLY-8L		
<b>accessories for</b>	301003		
	<b>GEV No.</b>	301036	<b>Ref. No.</b> —
	protective cover internal size 30x22mm for rocker switch mounting measurementsmm		







			
1			
<b>GEV No.</b>	301001	<b>Ref. No.</b>	903612
<b>description</b>	rocker switch mounting measurements 30x22mm red 2NO 250V 16A illuminated 0-I connection male faston 6.3mm ambient temperature max. 125/55°C protection IP65		
<b>For models:</b>	VETRINA-R501L, VETRINA-R502L, VETRINA-R701L, VETRINA-R902L		
<b>accessories for</b>	301001		
		GEV No.	301036
		Ref. No.	—
	protective cover internal size 30x22mm for rocker switch mounting measurementsmm		


## push/momentary push switches


## 20.6x16.4mm


			
1			
<b>GEV No.</b>	346573	<b>Ref. No.</b>	905339
<b>description</b>	push switch mounting $\varnothing$ 20.6x16.4mm yellow 2CO 250V 16A connection male faston 6.3mm ambient temperature max. 85°C protection IP40		


## 28.5x28.5mm


			
1			
<b>GEV No.</b>	346028	<b>Ref. No.</b>	905332 905337
<b>description</b>	momentary push switch mounting measurements 28.5x28.5mm blue 1NO 230V 16A connection male faston 6.3mm ambient temperature max. 150°C protection IP40		
<b>For models:</b>	N50		


			
1			
<b>GEV No.</b>	347982	<b>Ref. No.</b>	905338
<b>description</b>	momentary push switch mounting measurements 28.5x28.5mm yellow 1NO 250V 16A connection male faston 6.3mm ambient temperature max. 85°C protection IP44		

			
1			
<b>GEV No.</b>	346571	<b>Ref. No.</b>	905333
<b>description</b>	push switch mounting measurements 28.5x28.5mm yellow 1NO 250V 16A connection male faston 6.3mm ambient temperature max. 150°C protection IP40		


			
1			
<b>GEV No.</b>	346512	<b>Ref. No.</b>	905325 905328
<b>description</b>	push switch mounting measurements 28.5x28.5mm yellow 2CO 250V 16A connection male faston 6.3mm ambient temperature max. 85/125°C protection IP40		
<b>For models:</b>	Rubinia		

			
1			
<b>GEV No.</b>	346866	<b>Ref. No.</b>	905324
<b>description</b>	momentary push switch mounting measurements 28.5x28.5mm yellow 2CO 250V 16A connection male faston 6.3mm ambient temperature max. 150/75°C protection IP40		

			
1			
<b>GEV No.</b>	345588	<b>Ref. No.</b>	905326
<b>description</b>	push switch mounting measurements 28.5x28.5mm yellow 1CO 250V 16A connection male faston 6.3mm ambient temperature max. 85/125°C protection IP40		
<b>For models:</b>	024, 030, 1000, 600, 700, 800, 900, E40, E45, E50, F19, F19A, F22, F22A, F27A, F28A, GLB785-GIGA, GLB795-GIGA, GLS935-GIGA, R20, R20A, R23A, R29A, SVELTINA, V40, V45, V50		

			
1			
<b>GEV No.</b>	345589	<b>Ref. No.</b>	905348
<b>description</b>	push switch mounting measurements 28.5x28.5mm yellow 2CO 250V 16A connection male faston 6.3mm ambient temperature max. 85/125°C protection IP40		
<b>For models:</b>	700		

## 28.5x77.5mm

			
1			
<b>GEV No.</b>	345590	<b>Ref. No.</b>	905327
<b>description</b>	switch combination latching mounting measurements 28.5x77.5mm orange/green/yellow 1NO/indicator light/indicator light 250V 16A connection male faston 6.3mm ambient temperature max. 85°C protection IP40		
<b>For models:</b>	1000, 1300, 1300S, 400, GLS935-GIGA		



accessories

push buttons



<b>GEV No.</b>	348239	<b>Ref. No.</b>	905346
<b>description</b>	push button for dishwasher shaft 3.7x3.7mm blue ED ø 21mm ID ø 19mm		

element holders



<b>GEV No.</b>	348240	<b>Ref. No.</b>	905341
<b>description</b>	element holder ø 23.5mm ID ø 21.5mm silver		
<b>For models:</b>	PIASTRA-DOPPIA, PIASTRA-MEDIA, PIASTRA-SINGOLA		

system switches (ROLD)



<b>GEV No.</b>	345627	<b>Ref. No.</b>	909361
<b>description</b>	element holder mounting measurements 20.6x16.4mm black arched for push buttons 13x17mm		



<b>GEV No.</b>	345537	<b>Ref. No.</b>	909036 909146
<b>description</b>	element holder mounting measurements 20.6x16.4mm grey arched for push buttons 13x17mm		
<b>For models:</b>	620, 627, 627PS		



<b>GEV No.</b>	346498	<b>Ref. No.</b>	905307
<b>description</b>	element holder mounting measurements 28.5x28.5mm black single element holder		
<b>For models:</b>	020, E1000, GLB615-GIGA, GLS805-GIGA, GLS845-GIGA, GLS905-GIGA, GLS925-GIGA, N45, N700F, N700FPS, N700F-PS, N700PS, N90		



<b>GEV No.</b>	345604	<b>Ref. No.</b>	905309
<b>description</b>	element holder single mounting measurements 28.5x28.5mm black for push buttons 23x23mm		
<b>For models:</b>	GLS945-GIGA, GLS945S-GIGA, N1000-SILANOS, N1300		



<b>GEV No.</b>	301104	<b>Ref. No.</b>	905312
<b>description</b>	momentary switch unit 1NO 250V 16A connection male faston 6.3mm		
<b>For models:</b>	020, 620, 627, 627PS, GLB615-GIGA, GLS805-GIGA, GLS845-GIGA, GLS905-GIGA, GLS925-GIGA, N45, N700F, N700FPS, N700F-PS, N700PS, N90		



<b>GEV No.</b>	345130	<b>Ref. No.</b>	905342
<b>description</b>	momentary switch unit 1NO 250V 16A connection male faston 6.3mm		



<b>GEV No.</b>	345606	<b>Ref. No.</b>	905319
<b>description</b>	momentary switch unit 2CO 250V 16A connection male faston 6.3mm		
<b>For models:</b>	627, 627PS		



<b>GEV No.</b>	345650	<b>Ref. No.</b>	905313
<b>description</b>	momentary switch unit 2CO 250V 16A connection male faston 6.3mm		
<b>For models:</b>	620, 627, 627PS, GLS945-GIGA, N1000-SILANOS, N700FPS, N700F-PS		



1

<b>GEV No.</b>	348239	<b>Ref. No.</b>	905346
<b>description</b>	push button for dishwasher shaft 3.7x3.7mm blue ED ø 21mm ID ø 19mm		



2

<b>GEV No.</b>	347850	<b>Ref. No.</b>	905306
<b>description</b>	push button ø 21mm dark blue		



1

<b>GEV No.</b>	347439	<b>Ref. No.</b>	905305 905311
<b>description</b>	push button ø 23mm shaft 3.7x3.7mm yellow		
<b>For models:</b>	020, E1000, GLB615-GIGA, GLS805-GIGA, GLS845-GIGA, GLS905-GIGA, GLS925-GIGA, N45, N700F, N700FPS, N700F-PS, N700PS, N90		



1

<b>GEV No.</b>	345621	<b>Ref. No.</b>	909362
<b>description</b>	push button size 17x13mm black		



1

<b>GEV No.</b>	345539	<b>Ref. No.</b>	909035 909145
<b>description</b>	push button size 17x13mm grey		
<b>For models:</b>	620, 627, 627PS		



1

<b>GEV No.</b>	345719	<b>Ref. No.</b>	905343 905364
<b>description</b>	switch 1CO 250V 16A connection male faston 6.3mm		



1

<b>GEV No.</b>	347100	<b>Ref. No.</b>	905317
<b>description</b>	switch 1CO 250V 16A connection male faston 6.3mm		
<b>For models:</b>	620, GLS945-GIGA, N1000-SILANOS, N700FPS, N700F-PS, N700PS		



1

<b>GEV No.</b>	345605	<b>Ref. No.</b>	905365
<b>description</b>	switch 2CO 250V 16A connection male faston 6.3mm		



1

<b>GEV No.</b>	345651	<b>Ref. No.</b>	905314 905318
<b>description</b>	switch 2CO 250V 16A connection male faston 6.3mm		
<b>For models:</b>	020, E1000, GLB615-GIGA, GLS805-GIGA, GLS845-GIGA, GLS905-GIGA, GLS925-GIGA, GLS945S-GIGA, N1300, N45, N700F, N700PS, N90		



1

<b>GEV No.</b>	347504	<b>Ref. No.</b>	905371
<b>description</b>	switch 2CO 250V 16A connection male faston 6.3mm		




1

<b>GEV No.</b>	348238	<b>Ref. No.</b>	905447
<b>description</b>	switch 2NO 250V 16A connection male faston 6.3mm type SA		



cam switches

on/off



1

<b>GEV No.</b>	300129	<b>Ref. No.</b>	901727
<b>description</b>	cam switch 2 operating positions 2NO sequence 0-1 16A shaft $\phi$ 6x4.6mm shaft L 23mm connection male faston 6.3mm ceramic		
<b>For models:</b>	FT600VTC, PIASTRA-DOPPIA-1-2-LISCIA-SOTTO, PIASTRA-DOPPIA-LISCIA, PIASTRA-DOPPIA-LISCIA-SOTTO, PIASTRA-DOPPIA-RIGATA, PIASTRA-MEDIA-1-2-LISCIA, PIASTRA-MEDIA-LISCIA, PIASTRA-MEDIA-RIGATA		



1

<b>GEV No.</b>	345600	<b>Ref. No.</b>	909105 909106 TR0666
<b>description</b>	magnetic switch L 37mm W 16mm 1NO 250V 0.2A P max. 50W connection cable cable length 960mm		
<b>For models:</b>	1000, 1300, 1300S, E1000, GLS935-GIGA, GLS945-GIGA, GLS945S-GIGA, N1000-SILANOS, N1300		
<b>accessories for</b>	345600		

<b>GEV No.</b>	519049	<b>Ref. No.</b>	903651 908706 TR0220
<b>description</b>	magnet $\phi$ mm L 63mm H 10.7mm W 18.8mm hole distance 52mm M2 hole $\phi$ 2mm		

magnetic switches


37x16mm



1

<b>GEV No.</b>	345341	<b>Ref. No.</b>	909118 909290
<b>description</b>	magnetic switch L 37mm W 16mm 1NO 250V 0.04A P max. 10W connection cable cable length 1960mm		
<b>For models:</b>	N50-TRONIC-PDS-PBS		


M10x0.75



1


<b>GEV No.</b>	347936 <sup>1</sup>	<b>Ref. No.</b>	909053 909054
<b>description</b>	magnetic switch thread M10x0.75 1NO 230V 0.04A P max. 10W connection Faston 6.3mm cable length 1100mm		
<b>For models:</b>	670-TRONIC, N700FPS, N700F-PS		

<sup>1</sup>with coded connector



1

<b>GEV No.</b>	347540	<b>Ref. No.</b>	909289
<b>description</b>	magnetic switch L 37mm W 16mm 1NO 250V 0.04A P max. 10W connection male faston 6.3mm cable length 370mm		
<b>For models:</b>	020, 620		




1


<b>GEV No.</b>	345632	<b>Ref. No.</b>	TR0309
<b>description</b>	magnetic switch thread M10x0.75 1NO 250V 0.5A P max. 50W connection cable cable length 2000mm type 102		
<b>For models:</b>	024, 030, 600, 620, 627, 627PS, 700, 800, 900, E40, E45, E50, F19, F19A, F22, F22A, F27A, F28A, GLB615-GIGA, GLB785-GIGA, GLB795-GIGA, GLS805-GIGA, GLS845-GIGA, GLS905-GIGA, GLS925-GIGA, LAVASTOVIGLIE-A-NASTRO-N2500, LAVASTOVIGLIE-A-NASTRO-N3500, LAVASTOVIGLIE-A-NASTRO-N5000, LAVASTOVIGLIE-A-NASTRO-N6000, LAVASTOVIGLIE-A-NASTRO-N7500, LAVASTOVIGLIE-A-NASTRO-N9000, LAVASTOVIGLIE-A-TRAINO, LAVASTOVIGLIE-A-TRAINO-T1650, LAVASTOVIGLIE-A-TRAINO-T2000, LAVASTOVIGLIE-A-TRAINO-T3000, LP109, LP109V, LP124, LP67, LP67E, LP67E-TRONIC, LP67V, LP84, N45, N50, N700F, N700PS, N90, R20, R20A...(Other models you can see in the webshop)		
<b>accessories for</b>	345632		

<b>GEV No.</b>	100779	<b>Ref. No.</b>	—
<b>description</b>	nut thread M10x0.75 H 3mm WS 14 SS Qty 2 pcs		

accessories

magnets



<b>GEV No.</b>	519049	<b>Ref. No.</b>	903651 908706 TR0220
<b>description</b>	magnet ømm L 63mm H 10.7mm W 18.8mm hole distance 52mm M2 hole ø 2mm		
<b>For models:</b>	020, 024, 030, 1000, 1300, 1300S, 400, 600, 620, 627, 627PS, 670-TRONIC, 700, 800, 900, A670-TRONIC, E1000, E40, E45, E50, F19, F19A, F22, F22A, F27A, F28A, GLB615-GIGA, GLB785-GIGA, GLB795-GIGA, GLS805-GIGA, GLS845-GIGA, GLS905-GIGA, GLS925-GIGA, GLS935-GIGA, GLS945-GIGA, GLS945S-GIGA, LAVASTOVIGLIE-A-NASTRO-N2500, LAVASTOVIGLIE-A-NASTRO-N3500, LAVASTOVIGLIE-A-NASTRO-N5000, LAVASTOVIGLIE-A-NASTRO-N6000, LAVASTOVIGLIE-A-NASTRO-N7500, LAVASTOVIGLIE-A-NASTRO-N9000, LAVASTOVIGLIE-A-TRAINO, LAVASTOVIGLIE-A-TRAINO-T1650, LAVASTOVIGLIE-A-TRAINO-T2000, LAVASTOVIGLIE-A-TRAINO-T3000, LP109, LP124, LP67, LP67E...(Other models you can see in the webshop)		
<b>accessories for</b>	519049		
		GEV No. 560095	Ref. No. —
	sheet metal screws ø 2.9mm L 9.5mm SS Qty 20 pcs DIN 7981/ISO 7049 head ø 5.6mm oval head		

<b>GEV No.</b>	348133	<b>Ref. No.</b>	906210
<b>description</b>	rotary selector mounting measurements ø22mm 2NO complete sequence 0-1-2		
<b>For models:</b>	1300, 1300S, N1300		

TELEMECANIQUE (EFA)

XA2 series

push buttons

<b>GEV No.</b>	345595	<b>Ref. No.</b>	TR0232
<b>description</b>	button mounting measurements ø22mm green		
<b>For models:</b>	LP109, LP124, LP67, LP84		

<b>GEV No.</b>	345594	<b>Ref. No.</b>	TR0304
<b>description</b>	button mounting measurements ø22mm red		
<b>For models:</b>	LP109, LP124, LP67, LP84		

<b>GEV No.</b>	345220	<b>Ref. No.</b>	907047 907049
<b>description</b>	contact block EFA ZB2BE101 1NO max 230V 10(6)A black		
<b>For models:</b>	LP109, LP109V, LP124, LP67, LP67V, LP84		

<b>GEV No.</b>	345221	<b>Ref. No.</b>	907048
<b>description</b>	contact block EFA ZB2BE102 1NC max 230V 10(6)A black		

control equipment

ELFIN

switches (complete)

<b>GEV No.</b>	347849	<b>Ref. No.</b>	TR0261 TR0351
<b>description</b>	momentary push switch mounting measurements ø22mm 1NC complete red		
<b>For models:</b>	LAVASTOVIGLIE-A-NASTRO-N2500, LAVASTOVIGLIE-A-NASTRO-N3500, LAVASTOVIGLIE-A-NASTRO-N5000, LAVASTOVIGLIE-A-NASTRO-N6000, LAVASTOVIGLIE-A-NASTRO-N7500, LAVASTOVIGLIE-A-NASTRO-N9000, LAVASTOVIGLIE-A-TRAINO, LAVASTOVIGLIE-A-TRAINO-T1650, LAVASTOVIGLIE-A-TRAINO-T2000, LAVASTOVIGLIE-A-TRAINO-T3000		





signal element



1			
<b>GEV No.</b>	345596	<b>Ref. No.</b>	TR0230
<b>description</b>	signal element mounting measurements ø22mm yellow		
<b>For models:</b>	LP109, LP124, LP67, LP84		

switches (complete)



1			
<b>GEV No.</b>	345592	<b>Ref. No.</b>	906210 old
<b>description</b>	rotary selector mounting measurements ø22mm 1NC/1NO complete sequence 0-1-2		



1			
<b>GEV No.</b>	345593	<b>Ref. No.</b>	TR0850
<b>description</b>	rotary selector mounting measurements ø22mm 2NO complete		
<b>For models:</b>	GLS9455-GIGA, LP109, LP124, LP67, LP67E, LP84, N1300, TS3700		



1			
<b>GEV No.</b>	345591	<b>Ref. No.</b>	TR0310
<b>description</b>	rotary selector mounting measurements ø22mm complete		
<b>For models:</b>	LAVASTOVIGLIE-A-NASTRO-N2500, LAVASTOVIGLIE-A-NASTRO-N3500, LAVASTOVIGLIE-A-NASTRO-N5000, LAVASTOVIGLIE-A-NASTRO-N6000, LAVASTOVIGLIE-A-NASTRO-N7500, LAVASTOVIGLIE-A-NASTRO-N9000, LAVASTOVIGLIE-A-TRAIINO, LAVASTOVIGLIE-A-TRAIINO-T1650, LAVASTOVIGLIE-A-TRAIINO-T2000, LAVASTOVIGLIE-A-TRAIINO-T3000, LP109, LP124, LP67, LP67E, LP84, T1400		

XB2 series



1			
<b>GEV No.</b>	345220	<b>Ref. No.</b>	907047 907049
<b>description</b>	contact block EFA ZB2BE101 1NO max 230V 10(6)A black		
<b>For models:</b>	LP109, LP109V, LP124, LP67, LP67V, LP84		



1			
<b>GEV No.</b>	345221	<b>Ref. No.</b>	907048
<b>description</b>	contact block EFA ZB2BE102 1NC max 230V 10(6)A black		

miscellaneous



1			
<b>GEV No.</b>	347935	<b>Ref. No.</b>	TR0328
<b>description</b>	emergency stop switch mounting measurements ø22mm red L 55mm		
<b>For models:</b>	LAVASTOVIGLIE-A-NASTRO-N2500, LAVASTOVIGLIE-A-NASTRO-N3500, LAVASTOVIGLIE-A-NASTRO-N5000, LAVASTOVIGLIE-A-NASTRO-N6000, LAVASTOVIGLIE-A-NASTRO-N7500, LAVASTOVIGLIE-A-NASTRO-N9000, LAVASTOVIGLIE-A-TRAIINO, LAVASTOVIGLIE-A-TRAIINO-T1650, LAVASTOVIGLIE-A-TRAIINO-T2000, LAVASTOVIGLIE-A-TRAIINO-T3000, TS3700		



1			
<b>GEV No.</b>	347593	<b>Ref. No.</b>	909090
<b>description</b>	rotary selector mounting measurements ø22mm green sequence 0-1 2NO 10A complete		
<b>For models:</b>	TS3700		

lamps

indicator lights

indicator lights 2-piece (lens and indicator lamp)

indicator lamps for socket type SRZ / SDK / SDY / SFK



1			
<b>GEV No.</b>	359130	<b>Ref. No.</b>	903645
<b>description</b>	indicator lamp 230V clear connection male faston 6.3mm ø 8mm		
<b>For models:</b>	GLS905-GIGA, GLS925-GIGA, N45, N90		



1			
<b>GEV No.</b>	359132	<b>Ref. No.</b>	903633
<b>description</b>	indicator lamp green 250V connection male faston 6.3mm protection IP54 ambient temperature max. 85°C		
<b>For models:</b>	GLS905-GIGA, GLS925-GIGA, N45, N90		

indicator lights (complete)

ø 6mm



<b>GEV No.</b>	359004	<b>Ref. No.</b>	903648
<b>description</b>	indicator light ø 6mm 230V green cable length 400mm temp.-resist. 106°C		



<b>GEV No.</b>	359005	<b>Ref. No.</b>	903644
<b>description</b>	indicator light ø 6mm 230V yellow cable length 400mm		

ø 9mm



<b>GEV No.</b>	359136	<b>Ref. No.</b>	903647
<b>description</b>	indicator light ø 9mm 230V green connection male faston 6.3mm temp.-resist. 120°C		
<b>For models:</b>	620		



<b>GEV No.</b>	345597	<b>Ref. No.</b>	903632 903643
<b>description</b>	indicator light ø 9mm 400V green connection male faston 6.3mm temp.-resist. 85°C		
<b>For models:</b>	020, 024, 030, 600, 620, 627, 627PS, 700, 800, 900, E1000, E40, E45, E50, F19, F19A, F22, F22A, F27A, F28A, GLB615-GIGA, GLB785-GIGA, GLB795-GIGA, GLS805-GIGA, GLS845-GIGA, GLS945-GIGA, GLS945S-GIGA, N1000-SILANOS, N1300, N50, N700F, N700FPS, N700F-PS, N700PS, R20, R20A, R23A, R29A, SVELTINA, V40, V45, V50		



<b>GEV No.</b>	345598	<b>Ref. No.</b>	903629 903642
<b>description</b>	indicator light ø 9mm 400V yellow connection male faston 6.3mm temp.-resist. 85°C		
<b>For models:</b>	020, 024, 030, 1000, 600, 620, 627, 627PS, 700, 800, 900, E1000, E40, E45, E50, F19, F19A, F22, F22A, F27A, F28A, GLB615-GIGA, GLB785-GIGA, GLB795-GIGA, GLS805-GIGA, GLS845-GIGA, GLS935-GIGA, GLS945-GIGA, GLS945S-GIGA, N1000-SILANOS, N1300, N700F, N700FPS, N700F-PS, N700PS, PIASTRA-DOPPIA, PIASTRA-MEDIA, PIASTRA-SINGOLA, R20, R20A, R23A, R29A, ROLLY-16, ROLLY-5, ROLLY-5S, ROLLY-8, ROLLY-8L, Rubinia, SVELTINA, V40...(Other models you can see in the webshop)		



<b>GEV No.</b>	360766	<b>Ref. No.</b>	903688
<b>description</b>	indicator light ø 8.5mm green 250V connection male faston 6.3mm cable length 270mm temp.-resist. 120°C		



<b>GEV No.</b>	360765	<b>Ref. No.</b>	903686
<b>description</b>	indicator light ø 8.5mm yellow 250V connection male faston 6.3mm cable length 260/400mm temp.-resist. 90°C		



<b>GEV No.</b>	360767	<b>Ref. No.</b>	903685
<b>description</b>	indicator light ø 8.5mm yellow 250V connection male faston 6.3mm cable length 260mm temp.-resist. 120°C		



<b>GEV No.</b>	360698	<b>Ref. No.</b>	903646
<b>description</b>	indicator light ø 9mm yellow 380-400V connection 2-wire cable length 200mm temp.-resist. °C		
<b>For models:</b>	620		

ø10mm  
with plug-in socket



<b>GEV No.</b>	359019	<b>Ref. No.</b>	903641
<b>description</b>	indicator light ø 10mm green 400V connection male faston 6.3mm Qty 1 pcs		
<b>For models:</b>	FT600VTC, PIASTRA-DOPPIA-1-2-LISCIA-SOTTO, PIASTRA-DOPPIA-LISCIA, PIASTRA-DOPPIA-LISCIA-SOTTO, PIASTRA-DOPPIA-RIGATA, PIASTRA-MEDIA-1-2-LISCIA, PIASTRA-MEDIA-LISCIA, PIASTRA-MEDIA-RIGATA		



<b>GEV No.</b>	359034	<b>Ref. No.</b>	903640
<b>description</b>	indicator light ø 10mm yellow 400V connection male faston 6.3mm Qty 1 pcs		
<b>For models:</b>	FT600VTC, PIASTRA-DOPPIA-1-2-LISCIA-SOTTO, PIASTRA-DOPPIA-LISCIA, PIASTRA-DOPPIA-LISCIA-SOTTO, PIASTRA-DOPPIA-RIGATA, PIASTRA-MEDIA-1-2-LISCIA, PIASTRA-MEDIA-LISCIA, PIASTRA-MEDIA-RIGATA, PIASTRA-SINGOLA-1-2-LISCIA, PIASTRA-SINGOLA-LISCIA, PIASTRA-SINGOLA-RIGATA		



30x22mm



<b>GEV No.</b>	359156	<b>Ref. No.</b>	903652
<b>description</b>	indicator light mounting measurements 30x22mm 230V yellow connection male faston 6.3mm temp.-resist. 125/55°C type RL2		
<b>For models:</b>	250, 600, 700, Ambra		

## timers

### programme timers




<b>GEV No.</b>	360591	<b>Ref. No.</b>	908499
<b>description</b>	timer CDC 4904DV engines 2 chambers 4 operation time 6s / 3min 230V shaft ømm shaft Lmm motor type M48L ATS		




<b>GEV No.</b>	360655	<b>Ref. No.</b>	907182
<b>description</b>	timer CDC 4904DV engines 2 chambers 4 operation time 6s/180s 230V		
<b>For models:</b>	1000, 600, 700, 800, 900, GLS805-GIGA, GLS845-GIGA, GLS905-GIGA, GLS925-GIGA, GLS935-GIGA, GLS945-GIGA, N1000-SILANOS, N45, N50, N700PS, N90, V45, V50		




<b>GEV No.</b>	360231	<b>Ref. No.</b>	907172	
<b>description</b>	timer CDC 7803 engines 1 chambers 3 operation time 120s 230V shaft ømm shaft Lmm manuf. no. 7803F1 / 360231 motor type M37RN			
<b>For models:</b>	024, 030, 400, E1000, E40, E45, E50, F19, F19A, F22, F22A, F27A, F28A, GLB615-GIGA, GLB785-GIGA, GLB795-GIGA, N700F, R20, R20A, R23A, R29A, Rubinia, SVELTINA, V40			
<b>spare parts for</b>	360231			
	<b>GEV No.</b>	360119	<b>Ref. No.</b>	—
	motor CDC pinion ø 5.4mm teeth 12 230V turn direction right motor ø 37mm motor type M37RN for timer			






<b>GEV No.</b>	360244	<b>Ref. No.</b>	907173	
<b>description</b>	timer CDC 7803 engines 1 chambers 3 operation time 20min 230V manuf. no. 7803F1 / 907173 motor type M37RN			
<b>For models:</b>	400, F19A, F22A, F27A, F28A, R20A, R23A, R29A			
<b>spare parts for</b>	360244			
	<b>GEV No.</b>	360119	<b>Ref. No.</b>	—
	motor CDC pinion ø 5.4mm teeth 12 230V turn direction right motor ø 37mm motor type M37RN for timer			



<b>GEV No.</b>	360637	<b>Ref. No.</b>	907180
<b>description</b>	timer CDC 7803F1 engines 1 chambers 3 operation time 180s 230V 50Hz		
<b>For models:</b>	N700F, N700FPS, N700F-PS		




<b>GEV No.</b>	360215	<b>Ref. No.</b>	907183	
<b>description</b>	timer CDC 7805DV engines 2 chambers 5 operation time 6s / 3min 230V shaft ømm shaft Lmm motor type M37RN/M37LN			
<b>For models:</b>	1300, 1300S, GLS945S-GIGA, N1300			
<b>spare parts for</b>	360215			
	<b>GEV No.</b>	360119	<b>Ref. No.</b>	—
	motor CDC pinion ø 5.4mm teeth 12 230V turn direction right motor ø 37mm motor type M37RN for timer			
	<b>GEV No.</b>	360131	<b>Ref. No.</b>	—
	motor CDC pinion ø 5.4mm teeth 12 230V turn direction left motor ø 37mm motor type M37LN for timer			






1

<b>GEV No.</b>	360711	<b>Ref. No.</b>	TR0326
<b>description</b>	timer CDC engines 2 chambers 5 operation time 6s / 9min 24V		
<b>For models:</b>	LP67E		






1

<b>GEV No.</b>	360353	<b>Ref. No.</b>	907161
<b>description</b>	timer FIBER P25 engines 2 chambers 4 operation time 6s / 2min 230V shaft ømm shaft Lmm manuf. no. P255J04JDL6 motor type M51B-J0R6400 / M51BJ0L6400		
<b>spare parts for</b>	360353		
	<b>GEV No.</b>	360673	<b>Ref. No.</b> —
	motor kit pinion ø 6.8mm teeth 15 230V voltage AC 50/60Hz turn direction clockwise motor ø 48mm H 18.5mm motor type UDS-40NE1RNZ165 cable length 150mm with holder		
	<b>GEV No.</b>	360674	<b>Ref. No.</b> —
	motor kit pinion ø 6.8mm teeth 15 230V voltage AC 50/60Hz turn direction counterclockwise motor ø 48mm H 18.5mm motor type UDS40NE1RNZ165 cable length 150mm with holder		






1

<b>GEV No.</b>	360234	<b>Ref. No.</b>	907182 (old version)
<b>description</b>	timer FIBER P25 engines 2 chambers 4 operation time 6s / 3min 230V shaft ømm shaft Lmm manuf. no. P255J04JBC7 motor type M51B-J0R6400 / M51BJ0L6400		
<b>spare parts for</b>	360234		
	<b>GEV No.</b>	360673	<b>Ref. No.</b> —
	motor kit pinion ø 6.8mm teeth 15 230V voltage AC 50/60Hz turn direction clockwise motor ø 48mm H 18.5mm motor type UDS-40NE1RNZ165 cable length 150mm with holder		
	<b>GEV No.</b>	360674	<b>Ref. No.</b> —
	motor kit pinion ø 6.8mm teeth 15 230V voltage AC 50/60Hz turn direction counterclockwise motor ø 48mm H 18.5mm motor type UDS40NE1RNZ165 cable length 150mm with holder		





1


<b>GEV No.</b>	360233	<b>Ref. No.</b>	907183 (old version)
<b>description</b>	timer FIBER P25 engines 2 chambers 5 operation time 6s / 3min 230V shaft ømm shaft Lmm manuf. no. P255J05JBA9 motor type M51B-J0R6400 / M51BJ0L6400		
<b>spare parts for</b>	360233		
	<b>GEV No.</b>	360673	<b>Ref. No.</b> —
	motor kit pinion ø 6.8mm teeth 15 230V voltage AC 50/60Hz turn direction clockwise motor ø 48mm H 18.5mm motor type UDS-40NE1RNZ165 cable length 150mm with holder		
	<b>GEV No.</b>	360674	<b>Ref. No.</b> —
	motor kit pinion ø 6.8mm teeth 15 230V voltage AC 50/60Hz turn direction counterclockwise motor ø 48mm H 18.5mm motor type UDS40NE1RNZ165 cable length 150mm with holder		





1

<b>GEV No.</b>	360232	<b>Ref. No.</b>	907191
<b>description</b>	timer FIBER P25 engines 2 chambers 5 operation time 6s / 9min 24V shaft ømm shaft Lmm manuf. no. P255205KEF0 motor type M51B20R6400 / M51B20L6400 voltage AC		
<b>For models:</b>	LP109, LP109V, LP124, LP67, LP67V, LP84		
<b>spare parts for</b>	360232		
	<b>GEV No.</b>	360675	<b>Ref. No.</b> —
	motor kit pinion ø 6.8mm teeth 15 24V voltage AC 50/60Hz turn direction clockwise motor ø 48mm H 18.5mm motor type UDS-40NE1RNZ165 cable length 150mm with holder		
	<b>GEV No.</b>	360676	<b>Ref. No.</b> —
	motor kit pinion ø 6.8mm teeth 15 24V voltage AC 50/60Hz turn direction counterclockwise motor ø 48mm H 18.5mm motor type UDS40NE1RNZ165 cable length 150mm with holder		

mechanical timers



1

<b>GEV No.</b>	350032	<b>Ref. No.</b>	907055
<b>description</b>	timer M2 2-pole operation time 15min impulse mechanical 2NO at 250V 16A permanent position no shaft ø 6x4.6mm shaft 6x4.6mm shaft L 18mm mounting distance 28mm connection rear		
<b>For models:</b>	F3, F6, FA3		
<b>accessories for</b>	350032		
	<b>GEV No.</b>	110366	<b>Ref. No.</b> —
	knob switch zero mark t.max. °C °C ø 44mm shaft ø 6x4.6mm shaft flat upper black		
	<b>GEV No.</b>	110371	<b>Ref. No.</b> —
	dial plate graduation 15min permanent position no rotation 30-330° ø 60mm timers knob ø 45mm		



contactors

GENERAL ELECTRIC (AEG)

power contactors



1

<b>GEV No.</b>	380239	<b>Ref. No.</b>	907041
<b>description</b>	power contactor resistive load 20A 230VAC (AC3/400V) 8.4A/4kW main contacts 3NO auxiliary contacts 1NC connection screw connection type LS05 01A type AEG LS05 01A type GE MC1A 301A		
<b>For models:</b>	1000, 600, 700, 800, 900, E45, E50, LP67E, LP67E-TRONIC, T1400, TS3700, V45, V50		

1

<b>GEV No.</b>	380718	<b>Ref. No.</b>	TR0373
<b>description</b>	power contactor resistive load 32A 230VAC (AC3/400V) 18A/7.5kW main contacts 3NO auxiliary contacts 1NO connection screw connection type BF1810A230		
<b>For models:</b>	LAVASTOVIGLIE-A-NASTRO-N2500, LAVASTOVIGLIE-A-NASTRO-N3500, LAVASTOVIGLIE-A-NASTRO-N5000, LAVASTOVIGLIE-A-NASTRO-N6000, LAVASTOVIGLIE-A-NASTRO-N7500, LAVASTOVIGLIE-A-NASTRO-N9000, LAVASTOVIGLIE-A-TRAIINO, LAVASTOVIGLIE-A-TRAIINO-T1650, LAVASTOVIGLIE-A-TRAIINO-T2000, LAVASTOVIGLIE-A-TRAIINO-T3000, LP67E, LP67E-TRONIC, T1400		

ISKRA (FANAL)

power contactors



1

<b>GEV No.</b>	380212	<b>Ref. No.</b>	907096
<b>description</b>	power contactor resistive load 20A 230VAC (AC3/400V) 8.5A/5.5kW main contacts 3NO auxiliary contacts 1NC connection screw connection type Fanal K07M 01 type ISKRA DSL7 01		

SIEMENS

power contactors



1


<b>GEV No.</b>	380389	<b>Ref. No.</b>	907095
<b>description</b>	power contactor resistive load 22A 230VAC (AC3/400V) 9A/4kW main contacts 3NO auxiliary contacts 1NO connection screw connection type 3RT10-16-1AP01		
<b>For models:</b>	670-TRONIC, GLS805-GIGA, GLS845-GIGA, GLS905-GIGA, GLS925-GIGA, GLS945-GIGA, GLS945S-GIGA, N1000-SILANOS, N1300, N45, N50, N50-TRONIC-PDS-PBS, N700F, N700FPS, N700F-PS, N700PS, N90		

LOVATO

power contactors



1

<b>GEV No.</b>	380705	<b>Ref. No.</b>	907045 907190
<b>description</b>	power contactor resistive load 20A 230VAC (AC3/400V) 9A/4kW main contacts 3NO auxiliary contacts 1NO connection screw connection type 11BG0910A230		
<b>For models:</b>	250, Ambra, E1000		
<b>accessories for</b>	380705		
	<b>GEV No.</b>	380057	<b>Ref. No.</b> —
	auxiliary contact contacts 1NO/1NC AC1 10A for contactors BG series connection screw type BGX1011		

TELEMECANIQUE (Schneider Electric)


power contactors



1


<b>GEV No.</b>	380479	<b>Ref. No.</b>	907050
<b>description</b>	power contactor resistive load 25A 230VAC (AC3/400V) 9A/4kW main contacts 3NO auxiliary contacts 1NO/1NC connection screw connection type LC1D09P7		
<b>For models:</b>	LP109, LP124, LP67, LP84		





1

<b>GEV No.</b>	380617	<b>Ref. No.</b>	907043
<b>description</b>	power contactor resistive load 25A 24VAC (AC3/400V) 9A/4kW main contacts 3NO auxiliary contacts 1NO/1NC connection screw connection type LC1D09B7		
<b>For models:</b>	1000, 1300, 1300S, 600, 700, GLS935-GIGA		




1

<b>GEV No.</b>	380687	<b>Ref. No.</b>	905486
<b>description</b>	power relays FINDER 230VAC 30A 2NO connection F6.3 bracket mounting manuf. no. 66.82.8.230.0300		
<b>For models:</b>	GLS905-GIGA, GLS925-GIGA, N45, N700PS, N90		

## relays


### power relays

#### with bracket mounting



1


<b>GEV No.</b>	380139	<b>Ref. No.</b>	905476
<b>description</b>	power relays FINDER 230VAC 16A 2CO connection F6.3 bracket mounting dimensions 68x38.2x35.8mm manuf. no. 62.82.8.230.0000		
<b>For models:</b>	1000, 1300, 1300S, E1000, GLS805-GIGA, GLS845-GIGA, GLS935-GIGA, GLS945-GIGA, GLS945S-GIGA, N1000-SILANOS, N1300, N50, N700F, N700FPS, N700F-PS		



1

<b>GEV No.</b>	380403	<b>Ref. No.</b>	905474 905475 905479
<b>description</b>	power relays FINDER 230VAC 16A 3CO connection F6.3 bracket mounting manuf. no. 62.83.8.230.0500		
<b>For models:</b>	024, 030, 1000, 1300, 1300S, 600, 700, 800, 900, E1000, E40, E45, E50, F19, F19A, F22, F22A, F27A, F28A, GLB615-GIGA, GLB785-GIGA, GLB795-GIGA, GLS935-GIGA, GLS945-GIGA, GLS945S-GIGA, LP109, LP109V, LP124, LP67, LP67V, LP84, N1000-SILANOS, N1300, N50, R20, R20A, R23A, R29A, Rubinia, SVELTINA, V40, V45, V50		

### plug-in/print relays




1

<b>GEV No.</b>	381438	<b>Ref. No.</b>	905478
<b>description</b>	print relay 230VAC 2CO at 250V 8A with socket REIPOL PI-50BE/3-R		

## transformers

### open transformers

#### with clamp terminal



1

<b>GEV No.</b>	400914	<b>Ref. No.</b>	TR0410
<b>description</b>	transformer primary 0-230/400/440 secondary 0-24/28V 160VA secondary 6.3A connection screw 50/60Hz		
<b>For models:</b>	LP109, LP109V, LP124, LP67, LP67E, LP67E-TRONIC, LP67V, LP84		



## electronic controllers

### EVCO - EVERY CONTROL

#### electronic thermometers

##### built-in version



1

<b>GEV No.</b>	379900	<b>Ref. No.</b>	TR0402
<b>description</b>	thermometer EVERY CONTROL type TM103T N4 mounting measurements 58x25.5mm 24V voltage AC -40 up to +110°C measuring input NTC display 2½ digit front measurements 31x64mm protection IP54 accuracy 1%		
<b>For models:</b>	LAVASTOVIGLIE-A-NASTRO-N2500, LAVASTOVIGLIE-A-NASTRO-N3500, LAVASTOVIGLIE-A-NASTRO-N5000, LAVASTOVIGLIE-A-NASTRO-N6000, LAVASTOVIGLIE-A-NASTRO-N7500, LAVASTOVIGLIE-A-NASTRO-N9000, LAVASTOVIGLIE-A-TRAIINO, LAVASTOVIGLIE-A-TRAIINO-T1650, LAVASTOVIGLIE-A-TRAIINO-T2000, LAVASTOVIGLIE-A-TRAIINO-T3000, LP109, LP124, LP67, LP67E, LP84, TS3700		

## probes

### producer-specific probes

#### probes



1

<b>GEV No.</b>	378332	<b>Ref. No.</b>	909025
<b>description</b>	temperature probe NTC 10kOhm cable silicone probe -40 up to +110°C cable -50 up to +180°C connection 2-wire thread probe ø6x50mm cable length 2.5m		




1

<b>GEV No.</b>	378331	<b>Ref. No.</b>	909364
<b>description</b>	temperature probe NTC cable silicone probe -40 up to +110°C cable -50 up to +180°C connection coded plug thread probe ø6x50mm cable length 2m		
<b>For models:</b>	A670-TRONIC		

## electronics

### PCBs




1

<b>GEV No.</b>	403746	<b>Ref. No.</b>	907214
<b>description</b>	control PCB dishwasher LVR40/N600-700/S050/SXG50 L 110mm W 35mm		



1

<b>GEV No.</b>	401916	<b>Ref. No.</b>	909349
<b>description</b>	control PCB L 120mm W 120mm		



1

<b>GEV No.</b>	401041	<b>Ref. No.</b>	909022
<b>description</b>	keypad PCB		



1

<b>GEV No.</b>	401807	<b>Ref. No.</b>	909030
<b>description</b>	keypad PCB		
<b>For models:</b>	N50-TRONIC-PDS-PBS		



1

<b>GEV No.</b>	403047	<b>Ref. No.</b>	909029
<b>description</b>	keypad PCB buttons 6		



1

<b>GEV No.</b>	403212	<b>Ref. No.</b>	909350
<b>description</b>	keypad PCB dishwasher GDW1001/A670		
<b>For models:</b>	A670-TRONIC		



1	<b>GEV No.</b>	401027	<b>Ref. No.</b>	909028
	<b>description</b>	PCB		



1	<b>GEV No.</b>	402153	<b>Ref. No.</b>	909020
	<b>description</b>	PCB		



1	<b>GEV No.</b>	403559	<b>Ref. No.</b>	907258
	<b>description</b>	PCB dishwasher		



1	<b>GEV No.</b>	402916	<b>Ref. No.</b>	909024
	<b>description</b>	PCB dishwasher 670 TRONIC L 134mm W 100mm		
	<b>For models:</b>	670-TRONIC		



1	<b>GEV No.</b>	403739	<b>Ref. No.</b>	907233
	<b>description</b>	PCB dishwasher EVO/N600-700-1300 L 120mm W 100mm		



1	<b>GEV No.</b>	402915	<b>Ref. No.</b>	79 277 852-0-D 909348
	<b>description</b>	PCB dishwasher GDW1001 L 143mm W 122mm		




1	<b>GEV No.</b>	402965	<b>Ref. No.</b>	907178
	<b>description</b>	PCB dishwasher GGW2001 L 122mm W 80mm 50/60Hz 230/240V voltage AC		




1	<b>GEV No.</b>	401029	<b>Ref. No.</b>	907174 907175
	<b>description</b>	PCB dishwasher LF 50 L 122mm W 80mm Qty 1 pcs		
	<b>For models:</b>	020, 620, 627, 627PS, E1000		



1	<b>GEV No.</b>	403020	<b>Ref. No.</b>	909027
	<b>description</b>	PCB dishwasher LP57 TRONIC		




1	<b>GEV No.</b>	403255	<b>Ref. No.</b>	907169 907169/ELCA
	<b>description</b>	PCB dishwasher N700/NE1300/S026/S030 L 135mm W 82mm		

1

<b>GEV No.</b>	403326	<b>Ref. No.</b>	909012
<b>description</b>	PCB dishwasher Tronic L 145mm W 116mm		
<b>For models:</b>	LP67E-TRONIC		




1

<b>GEV No.</b>	403276	<b>Ref. No.</b>	907181
<b>description</b>	PCB warewashing Tronic L 122mm W 80mm for timer Qty 1 pcs		


## keypads

### front foils



1

<b>GEV No.</b>	519356	<b>Ref. No.</b>	907013
<b>description</b>	front foil		
<b>For models:</b>	600, V45		



1

<b>GEV No.</b>	519368	<b>Ref. No.</b>	907014
<b>description</b>	front foil		
<b>For models:</b>	900		




1

<b>GEV No.</b>	519564	<b>Ref. No.</b>	906735
<b>description</b>	front foil dishwasher N1000 L 180mm W 110mm		



1

<b>GEV No.</b>	511647	<b>Ref. No.</b>	909127
<b>description</b>	front foil for dishwasher grey L 409mm W 57mm		




1

<b>GEV No.</b>	511648	<b>Ref. No.</b>	909198
<b>description</b>	front foil for dishwasher grey L 409mm W 57mm		



1

<b>GEV No.</b>	519442	<b>Ref. No.</b>	906750
<b>description</b>	front foil L 178mm W 58mm		



1

<b>GEV No.</b>	519441	<b>Ref. No.</b>	907064
<b>description</b>	front foil L 180mm W 98mm		
<b>For models:</b>	GLS945S-GIGA, N1300		




1

<b>GEV No.</b>	519363	<b>Ref. No.</b>	907012
<b>description</b>	front foil L 400mm W 60mm		
<b>For models:</b>	F19A, F22A, F28A, R20A, R23A		



1


<b>GEV No.</b>	519522	<b>Ref. No.</b>	909135
<b>description</b>	front foil suitable for Silanos L 405mm W 59mm		



1

<b>GEV No.</b>	519517	<b>Ref. No.</b>	906727
<b>description</b>	front foil suitable for Silanos L 507mm W 65mm		
<b>For models:</b>	N700PS		

### control panel



1

<b>GEV No.</b>	506281	<b>Ref. No.</b>	909763
<b>description</b>	control panel for dishwasher L 250mm W 40mm black suitable for Silanos		





# solenoid valves

## solenoid valves (water)

TP



<b>GEV No.</b>	370021	<b>Ref. No.</b>	902400
<b>description</b>	solenoid valve double straight 230VAC inlet 3/4" outlet 11.5mm DN10 TP flow regulating valve inlet white		
<b>For models:</b>	250, 400, 600, 627, 627PS, 700, Ambra, F19, F22, R20, Rubinia, V40		
<b>spare parts for</b>	370021		
	<b>GEV No.</b>	371013	<b>Ref. No.</b> —
	solenoid coil TP 230VAC 50/60Hz		
<b>accessories for</b>	370021		
	<b>GEV No.</b>	371220	<b>Ref. No.</b> —
	reducer TP flow rate 3l/min red tolerance ±15%		
	<b>GEV No.</b>	371221	<b>Ref. No.</b> —
	reducer TP flow rate 5.5l/min yellow tolerance ±15%		
	<b>GEV No.</b>	371222	<b>Ref. No.</b> —
	reducer TP flow rate 6l/min grey tolerance ±15%		
	<b>GEV No.</b>	371223	<b>Ref. No.</b> —
	reducer TP flow rate 10l/min white tolerance ±15%		
	<b>GEV No.</b>	371224	<b>Ref. No.</b> —
	reducer TP flow rate 12l/min bronze tolerance ±15%		
	<b>GEV No.</b>	371225	<b>Ref. No.</b> —
	reducer TP flow rate 16l/min light brown tolerance ±15%		
	<b>GEV No.</b>	371226	<b>Ref. No.</b> —
	reducer TP flow rate 20l/min red tolerance ±15%		
	<b>GEV No.</b>	371230	<b>Ref. No.</b> —
	reducer TP flow rate 0.25l/min red tolerance ±25%		
	<b>GEV No.</b>	371231	<b>Ref. No.</b> —
	reducer TP flow rate 0.35l/min violet tolerance ±25%		
	<b>GEV No.</b>	371232	<b>Ref. No.</b> —
	reducer TP flow rate 0.5l/min orange tolerance ±25%		
	<b>GEV No.</b>	371233	<b>Ref. No.</b> —
	reducer TP flow rate 0.8l/min white tolerance ±25%		
	<b>GEV No.</b>	371234	<b>Ref. No.</b> —
	reducer TP flow rate 1l/min light blue tolerance ±25%		
	<b>GEV No.</b>	371235	<b>Ref. No.</b> —
	reducer TP flow rate 1.2l/min brown tolerance ±25%		










<b>accessories for</b>	370021		
	<b>GEV No.</b>	371236	<b>Ref. No.</b> —
	reducer TP flow rate 1.5l/min light brown tolerance ±25%		
	<b>GEV No.</b>	371237	<b>Ref. No.</b> —
	reducer TP flow rate 2.5l/min yellow tolerance ±25%		
	<b>GEV No.</b>	371238	<b>Ref. No.</b> —
	reducer TP flow rate 3.4l/min dark green tolerance ±25%		
	<b>GEV No.</b>	371239	<b>Ref. No.</b> —
	reducer TP flow rate 5l/min black tolerance ±25%		
	<b>GEV No.</b>	371240	<b>Ref. No.</b> —
	reducer TP flow rate 8l/min blue tolerance ±20%		

	1		
<b>GEV No.</b>	370017	<b>Ref. No.</b>	902390
<b>description</b>	solenoid valve single straight 230VAC inlet 3/4" outlet 11.5mm DN10 TP p max 10bar		
<b>For models:</b>	020, 024, 030, 1000, 1300, 1300S, 250, 600, 620, 670-TRONIC, 700, 800, 900, A670-TRONIC, Ambra, E1000, E40, E45, E50, GLB615-GIGA, GLB785-GIGA, GLB795-GIGA, GLS805-GIGA, GLS845-GIGA, GLS905-GIGA, GLS925-GIGA, GLS935-GIGA, GLS945-GIGA, GLS945S-GIGA, N1000-SILANOS, N1300, N45, N50, N50-TRONIC-PDS-PBS, N700F, N700FPS, N700F-PS, N700PS, N90, SVELTINA, V45, V50		
<b>spare parts for</b>	370017		
	<b>GEV No.</b>	371013	<b>Ref. No.</b> —
	solenoid coil TP 230VAC 50/60Hz		
<b>accessories for</b>	370017		
	<b>GEV No.</b>	371220	<b>Ref. No.</b> —
	reducer TP flow rate 3l/min red tolerance ±15%		
	<b>GEV No.</b>	371221	<b>Ref. No.</b> —
	reducer TP flow rate 5.5l/min yellow tolerance ±15%		
	<b>GEV No.</b>	371222	<b>Ref. No.</b> —
	reducer TP flow rate 6l/min grey tolerance ±15%		
	<b>GEV No.</b>	371223	<b>Ref. No.</b> —
	reducer TP flow rate 10l/min white tolerance ±15%		
	<b>GEV No.</b>	371224	<b>Ref. No.</b> —
	reducer TP flow rate 12l/min bronze tolerance ±15%		
	<b>GEV No.</b>	371225	<b>Ref. No.</b> —
	reducer TP flow rate 16l/min light brown tolerance ±15%		
	<b>GEV No.</b>	371226	<b>Ref. No.</b> —
	reducer TP flow rate 20l/min red tolerance ±15%		
	<b>GEV No.</b>	371230	<b>Ref. No.</b> —
	reducer TP flow rate 0.25l/min red tolerance ±25%		


Table continues overleaf





accessories for		370017		
	GEV No.	371231	Ref. No.	—
reducer TP flow rate 0.35l/min violet tolerance ±25%				
	GEV No.	371232	Ref. No.	—
reducer TP flow rate 0.5l/min orange tolerance ±25%				
	GEV No.	371233	Ref. No.	—
reducer TP flow rate 0.8l/min white tolerance ±25%				
	GEV No.	371234	Ref. No.	—
reducer TP flow rate 1l/min light blue tolerance ±25%				
	GEV No.	371235	Ref. No.	—
reducer TP flow rate 1.2l/min brown tolerance ±25%				
	GEV No.	371236	Ref. No.	—
reducer TP flow rate 1.5l/min light brown tolerance ±25%				
	GEV No.	371237	Ref. No.	—
reducer TP flow rate 2.5l/min yellow tolerance ±25%				
	GEV No.	371238	Ref. No.	—
reducer TP flow rate 3.4l/min dark green tolerance ±25%				
	GEV No.	371239	Ref. No.	—
reducer TP flow rate 5l/min black tolerance ±25%				
	GEV No.	371240	Ref. No.	—
reducer TP flow rate 8l/min blue tolerance ±20%				

solenoid valves with reducers

				
1				
<b>GEV No.</b>	370250	<b>Ref. No.</b>	902410	
<b>description</b>	solenoid valve triple straight 230VAC inlet 3/4" outlet 11.5mm t.max. 90°C TP plastic output B 0.25l/min flow regulating valve outlet B red			
<b>For models:</b>	250, Ambra, F19A, F22A, F27A, F28A, R20A, R23A, R29A			

metal			
BÜRKERT			
2-way			
6213 series			
			
1			
<b>GEV No.</b>	370265	<b>Ref. No.</b>	TR0090
<b>description</b>	solenoid valve 2-ways 24VAC inlet 3/4" outlet 3/4" L 80mm DN 12mm slide-on receptacle DIN -30 up to 120°C BÜRKERT type series 6213 membranes EPDM p max 10bar 24V voltage AC		
<b>For models:</b>	LAVASTOVIGLIE-A-NASTRO-N2500, LAVASTOVIGLIE-A-NASTRO-N3500, LAVASTOVIGLIE-A-NASTRO-N5000, LAVASTOVIGLIE-A-NASTRO-N6000, LAVASTOVIGLIE-A-NASTRO-N7500, LAVASTOVIGLIE-A-NASTRO-N9000, LAVASTOVIGLIE-A-TRAIINO, LAVASTOVIGLIE-A-TRAIINO-T1650, LAVASTOVIGLIE-A-TRAIINO-T2000, LAVASTOVIGLIE-A-TRAIINO-T3000, LP109, LP109V, LP124, LP67, LP67E, LP67E-TRONIC, LP67V, LP84, T1400, TS3700		


SIRAI			
2-way			
L140-B series			
			
1			
<b>GEV No.</b>	370320	<b>Ref. No.</b>	TR0091
<b>description</b>	solenoid valve brass 2-ways 24VAC inlet 1/2" outlet 1/2" connection 1/2" L 41mm DN 10mm slide-on receptacle compact -10 up to +90°C SIRAI type series L140-B coil type Z610A membranes NBR (water) p max 12bar p min 0.35bar		
<b>spare parts for</b>	370320		
	GEV No.	371070	Ref. No. TR0020
solenoid coil 24VAC 10VA SIRAI coil type Z610A seat ø 10mm			
	GEV No.	371163	Ref. No. —
membrane connection 1/2" series L140-B membrane type NBR (water)			
<b>accessories for</b>	370320		
	GEV No.	371091	Ref. No. —
power socket plug type DIN 43650B cable lengthmm small			



spare parts and accessories

solenoid coils



<b>GEV No.</b>	371070	<b>Ref. No.</b>	TR0020
<b>description</b>	solenoid coil 24VAC 10VA SIRAI coil type Z610A seat ø 10mm		
<b>accessories for</b>	371070		
	<b>GEV No.</b>	371091	<b>Ref. No.</b> —
	power socket plug type DIN 43650B cable lengthmm small		



<b>GEV No.</b>	541001	<b>Ref. No.</b>	905264 905287
<b>description</b>	pressure control pressure range 35/17mbar connection 6mm ø 58mm pressure connection horizontal warewashing		



<b>GEV No.</b>	541330	<b>Ref. No.</b>	905283
<b>description</b>	pressure control pressure range 70/30mbar connection 6mm ø 58mm pressure connection horizontal warewashing pressure connection ø 6mm		



<b>GEV No.</b>	541168	<b>Ref. No.</b>	905275 905281
<b>description</b>	pressure control pressure range 90/35mbar connection 6mm ø 58mm pressure connection horizontal warewashing pressure connection ø 6mm		

**For models:**  
1000, 1300, 1300S, 800, 900, E40, E45, E50, GLS905-GIGA, GLS925-GIGA, GLS935-GIGA, LAVASTOVIGLIE-A-NASTRO-N2500, LAVASTOVIGLIE-A-NASTRO-N3500, LAVASTOVIGLIE-A-NASTRO-N5000, LAVASTOVIGLIE-A-NASTRO-N6000, LAVASTOVIGLIE-A-NASTRO-N7500, LAVASTOVIGLIE-A-NASTRO-N9000, LAVASTOVIGLIE-A-TRAIINO, LAVASTOVIGLIE-A-TRAIINO-T1650, LAVASTOVIGLIE-A-TRAIINO-T2000, LAVASTOVIGLIE-A-TRAIINO-T3000, N1000-SILANOS, N45, N50, N90, V40, V45, V50



<b>GEV No.</b>	541017	<b>Ref. No.</b>	905270
<b>description</b>	pressure control with mounting strap pressure range 40/20mbar connection 6mm ø 58mm pressure connection horizontal warewashing		

**For models:**  
020, 024, 030, 250, 400, 600, 620, 627PS, 670-TRONIC, 700, Ambra, F19, F19A, F22, F22A, F27A, F28A, GLB615-GIGA, GLB785-GIGA, GLB795-GIGA, GLS805-GIGA, GLS845-GIGA, LAVASTOVIGLIE-A-NASTRO-N2500, LAVASTOVIGLIE-A-NASTRO-N3500, LAVASTOVIGLIE-A-NASTRO-N5000, LAVASTOVIGLIE-A-NASTRO-N6000, LAVASTOVIGLIE-A-NASTRO-N7500, LAVASTOVIGLIE-A-NASTRO-N9000, LAVASTOVIGLIE-A-TRAIINO, LAVASTOVIGLIE-A-TRAIINO-T2000, LAVASTOVIGLIE-A-TRAIINO-T3000, N50-TRONIC-PDS-PBS, N700F, N700FPS, N700F-PS, N700PS, R20, R20A, R23A, R29A, Rubinia, SVELTINA

pressure switches

for warewashing

ø 58mm with male faston 6.3mm

with connection horizontal



<b>GEV No.</b>	541787	<b>Ref. No.</b>	905285
<b>description</b>	pressure control double pressure range 40/20 90/35mbar connection 6mm ø 58mm pressure connection horizontal warewashing pressure connection ø 5.5mm		



<b>GEV No.</b>	541781	<b>Ref. No.</b>	905288
<b>description</b>	pressure control pressure range 118/50mbar connection male faston 6.3mm ø 58mm pressure connection horizontal pressure connection ø 6mm		
<b>For models:</b>	E1000, GLS945-GIGA		



<b>GEV No.</b>	541169	<b>Ref. No.</b>	905276 905282
<b>description</b>	pressure control pressure range 160/30mbar connection 6mm ø 58mm pressure connection horizontal warewashing		
<b>For models:</b>	GLS945S-GIGA, LP109, LP109V, LP124, LP67, LP67E, LP67E-TRONIC, LP67V, LP84, N1300		

ø 79mm with coded plug




1			
<b>GEV No.</b>	541678	<b>Ref. No.</b>	905278
<b>description</b>	pressure control pressure range 100/52 130/100mbar connection coded plug ø 78mm warewashing pressure connection ø 5.5mm		

## pumps

wash and rinse pumps

FIR

pumps



1			
<b>GEV No.</b>	500383	<b>Ref. No.</b>	902220
<b>description</b>	pump inlet ø 30mm outlet ø 30mm type 1286.1406 230V 50Hz 1 phase 0.18kW 0.25HP rotation direction right FIR		
<b>For models:</b>	Ambra		



1			
<b>GEV No.</b>	500111	<b>Ref. No.</b>	TR0060
<b>description</b>	pump inlet ø 63mm outlet ø 53mm type 1241.2500 230/400V 50Hz 3 phase 1.1kW 1.5HP L 330mm rotation direction left FIR		
<b>spare parts for</b>	500111		
	<b>GEV No.</b>	510531	<b>Ref. No.</b> —
	pump cover FIR inlet ø 63mm outlet ø 53mm auxiliary pressure connection M16x1.5mm supporting pressure open turn direction left ø 185mm ID ø 150mm inner high 37mm		
	<b>GEV No.</b>	510612	<b>Ref. No.</b> —
	impellor ø 110mm H 34mm M8R		
	<b>GEV No.</b>	510693	<b>Ref. No.</b> 900027 903067
	mechanical shaft seal for shaft ø 12mm slide ring ext. ø 24mm slide ring H 15.5mm slide ring int. ø 11mm counter ring mounting ø 24mm height counter ring 8mm counter ring int. ø 13.5mm		
	<b>GEV No.</b>	524416	<b>Ref. No.</b> —
	pump cover gasket thickness 4x4mm Qty 1 pcs		

LGB






1			
<b>GEV No.</b>	499220	<b>Ref. No.</b>	902258
<b>description</b>	pump inlet ø 1½" outlet ø 1½" type GISH35-V D55 230V 50Hz 1 phase 0.17kW L 230mm rotation direction right capacitor 5µF LGB		
<b>spare parts for</b>	499220		
	<b>GEV No.</b>	365017	<b>Ref. No.</b> —
	operating capacitor capacity 5µF 450V tolerance 5% 50/60Hz ambient temperature max. -25 to +85°C ø 28mm L 54mm M8 plastic connection male faston 6.3mm 16.10.08 protection		


Table continues overleaf

<b>accessories for</b> 499220	
	GEV No. 519117 Ref. No. 903301 903302
flat gasket rubber ED ø 60mm ID ø 47mm thickness 3mm Qty 1 pcs	









1

<b>GEV No.</b> 501545	<b>Ref. No.</b> 902241
<b>description</b> pump inlet ø 28mm outlet ø 12mm type CRC-R DX 230V 50Hz 1 phase 0.18kW 0.24HP L 175mm rotation direction left connection F6.3 capacitor 4µF LGB	








1

<b>GEV No.</b> 499289	<b>Ref. No.</b> 908880
<b>description</b> pump inlet ø 28mm outlet ø 26mm type ZF1215X 230V 50Hz 1 phase 0.3kW L 200mm rotation direction right capacitor 6.3µF LGB	
<b>spare parts for</b> 499289	
	GEV No. 510703 Ref. No. — mechanical shaft seal for shaft ø 13mm slide ring H 13mm height counter ring 5.5mm ED ø 26mm
	GEV No. 521057 Ref. No. — pump cover LGB inlet ø 28mm outlet ø 26mm auxiliary pressure connection 12mm supporting pressure open turn direction right ø 102mm ID ø 77mm inner height 31mm
	GEV No. 521225 Ref. No. — impellor ø 72mm H 22mm rotation direction right thread M7L shaft ø 13mm shaft length 12mm
	GEV No. 528800 Ref. No. — O-ring EPDM thickness 2.62mm ID ø 75.87mm Qty 1 pcs
<b>accessories for</b> 499289	
	GEV No. 365012 Ref. No. — operating capacitor capacity 6.3µF 450V tolerance 5% 50Hz ambient temperature max. -25 to +85°C ø 30mm L 61mm M8 plastic connection male faston 6.3mm protection



1

<b>GEV No.</b> 500382	<b>Ref. No.</b> 902228
<b>description</b> pump inlet ø 28mm outlet ø 26mm type ZF131DX 230V 50Hz 1 phase 0.2kW 0.26HP L 180mm rotation direction left capacitor 6.3µF LGB	
<b>For models:</b> F19, F19A, F22, F22A, F28A, Rubinia	
<b>spare parts for</b> 500382	
	GEV No. 365012 Ref. No. — operating capacitor capacity 6.3µF 450V tolerance 5% 50Hz ambient temperature max. -25 to +85°C ø 30mm L 61mm M8 plastic connection male faston 6.3mm protection
	GEV No. 510703 Ref. No. — mechanical shaft seal for shaft ø 13mm slide ring H 13mm height counter ring 5.5mm ED ø 26mm
	GEV No. 521228 Ref. No. — impellor ø 72mm H 17mm rotation direction left thread M7R shaft ø 13mm shaft length 12mm blades 3
	GEV No. 521524 Ref. No. — pump cover LGB inlet ø 28mm outlet ø 26mm auxiliary pressure connection 13mm turn direction left ø 98mm ID ø 78mm inner height 25mm
	GEV No. 528800 Ref. No. — O-ring EPDM thickness 2.62mm ID ø 75.87mm Qty 1 pcs






1

<b>GEV No.</b> 500582	<b>Ref. No.</b> 902235
<b>description</b> pump inlet ø 28mm outlet ø 26mm type ZF131DX 230V 50Hz 1 phase 0.2kW 0.27HP L 195mm rotation direction left capacitor 6.3µF LGB	
<b>For models:</b> 600, 700	
<b>spare parts for</b> 500582	
	GEV No. 365012 Ref. No. — operating capacitor capacity 6.3µF 450V tolerance 5% 50Hz ambient temperature max. -25 to +85°C ø 30mm L 61mm M8 plastic connection male faston 6.3mm protection
	GEV No. 510703 Ref. No. — mechanical shaft seal for shaft ø 13mm slide ring H 13mm height counter ring 5.5mm ED ø 26mm

Table continues overleaf





<b>spare parts for</b> 500582				
	GEV No.	521084	Ref. No.	—
pump cover LGB inlet ø 28mm outlet ø 25mm auxiliary pressure connection 13mm pump type ZF131DX ID ø 78mm				
	GEV No.	521228	Ref. No.	—
impellor ø 72mm H 17mm rotation direction left thread M7R shaft ø 13mm shaft length 12mm blades 3				
	GEV No.	528800	Ref. No.	—
O-ring EPDM thickness 2.62mm ID ø 75.87mm Qty 1 pcs				



<b>1</b>				
<b>GEV No.</b>	500094	<b>Ref. No.</b>	902231	
<b>description</b>	pump inlet ø 28mm outlet ø 26mm type ZF131SX 230V 50Hz 1 phase 0.2kW 0.15HP L 195mm rotation direction left capacitor 6.3µF LGB			
<b>For models:</b>	024, 030, GLB785-GIGA, GLB795-GIGA, R20, R20A, R23A, SVELTINA			
<b>spare parts for</b> 500094				
	GEV No.	365012	Ref. No.	—
operating capacitor capacity 6.3µF 450V tolerance 5% 50Hz ambient temperature max. -25 to +85°C ø 30mm L 61mm M8 plastic connection male faston 6.3mm protection				
	GEV No.	502266	Ref. No.	—
pump cover inlet ø 28mm outlet ø 26mm				
	GEV No.	510703	Ref. No.	—
mechanical shaft seal for shaft ø 13mm slide ring H 13mm height counter ring 5.5mm ED ø 26mm				
	GEV No.	521085	Ref. No.	—
impellor ø 72mm H 17mm thread M7L shaft ø 13mm shaft length 12mm blades 3				
	GEV No.	528800	Ref. No.	—
O-ring EPDM thickness 2.62mm ID ø 75.87mm Qty 1 pcs				



<b>1</b>				
<b>GEV No.</b>	500567	<b>Ref. No.</b>	902238	
<b>description</b>	pump inlet ø 28mm outlet ø 28mm type ZF121DX 230V 50Hz 1 phase 0.25kW L 195mm rotation direction left capacitor 6.3µF LGB			
<b>For models:</b>	020, 620, 627, 627PS, GLB615-GIGA			
<b>spare parts for</b> 500567				
	GEV No.	365012	Ref. No.	—
operating capacitor capacity 6.3µF 450V tolerance 5% 50Hz ambient temperature max. -25 to +85°C ø 30mm L 61mm M8 plastic connection male faston 6.3mm protection				
	GEV No.	510703	Ref. No.	—
mechanical shaft seal for shaft ø 13mm slide ring H 13mm height counter ring 5.5mm ED ø 26mm				
	GEV No.	521098	Ref. No.	—
pump cover LGB inlet ø 28mm outlet ø 26mm auxiliary pressure connection 12mm ID ø 77mm				
	GEV No.	521099	Ref. No.	—
impellor ø 72mm H 17mm thread M7R shaft ø 13mm shaft length 12mm				
	GEV No.	528800	Ref. No.	—
O-ring EPDM thickness 2.62mm ID ø 75.87mm Qty 1 pcs				







<b>1</b>				
<b>GEV No.</b>	499104	<b>Ref. No.</b>	902261	
<b>description</b>	pump inlet ø 30mm outlet ø 30mm type ZF135 SX 230V 50Hz 1 phase 0.37kW L 210mm rotation direction right capacitor 8µF LGB			
<b>For models:</b>	TS3700			
<b>spare parts for</b> 499104				
	GEV No.	365013	Ref. No.	—
operating capacitor capacity 8µF 400V tolerance 5% 50Hz ambient temperature max. -25 to +85°C ø 31.5mm L 55mm M8 plastic connection male faston 6.3mm protection				

Table continues overleaf





<b>spare parts for</b> 499104			
	GEV No.	510703	Ref. No.
			—
mechanical shaft seal for shaft $\varnothing$ 13mm slide ring H 13mm height counter ring 5.5mm ED $\varnothing$ 26mm			
	GEV No.	521527	Ref. No.
			905259
pump cover LGB inlet $\varnothing$ 30mm outlet $\varnothing$ 30mm			
	GEV No.	521701	Ref. No.
			904373
pump cover gasket			



1

<b>GEV No.</b>	500384	<b>Ref. No.</b>	902240
<b>description</b>	pump inlet $\varnothing$ 30mm outlet $\varnothing$ 30mm type ZF160SX 230V 50Hz 1 phase 0.41kW 0.55HP L 180mm rotation direction right capacitor 12.5 $\mu$ F LGB		
<b>For models:</b>	250, E40, F27A, LAVASTOVIGLIE-A-NASTRO-N2500, LAVASTOVIGLIE-A-NASTRO-N3500, LAVASTOVIGLIE-A-NASTRO-N5000, LAVASTOVIGLIE-A-NASTRO-N6000, LAVASTOVIGLIE-A-NASTRO-N7500, LAVASTOVIGLIE-A-NASTRO-N9000, LAVASTOVIGLIE-A-TRAIINO, LAVASTOVIGLIE-A-TRAIINO-T2000, LAVASTOVIGLIE-A-TRAIINO-T3000, R29A, V40		
<b>spare parts for</b> 500384			
	GEV No.	365014	Ref. No.
			901740
operating capacitor capacity 12.5 $\mu$ F 450V tolerance 5%Hz ambient temperature max. -25 to +85°C $\varnothing$ 35mm L 70mm M8 plastic connection male faston 6.3mm 45S.C3DS.12.5 protection			
	GEV No.	510703	Ref. No.
			—
mechanical shaft seal for shaft $\varnothing$ 13mm slide ring H 13mm height counter ring 5.5mm ED $\varnothing$ 26mm			
	GEV No.	521527	Ref. No.
			905259
pump cover LGB inlet $\varnothing$ 30mm outlet $\varnothing$ 30mm			
	GEV No.	521701	Ref. No.
			904373
pump cover gasket			
	GEV No.	521707	Ref. No.
			—
pump cover gasket			



1

<b>GEV No.</b>	500508	<b>Ref. No.</b>	902293
<b>description</b>	pump inlet $\varnothing$ 45mm outlet $\varnothing$ 38mm type ZF320VSX 230V 50Hz 1 phase 0.75kW 1HP L 230mm rotation direction right capacitor 12.5 $\mu$ F LGB		
<b>spare parts for</b> 500508			
	GEV No.	365014	Ref. No.
			901740
operating capacitor capacity 12.5 $\mu$ F 450V tolerance 5%Hz ambient temperature max. -25 to +85°C $\varnothing$ 35mm L 70mm M8 plastic connection male faston 6.3mm 45S.C3DS.12.5 protection			
	GEV No.	510702	Ref. No.
			905242
mechanical shaft seal height counter ring 5.5mm ID $\varnothing$ 12mm			
	GEV No.	521247	Ref. No.
			903074 903083
impeller $\varnothing$ 90mm H 27mm rotation direction right thread M8L blades 6			
	GEV No.	521542	Ref. No.
			—
pump cover LGB inlet $\varnothing$ 45mm outlet $\varnothing$ 40mm auxiliary pressure connection 13mm supporting pressure open $\varnothing$ 150mm ID $\varnothing$ 120mm inner height 25mm			
	GEV No.	521714	Ref. No.
			—
pump cover gasket thickness 4x4mm Qty 1 pcs			




1

<b>GEV No.</b>	500984	<b>Ref. No.</b>	902263 909057
<b>description</b>	pump inlet $\varnothing$ 45mm outlet $\varnothing$ 39mm type ZF270VSX 230V 50Hz 1 phase 0.4kW L 209mm rotation direction right capacitor 10 $\mu$ F LGB		
<b>For models:</b>	670-TRONIC, A670-TRONIC, N700F, N700FPS, N700F-PS, N700PS		



1

<b>GEV No.</b>	500470	<b>Ref. No.</b>	902304
<b>description</b>	pump inlet ø 45mm outlet ø 40mm type ZF270VDX 230V 50Hz 1 phase 0.6kW 0.8HP L 225mm rotation direction left capacitor 12.5µF LGB		
<b>For models:</b>	GLS905-GIGA, GLS925-GIGA, N50-TRONIC-PDS-PBS, N90		
<b>spare parts for</b>	500470		
	<b>GEV No.</b>	365014	<b>Ref. No.</b> 901740
	operating capacitor capacity 12.5µF 450V tolerance 5%Hz ambient temperature max. -25 to +85°C ø 35mm L 70mm M8 plastic connection male faston 6.3mm 45S.C3DS.12.5 protection		
	<b>GEV No.</b>	510702	<b>Ref. No.</b> 905242
	mechanical shaft seal height counter ring 5.5mm ID ø 12mm		
	<b>GEV No.</b>	521109	<b>Ref. No.</b> —
	pump cover LGB inlet ø 45mm outlet ø 40mm supporting pressure 12		
	<b>GEV No.</b>	521111	<b>Ref. No.</b> —
	impellor ø 105mm H 29mm thread M8R shaft ø 20mm shaft length 5mm		
	<b>GEV No.</b>	521714	<b>Ref. No.</b> —
	pump cover gasket thickness 4x4mm Qty 1 pcs		



1

<b>GEV No.</b>	500381	<b>Ref. No.</b>	902296
<b>description</b>	pump inlet ø 45mm outlet ø 40mm type ZF320VSX 230V 50Hz 1 phase 0.6kW 0.82HP L 230mm rotation direction right capacitor 12.5µF LGB		
<b>spare parts for</b>	500381		
	<b>GEV No.</b>	365014	<b>Ref. No.</b> 901740
	operating capacitor capacity 12.5µF 450V tolerance 5%Hz ambient temperature max. -25 to +85°C ø 35mm L 70mm M8 plastic connection male faston 6.3mm 45S.C3DS.12.5 protection		
	<b>GEV No.</b>	510702	<b>Ref. No.</b> 905242
	mechanical shaft seal height counter ring 5.5mm ID ø 12mm		
	<b>GEV No.</b>	512420	<b>Ref. No.</b> —
	bracket mounting distance 110mm		
	<b>GEV No.</b>	521058	<b>Ref. No.</b> —
	fanwheel cover suitable for LGB ID ø 138mm ED ø 142mm H 59mm plastic		
	<b>GEV No.</b>	521247	<b>Ref. No.</b> 903074 903083
	impellor ø 90mm H 27mm rotation direction right thread M8L blades 6		
	<b>GEV No.</b>	521542	<b>Ref. No.</b> —
	pump cover LGB inlet ø 45mm outlet ø 40mm auxiliary pressure connection 13mm supporting pressure open ø 150mm ID ø 120mm inner height 25mm		
	<b>GEV No.</b>	521714	<b>Ref. No.</b> —
	pump cover gasket thickness 4x4mm Qty 1 pcs		



1




<b>GEV No.</b>	500512	<b>Ref. No.</b>	902299
<b>description</b>	pump inlet ø 45mm outlet ø 40mm type ZF340VSX 230V 50Hz 1 phase 0.75kW 1HP L 245mm rotation direction right capacitor 16µF LGB		
<b>spare parts for</b>	500512		
	<b>GEV No.</b>	365021	<b>Ref. No.</b> —
	operating capacitor capacity 16µF 425V tolerance 5% 50/60Hz ambient temperature max. -25 to +85°C ø 35mm L 73mm single M8 plastic connection male faston 6.3mm 416.10.99 protection		
	<b>GEV No.</b>	510702	<b>Ref. No.</b> 905242
	mechanical shaft seal height counter ring 5.5mm ID ø 12mm		
	<b>GEV No.</b>	521246	<b>Ref. No.</b> —
	impellor ø 103mm H 26mm thread M8L shaft ø 20mm shaft length 7mm seat ø 8.2mm blades 6		
	<b>GEV No.</b>	521542	<b>Ref. No.</b> —
	pump cover LGB inlet ø 45mm outlet ø 40mm auxiliary pressure connection 13mm supporting pressure open ø 150mm ID ø 120mm inner height 25mm		
	<b>GEV No.</b>	521714	<b>Ref. No.</b> —
	pump cover gasket thickness 4x4mm Qty 1 pcs		








1

<b>GEV No.</b>	500377	<b>Ref. No.</b>	TR0080
<b>description</b>	pump inlet ø 61mm outlet ø 52mm type ZF800DX 230/400V 50Hz 3 phase 2kW 2.72HP L 330mm rotation direction left LGB		
<b>For models:</b>	LAVASTOVIGLIE-A-TRAINO, LAVASTOVIGLIE-A-TRAINO-T1650, LAVASTOVIGLIE-A-TRAINO-T2000, LAVASTOVIGLIE-A-TRAINO-T3000, LP109, LP124, TS3700		
<b>spare parts for</b>	500377		
	<b>GEV No.</b>	510551	<b>Ref. No.</b> 904374 904397
	pump cover gasket ID ø 158.3mm pump type 1214/1293/1225/2243/1226/1204/3473/1241 thickness 3.53mm EPDM Qty 1 pcs		
	<b>GEV No.</b>	510694	<b>Ref. No.</b> —
	mechanical shaft seal for shaft ø 13mm height counter ring 8mm ID ø 11.5mm H 16mm mounting ø 24/26mm int. ø 1 14mm		
	<b>GEV No.</b>	521276	<b>Ref. No.</b> TR0106
	impellor ø 120mm H 39mm pump type ZF800DX shaft intake ø 12mm rotation direction left thread M8R pump for ZF800DX blades 6		
	<b>GEV No.</b>	521516	<b>Ref. No.</b> —
	pump cover LGB inlet ø 62mm outlet ø 52mm auxiliary pressure connection 12mm supporting pressure closed turn direction left ø 190mm ID ø 150mm inner height 40mm		



<b>1</b>	<b>GEV No.</b>	500380	<b>Ref. No.</b>	TR0083
<b>description</b>	pump inlet ø 61mm outlet ø 61mm type ZF1200SX 230/400V 50Hz 3 phase 3.2kW 4.4HP L 370mm rotation direction right capacitor 16µF LGB			
<b>For models:</b>	LAVASTOVIGLIE-A-NASTRO-N2500, LAVASTOVIGLIE-A-NASTRO-N3500, LAVASTOVIGLIE-A-NASTRO-N5000, LAVASTOVIGLIE-A-NASTRO-N6000, LAVASTOVIGLIE-A-NASTRO-N7500, LAVASTOVIGLIE-A-NASTRO-N9000, LP67, LP67E, LP67E-TRONIC, LP84			
<b>spare parts for</b>	500380			
	<b>GEV No.</b>	510896	<b>Ref. No.</b>	—
	O-ring EPDM thickness 3.53mm ID ø 183.75mm Qty 1 pcs			
	<b>GEV No.</b>	521053	<b>Ref. No.</b>	—
	pump cover LGB inlet ø 61mm outlet ø 61mm turn direction right ø 210mm ID ø 175mm inner height 41mm			
	<b>GEV No.</b>	521054	<b>Ref. No.</b>	—
	impellor ø 135mm H 37mm shaft intake ø 18mm rotation direction right thread M14L blades 6			
	<b>GEV No.</b>	521055	<b>Ref. No.</b>	—
	slide ring with gasket ID ø 21mm height counter ring 8mm mounting ø 42mm			
	<b>GEV No.</b>	521056	<b>Ref. No.</b>	—
	slide ring for shaft ø 20mm ED ø 39mm H 16mm ID ø 18.5mm			







<b>1</b>	<b>GEV No.</b>	500376	<b>Ref. No.</b>	902301
<b>description</b>	pump inlet ø 62mm outlet ø 50mm type AM5225SX 230V 50Hz 1 phase 0.9kW 1.2HP L 300mm rotation direction right capacitor 16µF LGB			
<b>For models:</b>	700, 800, 900			
<b>spare parts for</b>	500376			
	<b>GEV No.</b>	365021	<b>Ref. No.</b>	—
	operating capacitor capacity 16µF 425V tolerance 5% 50/60Hz ambient temperature max. -25 to +85°C ø 35mm L 73mm single M8 plastic connection male faston 6.3mm 416.10.99 protection			
	<b>GEV No.</b>	510551	<b>Ref. No.</b>	904374 904397
	pump cover gasket ID ø 158.3mm pump type 1214/1293/1225/2243/1226/1204/3473/1241 thickness 3.53mm EPDM Qty 1 pcs			
	<b>GEV No.</b>	510694	<b>Ref. No.</b>	—
	mechanical shaft seal for shaft ø 13mm height counter ring 8mm ID ø 11.5mm H 16mm mounting ø 24/26mm int. ø 1 14mm			
	<b>GEV No.</b>	512029	<b>Ref. No.</b>	—
	impellor ø 103mm H 26mm thread M8L shaft ø 19mm shaft length 15mm seat ø 8.2mm			
	<b>GEV No.</b>	521536	<b>Ref. No.</b>	—
	pump cover ALBA / LGB inlet ø 62mm outlet ø 50mm auxiliary pressure connection 12mm supporting pressure closed turn direction right ø 180mm ID ø 150mm inner height 38mm			










1

<b>GEV No.</b>	500379	<b>Ref. No.</b>	902309
<b>description</b>	pump inlet ø 62mm outlet ø 50mm type ZF650SX 230/400V 50Hz 3 phase 1.35kW 1.8HP L 335mm rotation direction right LGB		
<b>For models:</b>	1300, 1300S, LAVASTOVIGLIE-A-NASTRO-N3500, LAVASTOVIGLIE-A-NASTRO-N5000, LAVASTOVIGLIE-A-NASTRO-N6000, LAVASTOVIGLIE-A-NASTRO-N7500, LAVASTOVIGLIE-A-NASTRO-N9000		
<b>spare parts for</b>	500379		
	GEV No.	510551	Ref. No. 904374 904397
	pump cover gasket ID ø 158.3mm pump type 1214/1293/1225/2243/1226/1204/3473/1241 thickness 3.53mm EPDM Qty 1 pcs		
	GEV No.	510694	Ref. No. —
	mechanical shaft seal for shaft ø 13mm height counter ring 8mm ID ø 11.5mm H 16mm mounting ø 24/26mm int. ø 1 14mm		
	GEV No.	521240	Ref. No. 903078 903121
	impellor ø 110mm H 32mm rotation direction left thread M8L shaft ø 20mm shaft length 10mm seat ø 8.2mm blades 6		
	GEV No.	521536	Ref. No. —
	pump cover ALBA / LGB inlet ø 62mm outlet ø 50mm auxiliary pressure connection 12mm supporting pressure closed turn direction right ø 180mm ID ø 150mm inner height 38mm		



1

<b>GEV No.</b>	500469	<b>Ref. No.</b>	902322
<b>description</b>	pump inlet ø 63mm outlet ø 48mm type ZF650SX 230/400V 50Hz 3 phase 1.35kW 1.83HP L 335mm rotation direction right LGB		
<b>For models:</b>	GLS945S-GIGA, N1300		
<b>spare parts for</b>	500469		
	GEV No.	510551	Ref. No. 904374 904397
	pump cover gasket ID ø 158.3mm pump type 1214/1293/1225/2243/1226/1204/3473/1241 thickness 3.53mm EPDM Qty 1 pcs		

<b>spare parts for</b>	500469		
	GEV No.	510694	Ref. No. —
	mechanical shaft seal for shaft ø 13mm height counter ring 8mm ID ø 11.5mm H 16mm mounting ø 24/26mm int. ø 1 14mm		
	GEV No.	521069	Ref. No. —
	fanwheel cover		
	GEV No.	521240	Ref. No. 903078 903121
	impellor ø 110mm H 32mm rotation direction left thread M8L shaft ø 20mm shaft length 10mm seat ø 8.2mm blades 6		
	GEV No.	521536	Ref. No. —
	pump cover ALBA / LGB inlet ø 62mm outlet ø 50mm auxiliary pressure connection 12mm supporting pressure closed turn direction right ø 180mm ID ø 150mm inner height 38mm		







1

<b>GEV No.</b>	500960	<b>Ref. No.</b>	902325
<b>description</b>	pump inlet ø 63mm outlet ø 48mm type ZF650SX 230V 50Hz 1 phase 1.47kW 2HP L 340mm rotation direction right capacitor 20µF LGB inlet ø 63mm outlet ø 48mm		



1

<b>GEV No.</b>	500378	<b>Ref. No.</b>	TR0079
<b>description</b>	pump type ZF800SX 230/400V 50Hz 3 phase 2kW 2.72HP L 340mm rotation direction right LGB inlet ø 62mm outlet ø 50mm		
<b>For models:</b>	LP109, LP124		
<b>spare parts for</b>	500378		
	GEV No.	510551	Ref. No. 904374 904397
	pump cover gasket ID ø 158.3mm pump type 1214/1293/1225/2243/1226/1204/3473/1241 thickness 3.53mm EPDM Qty 1 pcs		
	GEV No.	510694	Ref. No. —
	mechanical shaft seal for shaft ø 13mm height counter ring 8mm ID ø 11.5mm H 16mm mounting ø 24/26mm int. ø 1 14mm		
	GEV No.	521242	Ref. No. 903062
	impellor ø 115mm H 36mm M8L shaft intake ø 12mm rotation direction right blades 6		
	GEV No.	521536	Ref. No. —
	pump cover ALBA / LGB inlet ø 62mm outlet ø 50mm auxiliary pressure connection 12mm supporting pressure closed turn direction right ø 180mm ID ø 150mm inner height 38mm		



LOWARA

pumps



1

<b>GEV No.</b>	500386	<b>Ref. No.</b>	902360
<b>description</b>	pump inlet ø 1 1/4" IT outlet ø 1" IT type CEA70/5/A 230 220-240/380-415V 50Hz 0.88kW LOWARA 0.75HP		

drain pumps

GRE



1

<b>GEV No.</b>	499121	<b>Ref. No.</b>	902328
<b>description</b>	drain pump inlet ø 24mm outlet ø 22mm 33W 230V 50Hz GRE		




1

<b>GEV No.</b>	499200	<b>Ref. No.</b>	902329 902330 902363
<b>description</b>	drain pump inlet ø 30.5mm outlet ø 22mm 25W 230V 50Hz GRE		



1

<b>GEV No.</b>	500385	<b>Ref. No.</b>	902341
<b>description</b>	drain pump inlet ø 30mm outlet ø 21mm 100W 230V 50Hz GRE		
<b>For models:</b>	E40, E45, E50, N700PS		
<b>accessories for</b>	500385		
	<b>GEV No.</b>	500307	<b>Ref. No.</b> 906431
			filter



1

<b>GEV No.</b>	500959	<b>Ref. No.</b>	902346
<b>description</b>	drain pump inlet ø 30mm outlet ø 23mm 100W 230V 50Hz GRE		
<b>For models:</b>	N700F-PS		

HANNING




1

<b>GEV No.</b>	501596	<b>Ref. No.</b>	902332
<b>description</b>	drain pump 40W 220-240V inlet ø 30mm outlet ø 24mm 50Hz HANNING type DPS35-061		

PLASET



1

<b>GEV No.</b>	500467	<b>Ref. No.</b>	902337
<b>description</b>	drain pump inlet $\varnothing$ 30mm outlet $\varnothing$ 24mm 230V 100W 50Hz		
<b>For models:</b>	627PS, N700FPS		
<b>spare parts for</b>	500467		
	<b>GEV No.</b>	365017	<b>Ref. No.</b> —
	operating capacitor capacity 5 $\mu$ F 450V tolerance 5% 50/60Hz ambient temperature max. -25 to +85°C $\varnothing$ 28mm L 54mm M8 plastic connection male faston 6.3mm 16.10.08 protection		

miscellaneous



1

<b>GEV No.</b>	500971	<b>Ref. No.</b>	902348
<b>description</b>	drain pump inlet $\varnothing$ 25mm outlet $\varnothing$ 22mm 230V 100W 50Hz		

booster pumps II

accessories



1

<b>GEV No.</b>	365015	<b>Ref. No.</b>	901730
<b>description</b>	operating capacitor capacity 10 $\mu$ F 400V tolerance 5%Hz ambient temperature max. -25 to +85°C $\varnothing$ 35.5mm L 59mm M8 plastic connection male faston 6.3mm protection		

condensators & interference suppression filters

operating capacitors

plastic



1

<b>GEV No.</b>	365015	<b>Ref. No.</b>	901730
<b>description</b>	operating capacitor capacity 10 $\mu$ F 400V tolerance 5%Hz ambient temperature max. -25 to +85°C $\varnothing$ 35.5mm L 59mm M8 plastic connection male faston 6.3mm protection		



1

<b>GEV No.</b>	365014	<b>Ref. No.</b>	901740
<b>description</b>	operating capacitor capacity 12.5 $\mu$ F 450V tolerance 5%Hz ambient temperature max. -25 to +85°C $\varnothing$ 35mm L 70mm M8 plastic connection male faston 6.3mm 45S.C3DS.12.5 protection		
<b>For models:</b>	400, 600, 700, E40, E45, E50, F27A, LAVASTOVIGLIE-A-NASTRO-N2500, LAVASTOVIGLIE-A-NASTRO-N3500, LAVASTOVIGLIE-A-NASTRO-N5000, LAVASTOVIGLIE-A-NASTRO-N6000, LAVASTOVIGLIE-A-NASTRO-N7500, LAVASTOVIGLIE-A-NASTRO-N9000, LAVASTOVIGLIE-A-TRAIINO, LAVASTOVIGLIE-A-TRAIINO-T2000, LAVASTOVIGLIE-A-TRAIINO-T3000, N45, N50, R29A, V40, V45, V50		

filters

interference suppression filters



1

<b>GEV No.</b>	365130	<b>Ref. No.</b>	902105
<b>description</b>	interference suppression filter capacity 0.47 $\mu$ F(X2)+2x0.01 $\mu$ F(Y2) 1M $\Omega$ m		
<b>For models:</b>	1000, 1300, 1300S, 600, 700, 800, 900, E45, E50, GLS805-GIGA, GLS845-GIGA, GLS935-GIGA, GLS945S-GIGA, LP109, LP109V, LP124, LP67, LP67V, LP84, N1300, N50, N700F, N700PS, V45, V50		



1

<b>GEV No.</b>	365168	<b>Ref. No.</b>	902107
<b>description</b>	interference suppression filter type FCP045000 250V 50/60Hz conductor 4 with E connection male faston 6.3mm L 56mm $\varnothing$ 38mm Hmm Wmm M8 plastic Qty 1 pcs		
<b>For models:</b>	A670-TRONIC, E1000, GLS905-GIGA, GLS925-GIGA, GLS945-GIGA, LP67E, LP67E-TRONIC, N1000-SILANOS, N1300, N45, N700FPS, N700FPS, N90		



## fuses

### fine fuses

#### fine fuse holders



<b>GEV No.</b>	358101	<b>Ref. No.</b>	907116
<b>description</b>	fuse holder suitable fuse $\varnothing 5 \times 20 \text{mm}$ $\varnothing 14 \text{mm}$ 4A rated 250V connection F6.3 with fuse 4A fast-acting		
<b>For models:</b>	020, 620		

### line circuit breakers

#### ABL SURSUM



<b>GEV No.</b>	380616	<b>Ref. No.</b>	TR0219
<b>description</b>	line circuit breaker 1-pole 10A tripping type C rated 230/400V		
<b>For models:</b>	LAVASTOVIGLIE-A-TRAINO-T1650, LAVASTOVIGLIE-A-TRAINO-T2000, LP109, LP109V, LP124, LP67, LP67E, LP67E-TRONIC, LP67V, LP84, T1400		

### miscellaneous



<b>GEV No.</b>	380615	<b>Ref. No.</b>	TR0222
<b>description</b>	line circuit breaker 2-pole 4A tripping type C rated 400V connection 345 nominal 4A 2-pole-pole characteristic C		
<b>For models:</b>	LAVASTOVIGLIE-A-TRAINO, LAVASTOVIGLIE-A-TRAINO-T1650, LAVASTOVIGLIE-A-TRAINO-T2000, LAVASTOVIGLIE-A-TRAINO-T3000, LP109, LP109V, LP124, LP67, LP67E, LP67E-TRONIC, LP67V, LP84, T1400, TS3700		

## electric accessories

### cables

#### accessories

#### cable glands

#### threaded cable glands

#### screw connections



<b>GEV No.</b>	530431	<b>Ref. No.</b>	902687
<b>description</b>	cable gland thread PG13.5 cable $\varnothing 12 \text{mm}$ mounting $\varnothing 21 \text{mm}$ Qty 1 pcs plastic WS 24		
<b>For models:</b>	020, 024, 030, 620, 627, 627PS, F19, F19A, F22, F22A, F27A, F28A, FT600VTC, GLB615-GIGA, GLB785-GIGA, GLB795-GIGA, PIASTRA-DOPPIA, PIASTRA-DOPPIA-1-2-LISCIA-SOTTO, PIASTRA-DOPPIA-LISCIA, PIASTRA-DOPPIA-LISCIA-SOTTO, PIASTRA-DOPPIA-RIGATA, PIASTRA-MEDIA-1-2-LISCIA, PIASTRA-MEDIA-LISCIA, PIASTRA-MEDIA-RIGATA, PIASTRA-SINGOLA, PIASTRA-SINGOLA-1-2-LISCIA, PIASTRA-SINGOLA-LISCIA, PIASTRA-SINGOLA-RIGATA, R20, R20A, R23A, R29A, SVELTINA, V40, VETRINA-R501L, VETRINA-R502L, VETRINA-R701L, VETRINA-R902L		

### ribbon cables

#### group 8



<b>GEV No.</b>	403213	<b>Ref. No.</b>	909352
<b>description</b>	ribbon cable 7-pole L 400mm plug type 1-row		
<b>For models:</b>	A670-TRONIC		

### terminals

#### connection terminals with screw/faston connections




<b>GEV No.</b>	550278	<b>Ref. No.</b>	904140
<b>description</b>	power terminal block 3-pole max. 40A max 400V connection $\varnothing 6 \text{mm}^2$ / F6.3 temp.-resist. 150°C cross section $6 \text{mm}^2$		
<b>For models:</b>	020, 024, 030, 250, 400, 620, 627, 627PS, 670-TRONIC, Ambra, E40, F19, F19A, F22, F22A, F27A, F28A, GLB615-GIGA, GLB785-GIGA, GLB795-GIGA, N50-TRONIC-PDS-PBS, R20, R20A, R23A, R29A, Rubinia, SVELTINA, V40		



1

<b>GEV No.</b>	550411	<b>Ref. No.</b>	904150
<b>description</b>	power terminal block 6-pole max. 40A max 450V connection $\phi 6\text{mm}^2$ / F6.3 temp.-resist. 150°C cross section 6mm <sup>2</sup>		
<b>For models:</b>	600, 700, 800, 900, A670-TRONIC, E45, E50, GLS805-GIGA, GLS845-GIGA, GLS905-GIGA, GLS925-GIGA, N45, N50, N700F, N700FPS, N700FPS, N700PS, N90, V45, V50		

connection terminals with faston connections



1

<b>GEV No.</b>	519304	<b>Ref. No.</b>	955068
<b>description</b>	distribution terminal block 3-pole max. 15A max 450V connection male faston 6.3mm temp.-resist. 110°C Qty 1 pcs		
<b>For models:</b>	1000, 1300, 1300S, 670-TRONIC, E1000, GLS935-GIGA, GLS945-GIGA, LAVASTOVIGLIE-A-NASTRO-N2500, LAVASTOVIGLIE-A-NASTRO-N3500, LAVASTOVIGLIE-A-NASTRO-N5000, LAVASTOVIGLIE-A-NASTRO-N6000, LAVASTOVIGLIE-A-NASTRO-N7500, LAVASTOVIGLIE-A-NASTRO-N9000, LAVASTOVIGLIE-A-TRAINO, LAVASTOVIGLIE-A-TRAINO-T1650, LAVASTOVIGLIE-A-TRAINO-T2000, LAVASTOVIGLIE-A-TRAINO-T3000, LP67E, LP67E-TRONIC, N1000-SILANOS, N1300, N50-TRONIC-PDS-PBS, T1400, VETRINA-R701L, VETRINA-R902L		



1

<b>GEV No.</b>	519372	<b>Ref. No.</b>	904167 904220
<b>description</b>	distribution terminal block 4-pole max. 17.5A max 450V connection F6.3 temp.-resist. 110°C 450V		

plug-in terminal blocks



1

<b>GEV No.</b>	519360	<b>Ref. No.</b>	904170
<b>description</b>	plug-in terminal block 16-pole max. 32A max 450V connection screw connection temp.-resist. 150°C cross section 4mm <sup>2</sup> female		
<b>For models:</b>	250, 400, 600, 700, 800, 900, Ambra, E45, E50, GLS805-GIGA, GLS845-GIGA, GLS905-GIGA, GLS925-GIGA, N45, N50, N700F, N90, Rubinia, V45, V50		



1

<b>GEV No.</b>	519361	<b>Ref. No.</b>	904200
<b>description</b>	plug-in terminal block 16-pole max. 32A max 450V connection screw connection temp.-resist. 150°C cross section 4mm <sup>2</sup> male		
<b>For models:</b>	250, 400, 600, 700, 800, 900, Ambra, E45, E50, GLS805-GIGA, GLS845-GIGA, GLS905-GIGA, GLS925-GIGA, N45, N50, N700F, N90, Rubinia, V45, V50		

rail-mounted terminals

WIELAND

rail-mounted terminals type 9700A



1

<b>GEV No.</b>	550375	<b>Ref. No.</b>	904169
<b>description</b>	rail-mounted terminal WIELAND type 9700A/10 SL2 S35 1.5-16mm <sup>2</sup> top-hat rail 35mm yellow/green W 10mm L 53mm		
<b>For models:</b>	1000, 1300, 1300S, GLS935-GIGA		



1

<b>GEV No.</b>	550382	<b>Ref. No.</b>	TR0323
<b>description</b>	rail-mounted terminal WIELAND type 9700A/12 S35 2.5-25mm <sup>2</sup> top-hat rail 35mm grey W 12mm L 59mm		
<b>For models:</b>	LP109, LP109V, LP124, LP67, LP67V, LP84		



1

<b>GEV No.</b>	550378	<b>Ref. No.</b>	TR0257
<b>description</b>	rail-mounted terminal WIELAND type 9700A/16 SL2 S35 2.5-35mm <sup>2</sup> top-hat rail 35mm yellow/green W 16mm L 53mm		
<b>For models:</b>	LAVASTOVIGLIE-A-NASTRO-N2500, LAVASTOVIGLIE-A-NASTRO-N3500, LAVASTOVIGLIE-A-NASTRO-N5000, LAVASTOVIGLIE-A-NASTRO-N6000, LAVASTOVIGLIE-A-NASTRO-N7500, LAVASTOVIGLIE-A-TRAINO, LAVASTOVIGLIE-A-TRAINO-T1650, LAVASTOVIGLIE-A-TRAINO-T2000, LAVASTOVIGLIE-A-TRAINO-T3000, LP109, LP109V, LP124, LP67, LP67V, LP84, T1400, TS3700		




## equipment-specific units

### for espresso machines

#### brewing units

#### filter holder gaskets

#### O-rings


 <p>1</p>			
<b>GEV No.</b>	510409	<b>Ref. No.</b>	TR0115
<b>description</b>	O-ring EPDM thickness 5.34mm ID ø 56.52mm Qty 1 pcs		

#### steam/water taps

#### steam/water pipes

#### accessories

#### gaskets

 <p>1</p>			
<b>GEV No.</b>	510893	<b>Ref. No.</b>	904391
<b>description</b>	O-ring EPDM thickness 2.62mm ID ø 9.92mm Qty 1 pcs		
<b>For models:</b>	024, 030, 250, 400, Ambra, F19, F19A, F22, F22A, F27A, F28A, GLB785-GIGA, GLB795-GIGA, R20, R20A, R23A, R29A, SVELTINA		

### for rolling grills

#### pipes

#### chains


 <p>1</p>			
<b>GEV No.</b>	693056	<b>Ref. No.</b>	901118
<b>description</b>	chain for roller grill		
<b>For models:</b>	ROLLY-16, ROLLY-8, ROLLY-8L		




### for dishwashers




#### drain and intake components

#### SILANOS

#### drain /intake bodies


 <p>1</p>			
<b>GEV No.</b>	519461	<b>Ref. No.</b>	900007
<b>description</b>	connecting fitting thread M6 ED ø 65mm		
<b>For models:</b>	670-TRONIC, A670-TRONIC, GLS805-GIGA, GLS845-GIGA, N700F, N700FPS, N700F-PS, N700PS		

 <p>1</p>			
<b>GEV No.</b>	519636	<b>Ref. No.</b>	905236
<b>description</b>	drain fitting ED ø 130mm H 99mm ID ø 101mm hose ø 28/45mm for model GDW2001		
<b>accessories for</b>	519636		
			
<b>GEV No.</b>	519637	<b>Ref. No.</b>	905238
<b>description</b>	flange ED ø 130mm H 4mm ID ø 99mm plastic		
			
<b>GEV No.</b>	519638	<b>Ref. No.</b>	905378
<b>description</b>	gasket ED ø 130mm H 4mm ID ø 102mm		

 <p>1</p>			
<b>GEV No.</b>	519230	<b>Ref. No.</b>	905440
<b>description</b>	drain fitting thread 1" ID ø 22mm		
<b>For models:</b>	020, 024, 030, 250, 620, 627, 627PS, Ambra, E40, E45, E50, F19, F19A, F22, F22A, F27A, F28A, GLB615-GIGA, GLB785-GIGA, GLB795-GIGA, R20, R20A, R23A, R29A, Rubinia, SVELTINA, V40, V45, V50		
<b>accessories for</b>	519230		
			
<b>GEV No.</b>	510072	<b>Ref. No.</b>	904350
<b>description</b>	O-ring EPDM thickness 3.53mm ID ø 32.93mm Qty 1 pcs		
			
<b>GEV No.</b>	519054	<b>Ref. No.</b>	902070
<b>description</b>	locknut thread 1"		


 <p>1</p>			
<b>GEV No.</b>	507574	<b>Ref. No.</b>	TR1234
<b>description</b>	drain fitting thread 1¼" ED ø 54mm H 40mm ID ø 36/33mm		
<b>For models:</b>	LAVASTOVIGLIE-A-NASTRO-N2500, LAVASTOVIGLIE-A-NASTRO-N3500, LAVASTOVIGLIE-A-NASTRO-N5000, LAVASTOVIGLIE-A-NASTRO-N6000, LAVASTOVIGLIE-A-NASTRO-N7500, LAVASTOVIGLIE-A-NASTRO-N9000, LAVASTOVIGLIE-A-TRAINO, LAVASTOVIGLIE-A-TRAINO-T1650, LAVASTOVIGLIE-A-TRAINO-T2000, LAVASTOVIGLIE-A-TRAINO-T3000, T1400, TS3700		




			
1			
<b>GEV No.</b>	519502	<b>Ref. No.</b>	905249 906464
<b>description</b>	drain fitting thread 1¼" ED ø 54mm ID ø 31mm		
<b>For models:</b>	670-TRONIC, A670-TRONIC, GLS805-GIGA, GLS845-GIGA, N700F, N700FPS, N700F-PS, N700PS		


			
1			
<b>GEV No.</b>	519232	<b>Ref. No.</b>	905450
<b>description</b>	drain fitting thread 1¼" ED ø 54mm ID ø 35mm		
<b>For models:</b>	1000, 1300, 1300S, 600, 700, 800, 900, E1000, GLS935-GIGA, GLS945-GIGA, GLS945S-GIGA, LAVASTOVIGLIE-A-NASTRO-N2500, LAVASTOVIGLIE-A-NASTRO-N3500, LAVASTOVIGLIE-A-NASTRO-N5000, LAVASTOVIGLIE-A-NASTRO-N6000, LAVASTOVIGLIE-A-NASTRO-N7500, LAVASTOVIGLIE-A-NASTRO-N9000, LAVASTOVIGLIE-A-TRAINO, LAVASTOVIGLIE-A-TRAINO-T1650, LAVASTOVIGLIE-A-TRAINO-T2000, LAVASTOVIGLIE-A-TRAINO-T3000, LP109, LP109V, LP124, LP67, LP67E, LP67E-TRONIC, LP67V, LP84, N1000-SILANOS, N1300		
<b>accessories for</b>	519232		
	<b>GEV No.</b>	519055	<b>Ref. No.</b> 902080
	locknut thread 1¼"		
	<b>GEV No.</b>	519179	<b>Ref. No.</b> 904380
	O-ring EPDM thickness 3.53mm ID ø 41.28mm Qty 1 pcs		



			
1			
<b>GEV No.</b>	503151	<b>Ref. No.</b>	905256
<b>description</b>	flange ED ø 110mm ID ø 81mm		
<b>For models:</b>	GLS905-GIGA, GLS925-GIGA, N45, N50, N50-TRONIC-PDS-PBS, N90		

			
1			
<b>GEV No.</b>	519637	<b>Ref. No.</b>	905238
<b>description</b>	flange ED ø 130mm H 4mm ID ø 99mm plastic		

			
1			
<b>GEV No.</b>	519118	<b>Ref. No.</b>	903320
<b>description</b>	flat gasket rubber ED ø 70mm ID ø 52mm thickness 3mm Qty 1 pcs		
<b>For models:</b>	400, 600, 670-TRONIC, 700, A670-TRONIC, E40, E45, E50, GLS805-GIGA, GLS845-GIGA, N700F, N700FPS, N700F-PS, N700PS, V40, V45, V50		

			
1			
<b>GEV No.</b>	506223	<b>Ref. No.</b>	905257
<b>description</b>	gasket D1 ø 110mm D2 ø 82mm thickness 3mm with 4 screw holes flange		
<b>For models:</b>	GLS905-GIGA, GLS925-GIGA, N45, N50, N50-TRONIC-PDS-PBS, N90		


			
1			
<b>GEV No.</b>	519638	<b>Ref. No.</b>	905378
<b>description</b>	gasket ED ø 130mm H 4mm ID ø 102mm		


			
1			
<b>GEV No.</b>	519316	<b>Ref. No.</b>	TR0099
<b>description</b>	inlet valve thread 2"		
<b>For models:</b>	1300, 800, 900		
<b>accessories for</b>	519316		
	<b>GEV No.</b>	519347	<b>Ref. No.</b> TR2448
	flat gasket rubber ED ø 80mm ID ø 60mm thickness 3mm Qty 1 pcs equiv. no. TR2448 suitable for Silanos		
	<b>GEV No.</b>	519348	<b>Ref. No.</b> TR2449
	locknut thread 2"		


			
1			
<b>GEV No.</b>	519333	<b>Ref. No.</b>	TR0977
<b>description</b>	intake body		
<b>For models:</b>	1000, 1300S, E1000, GLS935-GIGA, LAVASTOVIGLIE-A-NASTRO-N2500, LAVASTOVIGLIE-A-NASTRO-N3500, LAVASTOVIGLIE-A-NASTRO-N5000, LAVASTOVIGLIE-A-NASTRO-N6000, LAVASTOVIGLIE-A-NASTRO-N7500, LAVASTOVIGLIE-A-NASTRO-N9000, LAVASTOVIGLIE-A-TRAINO, LAVASTOVIGLIE-A-TRAINO-T1650, LAVASTOVIGLIE-A-TRAINO-T2000, LAVASTOVIGLIE-A-TRAINO-T3000, LP109, LP124, LP67, LP67E, LP67E-TRONIC, LP84, T1400, TS3700		





			
1			
<b>GEV No.</b>	517009	<b>Ref. No.</b>	905245 905255
<b>description</b>	intake body ED ø 110mm ID ø 80mm hose ø 29/45mm		
<b>For models:</b>	GLS905-GIGA, GLS925-GIGA, N45, N50, N50-TRONIC-PDS-PBS, N90		


			
1			
<b>GEV No.</b>	519037	<b>Ref. No.</b>	901653
<b>description</b>	intake body ED ø 90mm ID ø 47mm		
<b>For models:</b>	1000, 1300S, E1000, GLS935-GIGA, GLS945-GIGA, GLS945S-GIGA, N1000-SILANOS, N1300		


			
1			
<b>GEV No.</b>	519215	<b>Ref. No.</b>	905380
<b>description</b>	intake body thread 1 1/4" H 60mm hose ø 36mm		
<b>For models:</b>	020, 024, 030, 250, 620, 627, 627PS, Ambra, F19, F19A, F22, F22A, F27A, F28A, GLB615-GIGA, GLB785-GIGA, GLB795-GIGA, LAVASTOVIGLIE-A-TRAINO, LAVASTOVIGLIE-A-TRAINO-T2000, LAVASTOVIGLIE-A-TRAINO-T3000, R20, R20A, R23A, R29A, Rubinia, SVELTINA, TS3700		


			
1			
<b>GEV No.</b>	519219	<b>Ref. No.</b>	905390
<b>description</b>	intake body thread 1 3/4" ID ø 40mm		
<b>For models:</b>	600, 670-TRONIC, 700, A670-TRONIC, E40, E45, E50, GLS805-GIGA, GLS845-GIGA, N700F, N700FPS, N700F-PS, N700PS, V40, V45, V50		


			
1			
<b>GEV No.</b>	519435	<b>Ref. No.</b>	900009
<b>description</b>	intake body thread M6 ED ø 65mm		
<b>For models:</b>	E40, E45, E50, V40, V45, V50		

			
1			
<b>GEV No.</b>	519083	<b>Ref. No.</b>	902850
<b>description</b>	knurled nut thread M6 H 10mm ø 43mm		
<b>For models:</b>	020, 024, 030, 250, 600, 620, 627, 627PS, 670-TRONIC, 700, A670-TRONIC, Ambra, E40, E45, E50, F19, F19A, F22, F22A, F27A, F28A, GLB615-GIGA, GLB785-GIGA, GLB795-GIGA, GLS805-GIGA, GLS845-GIGA, LAVASTOVIGLIE-A-TRAINO, LAVASTOVIGLIE-A-TRAINO-T2000, LAVASTOVIGLIE-A-TRAINO-T3000, N700F, N700FPS, N700F-PS, N700PS, R20, R20A, R23A, R29A, SVELTINA, TS3700, V40, V45, V50		

			
1			
<b>GEV No.</b>	519054	<b>Ref. No.</b>	902070
<b>description</b>	locknut thread 1"		
<b>For models:</b>	020, 024, 030, 250, 620, 627, 627PS, Ambra, E40, E45, E50, F19, F19A, F22, F22A, F27A, F28A, GLB615-GIGA, GLB785-GIGA, GLB795-GIGA, R20, R20A, R23A, R29A, Rubinia, SVELTINA, V40, V45, V50		

			
1			
<b>GEV No.</b>	519055	<b>Ref. No.</b>	902080
<b>description</b>	locknut thread 1 1/4"		
<b>For models:</b>	020, 024, 030, 1000, 1300, 1300S, 250, 400, 600, 620, 627, 627PS, 670-TRONIC, 700, 800, 900, A670-TRONIC, Ambra, E1000, F19, F19A, F22, F22A, F27A, F28A, GLB615-GIGA, GLB785-GIGA, GLB795-GIGA, GLS805-GIGA, GLS845-GIGA, GLS935-GIGA, GLS945-GIGA, GLS945S-GIGA, LAVASTOVIGLIE-A-NASTRO-N2500, LAVASTOVIGLIE-A-NASTRO-N3500, LAVASTOVIGLIE-A-NASTRO-N5000, LAVASTOVIGLIE-A-NASTRO-N6000, LAVASTOVIGLIE-A-NASTRO-N7500, LAVASTOVIGLIE-A-NASTRO-N9000, LAVASTOVIGLIE-A-TRAINO, LAVASTOVIGLIE-A-TRAINO-T1650, LAVASTOVIGLIE-A-TRAINO-T2000, LAVASTOVIGLIE-A-TRAINO-T3000, LP109, LP109V, LP124, LP67, LP67E, LP67E-TRONIC, LP67V...(Other models you can see in the webshop)		

			
1			
<b>GEV No.</b>	519056	<b>Ref. No.</b>	902090
<b>description</b>	locknut thread 1 3/4"		
<b>For models:</b>	400, 600, 670-TRONIC, 700, A670-TRONIC, E40, E45, E50, GLS805-GIGA, GLS845-GIGA, N700F, N700FPS, N700F-PS, N700PS, V40, V45, V50		

			
1			
<b>GEV No.</b>	510072	<b>Ref. No.</b>	904350
<b>description</b>	O-ring EPDM thickness 3.53mm ID ø 32.93mm Qty 1 pcs		
<b>For models:</b>	020, 024, 030, 250, 620, 627, 627PS, Ambra, E40, E45, E50, F19, F19A, F22, F22A, F27A, F28A, GLB615-GIGA, GLB785-GIGA, GLB795-GIGA, R20, R20A, R23A, R29A, Rubinia, SVELTINA, V40, V45, V50		



1

<b>GEV No.</b>	519179	<b>Ref. No.</b>	904380
<b>description</b>	O-ring EPDM thickness 3.53mm ID ø 41.28mm Qty 1 pcs		
<b>For models:</b>	020, 024, 030, 1000, 1300, 1300S, 250, 400, 600, 620, 627, 627PS, 670-TRONIC, 700, 800, 900, A670-TRONIC, Ambra, E1000, F19, F19A, F22, F22A, F27A, F28A, GLB615-GIGA, GLB785-GIGA, GLB795-GIGA, GLS805-GIGA, GLS845-GIGA, GLS935-GIGA, GLS945-GIGA, GLS945S-GIGA, LAVASTOVIGLIE-A-NASTRO-N2500, LAVASTOVIGLIE-A-NASTRO-N3500, LAVASTOVIGLIE-A-NASTRO-N5000, LAVASTOVIGLIE-A-NASTRO-N6000, LAVASTOVIGLIE-A-NASTRO-N7500, LAVASTOVIGLIE-A-NASTRO-N9000, LAVASTOVIGLIE-A-TRAINO, LAVASTOVIGLIE-A-TRAINO-T1650, LAVASTOVIGLIE-A-TRAINO-T2000, LAVASTOVIGLIE-A-TRAINO-T3000, LP109, LP109V, LP124, LP67, LP67E, LP67E-TRONIC, LP67V...(Other models you can see in the webshop)		



1

<b>GEV No.</b>	511331	<b>Ref. No.</b>	904395 TR0189
<b>description</b>	O-ring EPDM thickness 3.53mm ID ø 53.57mm Qty 1 pcs		
<b>For models:</b>	1000, 1300S, E1000, GLS935-GIGA, GLS945-GIGA, GLS945S-GIGA, LAVASTOVIGLIE-A-NASTRO-N2500, LAVASTOVIGLIE-A-NASTRO-N3500, LAVASTOVIGLIE-A-NASTRO-N5000, LAVASTOVIGLIE-A-NASTRO-N6000, LAVASTOVIGLIE-A-NASTRO-N7500, LAVASTOVIGLIE-A-NASTRO-N9000, LAVASTOVIGLIE-A-TRAINO-T1650, LAVASTOVIGLIE-A-TRAINO-T2000, LAVASTOVIGLIE-A-TRAINO-T3000, LP109, LP124, LP67, LP84, N1000-SILANOS, N1300		

## filters



1

<b>GEV No.</b>	519460	<b>Ref. No.</b>	904470
<b>description</b>	drain filter		
<b>For models:</b>	N50		



1

<b>GEV No.</b>	519585	<b>Ref. No.</b>	904469 (old version)
<b>description</b>	drain filter mounting pos. lower ø 96mm H 55mm		



1

<b>GEV No.</b>	519629	<b>Ref. No.</b>	904474
<b>description</b>	drain filter ø 115mm H 150mm for model N50PS L 495mm W 200mm		



1

<b>GEV No.</b>	519565	<b>Ref. No.</b>	904474 old version
<b>description</b>	drain filter ø 77mm H 81mm		



1

<b>GEV No.</b>	519641	<b>Ref. No.</b>	902399
<b>description</b>	drain filter ø 96mm H 138mm		



1

<b>GEV No.</b>	519064	<b>Ref. No.</b>	904469
<b>description</b>	drain filter ø 96mm H 81mm		
<b>For models:</b>	GLS905-GIGA, GLS925-GIGA, N45, N50-TRONIC-PDS-PBS, N90		



1

<b>GEV No.</b>	503168	<b>Ref. No.</b>	906710
<b>description</b>	drain filter suction L 112mm W 100mm H 180mm		
<b>For models:</b>	GLS945-GIGA, N1000-SILANOS		





1


<b>GEV No.</b>	519071	<b>Ref. No.</b>	902610
<b>description</b>	filter for pump		
<b>For models:</b>	800, 900		





			
1			
<b>GEV No.</b>	519063	<b>Ref. No.</b>	902590 902639
<b>description</b>	filter H 75mm L 160mm W 75mm		
<b>For models:</b>	600, 700, GLS805-GIGA, GLS845-GIGA, N700F, TS3700		


			
1			
<b>GEV No.</b>	519613	<b>Ref. No.</b>	902394 902395 906709
<b>description</b>	filter ø 110 R09R-2525P-2M-3510mm H 140mm		


 <p>Image not available</p>			
1			
<b>GEV No.</b>	519640	<b>Ref. No.</b>	906621
<b>description</b>	filter warewashing with weight ø 24mm L 42mm		


			
1			
<b>GEV No.</b>	519072	<b>Ref. No.</b>	902631
<b>description</b>	flat filter		
<b>For models:</b>	800, 900		

			
1			
<b>GEV No.</b>	519188	<b>Ref. No.</b>	904461
<b>description</b>	flat filter		
<b>For models:</b>	E45, V45		


			
1			
<b>GEV No.</b>	519189	<b>Ref. No.</b>	904462
<b>description</b>	flat filter		
<b>For models:</b>	E50, V50		

			
1			
<b>GEV No.</b>	519190	<b>Ref. No.</b>	904463
<b>description</b>	flat filter		
<b>For models:</b>	V40		

			
1			
<b>GEV No.</b>	519191	<b>Ref. No.</b>	904464
<b>description</b>	flat filter		
<b>For models:</b>	V45		

			
1			
<b>GEV No.</b>	519192	<b>Ref. No.</b>	904465
<b>description</b>	flat filter		
<b>For models:</b>	V50		

			
1			
<b>GEV No.</b>	519439	<b>Ref. No.</b>	902637
<b>description</b>	flat filter H 55mm L 270mm W 145mm		

			
1			
<b>GEV No.</b>	519429	<b>Ref. No.</b>	902635
<b>description</b>	flat filter L 225mm W 145mm		



1

<b>GEV No.</b>	519431	<b>Ref. No.</b>	902629
<b>description</b>	flat filter L 420mm W 255mm		



1

<b>GEV No.</b>	519512	<b>Ref. No.</b>	905355
<b>description</b>	intake filter H 50mm L 250mm W 85mm		
<b>For models:</b>	E40, E45, E50		



1

<b>GEV No.</b>	519516	<b>Ref. No.</b>	902643
<b>description</b>	intake filter ø 105mm H 56mm		
<b>For models:</b>	627PS		



1

<b>GEV No.</b>	519194	<b>Ref. No.</b>	904468 905395
<b>description</b>	round filters for pump ø 74mm H 40mm		
<b>For models:</b>	V40, V45, V50		



1

<b>GEV No.</b>	519068	<b>Ref. No.</b>	902570
<b>description</b>	round filters suction		
<b>For models:</b>	627, 627PS, Ambra, Rubinia		



1

<b>GEV No.</b>	519317	<b>Ref. No.</b>	TR0100
<b>description</b>	round filters suction		
<b>For models:</b>	1300		



1

<b>GEV No.</b>	519069	<b>Ref. No.</b>	902580
<b>description</b>	round filters suction ø 105mm H 56mm		
<b>For models:</b>	024, 030, 250, 400, F27A, GLB785-GIGA, GLB795-GIGA, LAVASTO-VIGLIE-A-TRAINO, LAVASTOVIGLIE-A-TRAINO-T2000, LAVASTO-VIGLIE-A-TRAINO-T3000, R29A		



1

<b>GEV No.</b>	519193	<b>Ref. No.</b>	904467
<b>description</b>	round filters suction ø 75mm H 56mm		
<b>For models:</b>	020, 620, F19, F19A, F22, F22A, F28A, GLB615-GIGA, R20, R20A, R23A, SVELTINA		

## overflow pipes



1


<b>GEV No.</b>	519329	<b>Ref. No.</b>	TR0933
<b>description</b>	guide for overflow pipe		
<b>For models:</b>	LP109, LP109V, LP124, LP67, LP67E, LP67E-TRONIC, LP67V, LP84		



1


<b>GEV No.</b>	501352	<b>Ref. No.</b>	904404
<b>description</b>	O-ring EPDM thickness 3.53mm ID ø 21.82mm Qty 1 pcs		
<b>For models:</b>	670-TRONIC, GLS805-GIGA, GLS845-GIGA, GLS905-GIGA, GLS925-GIGA, N45, N50-TRONIC-PDS-PBS, N700F, N700FPS, N700F-PS, N90		




1

<b>GEV No.</b>	519262	<b>Ref. No.</b>	907250
<b>description</b>	overflow pipe		
<b>For models:</b>	R20, R20A, R23A		




2

<b>GEV No.</b>	519266	<b>Ref. No.</b>	907310
<b>description</b>	overflow pipe L 115mm		
<b>For models:</b>	600, 700		




1

<b>GEV No.</b>	519507	<b>Ref. No.</b>	907307
<b>description</b>	overflow pipe L 118mm ø 28.5mm		
<b>For models:</b>	N700FPS, N700F-PS		





1

<b>GEV No.</b>	519506	<b>Ref. No.</b>	905246
<b>description</b>	overflow pipe L 118mm ø 28.5mm with cap		




1

<b>GEV No.</b>	519582	<b>Ref. No.</b>	907301	
<b>description</b>	overflow pipe L 118mm ø 28.5mm with drain fitting 1¼" ET			
<b>For models:</b>	670-TRONIC, A670-TRONIC, GLS805-GIGA, GLS845-GIGA, GLS945S-GIGA, N1300, N700F			
<b>accessories for</b>	519582			
	<b>GEV No.</b>	501352	<b>Ref. No.</b>	904404
	O-ring EPDM thickness 3.53mm ID ø 21.82mm Qty 1 pcs			




1

<b>GEV No.</b>	519265	<b>Ref. No.</b>	907282
<b>description</b>	overflow pipe L 150mm ø 24/27mm		
<b>For models:</b>	E40, V40, V45, V50		




1

<b>GEV No.</b>	519614	<b>Ref. No.</b>	902274
<b>description</b>	overflow pipe L 155mm ø 21mm plastic		




1

<b>GEV No.</b>	519615	<b>Ref. No.</b>	902276
<b>description</b>	overflow pipe L 160mm ø 21mm plastic		




1

<b>GEV No.</b>	519642	<b>Ref. No.</b>	900129
<b>description</b>	overflow pipe L 173mm ø 28.5mm		





1


<b>GEV No.</b>	519540	<b>Ref. No.</b>	905248
<b>description</b>	overflow pipe L 178mm ø 29mm		




1

<b>GEV No.</b>	519268	<b>Ref. No.</b>	907336
<b>description</b>	overflow pipe L 190mm		
<b>For models:</b>	800, 900		

			
1			
<b>GEV No.</b>	519436	<b>Ref. No.</b>	907303
<b>description</b>	overflow pipe L 210mm ø 28.5mm		
<b>For models:</b>	GLS905-GIGA, GLS925-GIGA, N45, N50, N50-TRONIC-PDS-PBS, N90		
<b>accessories for</b>	519436		
	<b>GEV No.</b>	501352	<b>Ref. No.</b> 904404
	O-ring EPDM thickness 3.53mm ID ø 21.82mm Qty 1 pcs		


			
1			
<b>GEV No.</b>	524920	<b>Ref. No.</b>	907311
<b>description</b>	overflow pipe L 220mm ø 28mm		


			
1			
<b>GEV No.</b>	519267	<b>Ref. No.</b>	907329
<b>description</b>	overflow pipe L 245mm ø 35mm		
<b>For models:</b>	1000, 1300, GLS935-GIGA, GLS945-GIGA		


			
1			
<b>GEV No.</b>	519479	<b>Ref. No.</b>	907338 907340
<b>description</b>	overflow pipe L 300mm ø 36mm		
<b>For models:</b>	GLS945S-GIGA, N1300, TS3700		


			
1			
<b>GEV No.</b>	519390	<b>Ref. No.</b>	TR1115
<b>description</b>	overflow pipe L 430mm ø 35mm		
<b>For models:</b>	LAVASTOVIGLIE-A-NASTRO-N2500, LAVASTOVIGLIE-A-NASTRO-N3500, LAVASTOVIGLIE-A-NASTRO-N5000, LAVASTOVIGLIE-A-NASTRO-N6000, LAVASTOVIGLIE-A-NASTRO-N7500, LAVASTOVIGLIE-A-NASTRO-N9000, LAVASTOVIGLIE-A-TRAINO, LAVASTOVIGLIE-A-TRAINO-T1650, LAVASTOVIGLIE-A-TRAINO-T2000, LAVASTOVIGLIE-A-TRAINO-T3000		


			
1			
<b>GEV No.</b>	519331	<b>Ref. No.</b>	TR0938
<b>description</b>	overflow pipe L 470mm ø 35mm		
<b>For models:</b>	LP109, LP109V, LP124, LP67, LP67V, LP84		


			
1			
<b>GEV No.</b>	519503	<b>Ref. No.</b>	907288
<b>description</b>	overflow pipe L 85mm ø 28.5mm		

			
1			
<b>GEV No.</b>	519504	<b>Ref. No.</b>	907312
<b>description</b>	overflow pipe L 85mm ø 28.5mm with 4 holes		

			
1			
<b>GEV No.</b>	519264	<b>Ref. No.</b>	907280
<b>description</b>	overflow pipe L 92mm ø 27mm		
<b>For models:</b>	020, 024, 030, 250, 620, 627, Ambra, F19, F19A, F22, F22A, F27A, F28A, GLB615-GIGA, GLB785-GIGA, GLB795-GIGA, R29A, Rubinia, SVELTINA		

			
1			
<b>GEV No.</b>	524506	<b>Ref. No.</b>	907308
<b>description</b>	overflow pipe L 92mm ø 27mm		
<b>For models:</b>	627PS		

			
1			
<b>GEV No.</b>	519338	<b>Ref. No.</b>	TR1039
<b>description</b>	overflow pipe with handle L 350mm ø 36mm		
<b>For models:</b>	1300S, LAVASTOVIGLIE-A-TRAINO, LAVASTOVIGLIE-A-TRAINO-T3000, TS3700		

			
1			
<b>GEV No.</b>	519626	<b>Ref. No.</b>	TR1024
<b>description</b>	overflow pipe without handle SS		
<b>For models:</b>	LAVASTOVIGLIE-A-NASTRO-N3500, LAVASTOVIGLIE-A-NASTRO-N5000, LAVASTOVIGLIE-A-NASTRO-N6000, LAVASTOVIGLIE-A-NASTRO-N7500, LAVASTOVIGLIE-A-NASTRO-N9000, N1000-SILANOS		



containers

container lids



1

<b>GEV No.</b>	524508	<b>Ref. No.</b>	906418
<b>description</b>	lid ø 61mm for salt tank		

dosing containers





1





<b>GEV No.</b>	519044	<b>Ref. No.</b>	901761
<b>description</b>	rinse aid container		
<b>For models:</b>	400, 600, 700, Ambra, F19, F19A, F22, F22A, F27A, F28A, R20, R20A, R23A, R29A, Rubinia		

salt tanks



1

<b>GEV No.</b>	510929	<b>Ref. No.</b>	901770 901771
<b>description</b>	salt tank ø 120mm H 117mm hose ø 10mm mounting ø 70mm overall height 157mm		
<b>For models:</b>	250, 400, Ambra, F22A, F27A, F28A, R20A, R23A, R29A		
<b>spare parts for</b>	510929		
	<b>GEV No.</b>	506015	<b>Ref. No.</b> —
	O-ring EPDM thickness 3.53mm ID ø 39.69mm Qty 1 pcs		
	<b>GEV No.</b>	510018	<b>Ref. No.</b> —
	nut ø 92mm H 10.5mm for salt tank ID ø 64mm		

<b>spare parts for</b>	510929		
	<b>GEV No.</b>	524177	<b>Ref. No.</b> —
	lid ø 69mm H 20mm for salt tank ID ø 50mm		
<b>accessories for</b>	510929		
	<b>GEV No.</b>	510071	<b>Ref. No.</b> —
	flat gasket rubber ED ø 81mm ID ø 68mm thickness 3mm for salt tank Qty 1 pcs		
	<b>GEV No.</b>	510654	<b>Ref. No.</b> —
	gasket H 6mm D1 ø 82mm D2 ø 68mm		
	<b>GEV No.</b>	510883	<b>Ref. No.</b> —
	gasket rubber ED ø 86mm ID ø 66mm thickness 2mm for salt tank Qty 1 pcs		

accessories



1

<b>GEV No.</b>	524507	<b>Ref. No.</b>	902830
<b>description</b>	nut ø 83mm for salt tank external height 10mm Qty 1 pcs		

boilers

boilers for dishwashers



1

<b>GEV No.</b>	519020	<b>Ref. No.</b>	900347
<b>description</b>	boiler		
<b>For models:</b>	R20, R20A, R23A		



1

<b>GEV No.</b>	519024	<b>Ref. No.</b>	900360
<b>description</b>	boiler		
<b>For models:</b>	250, Ambra		



1

<b>GEV No.</b>	519025	<b>Ref. No.</b>	900364
<b>description</b>	boiler		
<b>For models:</b>	R29A		



1

<b>GEV No.</b>	519026	<b>Ref. No.</b>	900450
<b>description</b>	boiler		
<b>For models:</b>	600		



1

<b>GEV No.</b>	519027	<b>Ref. No.</b>	900460
<b>description</b>	boiler		
<b>For models:</b>	700		



1

<b>GEV No.</b>	519028	<b>Ref. No.</b>	900486
<b>description</b>	boiler		
<b>For models:</b>	GLS905-GIGA, GLS925-GIGA, N45, N50, N700FPS, N90, V45, V50		



1

<b>GEV No.</b>	519034	<b>Ref. No.</b>	900929
<b>description</b>	boiler		
<b>For models:</b>	1300S		

<b>spare parts for</b>	519034		
------------------------	--------	--	--



<b>GEV No.</b>	390717	<b>Ref. No.</b>	907297
<b>description</b>	bi-metal safety thermostat hole distance 23.8mm switch-off temp. 110°C 1NC 1-pole 16A 250V connection F6.3 2 hole fixing mounting ø 18.3mm		



<b>GEV No.</b>	418249	<b>Ref. No.</b>	905580 TR0342
<b>description</b>	heating element 10000W 230V mounting ø 57.5mm heating circuits 3 L 512mm W 50mm H 33mm number of thermostat sleeves 1 thermostat sleeves ø 8.5mm length thermostat sleeves 458mm thermostat sleeve eccentric, clinging tube ø 6.3mm hole distance 70mm hole ø 9mm connection length 30mm connection M4 3 hole flange immersion heater		



1

<b>GEV No.</b>	508429	<b>Ref. No.</b>	900384
<b>description</b>	boiler 3500W 230V ø 127mm L 400mm		
<b>For models:</b>	A670-TRONIC		



1

<b>GEV No.</b>	519527	<b>Ref. No.</b>	900371
<b>description</b>	boiler complete 3000W 230V ø 127mm L 330mm		
<b>spare parts for</b>	519527		



<b>GEV No.</b>	415167	<b>Ref. No.</b>	—
<b>description</b>	heating element 3000W 230V mounting ø 38.5mm heating circuits 2 L 300mm W 21mm H 35mm number of thermostat sleeves 1 thermostat sleeves ø 6.5mm length thermostat sleeves 53mm thermostat sleeve not clinging tube ø 6.3mm hole distance 57mm hole ø 10mm 3 hole flange connection male faston 6.3mm immersion heater		



<b>GEV No.</b>	532577	<b>Ref. No.</b>	—
<b>description</b>	O-ring EPDM thickness 5.34mm ID ø 40.65mm Qty 1 pcs		



1




<b>GEV No.</b>	519021	<b>Ref. No.</b>	900351
<b>description</b>	boiler ø 100mm L 340mm		
<b>For models:</b>	F19, F19A, F22, F22A, F28A, GLB615-GIGA, SVELTINA		




1


<b>GEV No.</b>	517643	<b>Ref. No.</b>	900368
<b>description</b>	boiler ø 105mm L 340mm inlet ø 12mm		
<b>For models:</b>	020, 620		





 <p>Image not available</p>			
1			
<b>GEV No.</b>	519023	<b>Ref. No.</b>	900355
<b>description</b>	boiler ø 125mm L 330mm		
<b>For models:</b>	024, 030, 627, 627PS, F27A, GLB785-GIGA, GLB795-GIGA		
<b>accessories for</b>	519023		
	<b>GEV No.</b>	415167	<b>Ref. No.</b> —
	heating element 3000W 230V mounting ø 38.5mm heating circuits 2 L 300mm W 21mm H 35mm number of thermostat sleeves 1 thermostat sleeves ø 6.5mm length thermostat sleeves 53mm thermostat sleeve not clinging tube ø 6.3mm hole distance 57mm hole ø 10mm 3 hole flange connection male faston 6.3mm immersion heater		
	<b>GEV No.</b>	532577	<b>Ref. No.</b> —
	O-ring EPDM thickness 5.34mm ID ø 40.65mm Qty 1 pcs		


			
1			
<b>GEV No.</b>	519486	<b>Ref. No.</b>	900352
<b>description</b>	boiler with heating element ø 103mm L 340mm		
<b>accessories for</b>	519486		
	<b>GEV No.</b>	416263	<b>Ref. No.</b> 905492 905493 905496 905500
	heating element 2600W 230V mounting ø 38.5mm heating circuits 1 L 293mm W 26mm H 26mm number of thermostat sleeves 1 thermostat sleeves ø 7mm length thermostat sleeves 260mm thermostat sleeve not clinging tube ø 6.3mm hole distance 57mm hole ø 10mm 3 hole flange connection male faston 6.3mm immersion heater		

			
1			
<b>GEV No.</b>	519022	<b>Ref. No.</b>	900353
<b>description</b>	boiler ø 150mm L 400mm		
<b>For models:</b>	600, 670-TRONIC, 700, 800, 900, E40, E45, E50, GLS805-GIGA, GLS845-GIGA, N50-TRONIC-PDS-PBS, N700F, N700F-PS, N700PS, V40		

<p>accessories</p>  <p>Image not available</p>			
1			
<b>GEV No.</b>	519322	<b>Ref. No.</b>	TR0594
<b>description</b>	cover for boiler		
<b>For models:</b>	1300S		

			
1			
<b>GEV No.</b>	519487	<b>Ref. No.</b>	900378 900485
<b>description</b>	boiler with heating element 6000W 230V ø 155mm L 400mm		
<b>For models:</b>	1000, 1300, E1000, GLS935-GIGA, GLS945-GIGA, GLS945S-GIGA, N1000-SILANOS, N1300		
<b>spare parts for</b>	519487		
	<b>GEV No.</b>	416268	<b>Ref. No.</b> 905570 905571
	heating element 6000W 230V mounting ø 38.5mm heating circuits 3 L 360mm W 34mm H 55mm L1 35mm L2 70mm L3 255mm H1 27mm H2 28mm hole distance 57mm hole ø 10mm tube ø 6.3mm connection male faston 6.3mm immersion heater 3 hole flange		
	<b>GEV No.</b>	532577	<b>Ref. No.</b> —
	O-ring EPDM thickness 5.34mm ID ø 40.65mm Qty 1 pcs		

			
1			
<b>GEV No.</b>	519270	<b>Ref. No.</b>	907390
<b>description</b>	heat exchanger		
<b>For models:</b>	250, Ambra		

<p>rotation plates</p>			
<p>rotation plates</p>			
			
1			
<b>GEV No.</b>	519112	<b>Ref. No.</b>	903150
<b>description</b>	rotation plate		
<b>For models:</b>	250, Ambra, R20, R20A, R23A, R29A, Rubinia		





1

<b>GEV No.</b>	519111	<b>Ref. No.</b>	903149
<b>description</b>	rotation plate complete		
<b>For models:</b>	250, Ambra, Rubinia		

## rotation plate bearings



1

<b>GEV No.</b>	519213	<b>Ref. No.</b>	905349
<b>description</b>	bearing for rotation plate		
<b>For models:</b>	R20, R20A, Rubinia		



1

<b>GEV No.</b>	519350	<b>Ref. No.</b>	900011
<b>description</b>	bearing rotation plate complete		
<b>For models:</b>	R20, R20A, R23A, R29A, Rubinia		

## accessories



1

<b>GEV No.</b>	519252	<b>Ref. No.</b>	906350
<b>description</b>	bracket for rotation plate bearings		
<b>For models:</b>	250, Ambra, R23A, R29A		



1

<b>GEV No.</b>	519061	<b>Ref. No.</b>	902160
<b>description</b>	spacer piece		
<b>For models:</b>	250, Ambra		



1

<b>GEV No.</b>	519307	<b>Ref. No.</b>	956026
<b>description</b>	spindle		
<b>For models:</b>	Ambra		

## softener cartridges

## softening columns



1

<b>GEV No.</b>	530000	<b>Ref. No.</b>	902150
<b>description</b>	softener 4-fold L 380mm W 180mm		
<b>For models:</b>	250, 400, Ambra, F22A, F27A, F28A, R20A, R23A, R29A, Rubinia		

## housing and bezels

## miscellaneous



1

<b>GEV No.</b>	697926	<b>Ref. No.</b>	901657
<b>description</b>	sticker for handle rail L 460mm		
<b>For models:</b>	GLS805-GIGA, GLS845-GIGA, N700F		

## hood mechanics for dishwashers

## bolts



1

<b>GEV No.</b>	699226	<b>Ref. No.</b>	903439
<b>description</b>	bracket ED ø 20mm ID ø 4.5mm L 30mm		
<b>For models:</b>	700		



1

<b>GEV No.</b>	519202	<b>Ref. No.</b>	904771
<b>description</b>	screw bolt hood mechanics		
<b>For models:</b>	1000, 1300, 1300S, E1000, GLS935-GIGA, T1400, TS3700		



bushes



1

<b>GEV No.</b>	519031	<b>Ref. No.</b>	900514
<b>description</b>	bush for hood rod		
<b>For models:</b>	1000, 1300, 1300S, E1000, GLS935-GIGA		



1

<b>GEV No.</b>	519205	<b>Ref. No.</b>	904796
<b>description</b>	bush hood mechanics		
<b>For models:</b>	1000, 1300, 1300S, E1000, GLS935-GIGA, GLS945-GIGA, GLS945S-GIGA, N1000-SILANOS, N1300		



1

<b>GEV No.</b>	507576	<b>Ref. No.</b>	908763
<b>description</b>	guide bushing for hood handle		

spring holders



1

<b>GEV No.</b>	519243	<b>Ref. No.</b>	906066
<b>description</b>	bush for spring holder hood mechanics		
<b>For models:</b>	1000, 1300, 1300S, E1000, GLS935-GIGA, GLS945-GIGA, GLS945S-GIGA, N1000-SILANOS, N1300		

guide bars



1

<b>GEV No.</b>	519036	<b>Ref. No.</b>	901567
<b>description</b>	guide for hood		
<b>For models:</b>	1300		

hood handles



1

<b>GEV No.</b>	519447	<b>Ref. No.</b>	908728
<b>description</b>	hood handle		
<b>For models:</b>	GLS945-GIGA, GLS945S-GIGA, N1000-SILANOS, N1300		



1

<b>GEV No.</b>	519206	<b>Ref. No.</b>	904930
<b>description</b>	lever joint hood mechanics		
<b>For models:</b>	1000, 1300, 1300S, E1000, GLS935-GIGA		

screws for spring compressor



1

<b>GEV No.</b>	519260	<b>Ref. No.</b>	907222
<b>description</b>	screw for spring compressor hood mechanics		
<b>For models:</b>	1000, 1300, 1300S, E1000, GLS935-GIGA		




1

<b>GEV No.</b>	519274	<b>Ref. No.</b>	902377 907653
<b>description</b>	screw thread M10 L 187mm for spring compressor hood mechanics		
<b>For models:</b>	1300, GLS945-GIGA, GLS945S-GIGA, N1000-SILANOS, N1300		

## basket guides

## basket holders



**GEV No.** 971057 **Ref. No.** 908708

**description** basket support

**For models:** GLS945-GIGA, GLS945S-GIGA, N1000-SILANOS, N1300

## actuators



**GEV No.** 699227 **Ref. No.** TR2129

**description** bolt L 61mm  $\varnothing$  8mm

**For models:** LAVASTOVIGLIE-A-TRAINO, LAVASTOVIGLIE-A-TRAINO-T1650, LAVASTOVIGLIE-A-TRAINO-T2000, LAVASTOVIGLIE-A-TRAINO-T3000, T1400, TS3700



**GEV No.** 699228 **Ref. No.** TR3351

**description** mixer coupling L 75mm W 21.5mm H 24.5mm

**For models:** T1400, TS3700

## air traps

## air traps



**GEV No.** 506396 **Ref. No.** 907251

**description** air trap

**spare parts for** 506396



**GEV No.** 506398 **Ref. No.** —  
flat gasket rubber ED  $\varnothing$  37.5mm ID  $\varnothing$  24mm thickness 2mm Qty 1 pcs



**GEV No.** 506399 **Ref. No.** —  
nut thread 3/4" H 3mm WS 32 brass Qty 1 pcs



**GEV No.** 506400 **Ref. No.** —  
flat gasket rubber ED  $\varnothing$  24mm ID  $\varnothing$  16.5mm thickness 1.5mm Qty 1 pcs



**GEV No.** 506401 **Ref. No.** —  
hose connector

**spare parts for** 506396



**GEV No.** 506402 **Ref. No.** —

union nut



1

**GEV No.** 519250 **Ref. No.** 907254

**description** air trap

**For models:** E1000, GLS905-GIGA, GLS925-GIGA, GLS945-GIGA, GLS945S-GIGA, N1000-SILANOS, N1300, N45, N50, N50-TRONIC-PDS-PBS, N90



1

**GEV No.** 519263 **Ref. No.** 907252

**description** air trap

**For models:** 024, 030, 250, 400, 600, 670-TRONIC, 700, A670-TRONIC, Ambra, GLB785-GIGA, GLB795-GIGA, GLS805-GIGA, GLS845-GIGA, LAVASTOVIGLIE-A-TRAINO, LAVASTOVIGLIE-A-TRAINO-T2000, LAVASTOVIGLIE-A-TRAINO-T3000, N700F, N700FPS, N700F-PS, N700PS, Rubinia

**accessories for** 519263



**GEV No.** 519057 **Ref. No.** —

nut thread 3/8" WS 25 H 6mm brass



**GEV No.** 519114 **Ref. No.** 903260

flat gasket rubber ED  $\varnothing$  25mm ID  $\varnothing$  16.5mm thickness 2mm Qty 1 pcs



1

**GEV No.** 519319 **Ref. No.** TR0268

**description** air trap

**For models:** 1000, 1300, 1300S, 800, 900, GLS935-GIGA, LAVASTOVIGLIE-A-NASTRO-N2500, LAVASTOVIGLIE-A-NASTRO-N3500, LAVASTOVIGLIE-A-NASTRO-N5000, LAVASTOVIGLIE-A-NASTRO-N6000, LAVASTOVIGLIE-A-NASTRO-N7500, LAVASTOVIGLIE-A-NASTRO-N9000, LAVASTOVIGLIE-A-TRAINO, LAVASTOVIGLIE-A-TRAINO-T1650, LAVASTOVIGLIE-A-TRAINO-T2000, LAVASTOVIGLIE-A-TRAINO-T3000, T1400, TS3700

**accessories for** 519319



**GEV No.** 519057 **Ref. No.** —

nut thread 3/8" WS 25 H 6mm brass



**GEV No.** 519114 **Ref. No.** 903260

flat gasket rubber ED  $\varnothing$  25mm ID  $\varnothing$  16.5mm thickness 2mm Qty 1 pcs



1

**GEV No.** 519330 **Ref. No.** TR0935

**description** air trap

**For models:** LP109, LP109V, LP124, LP67, LP67E, LP67E-TRONIC, LP67V, LP84

**accessories for** 519330





**GEV No.** 519057 **Ref. No.** —

nut thread 3/8" WS 25 H 6mm brass


Table continues overleaf



<b>accessories for</b>	519330		
	<b>GEV No.</b>	519114	<b>Ref. No.</b> 903260
	flat gasket rubber ED ø 25mm ID ø 16.5mm thickness 2mm Qty 1 pcs		


	1		
<b>GEV No.</b>	519513	<b>Ref. No.</b>	905266
<b>description</b>	air trap L 40mm W 30mm H 45mm thread M12x1.75 hose ø 5mm plastic		


	1		
<b>GEV No.</b>	519212	<b>Ref. No.</b>	905272 905273
<b>description</b>	air trap L 54mm W 41mm H 45mm hose ø 6mm		
<b>For models:</b>	620, 627, 627PS, E40, E45, E50, F19, F19A, F22, F22A, F27A, F28A, GLB615-GIGA, LAVASTOVIGLIE-A-NASTRO-N2500, LAVASTOVIGLIE-A-NASTRO-N3500, LAVASTOVIGLIE-A-NASTRO-N5000, LAVASTOVIGLIE-A-NASTRO-N6000, LAVASTOVIGLIE-A-NASTRO-N7500, LAVASTOVIGLIE-A-NASTRO-N9000, R20, R20A, R23A, R29A, SVELTINA, V40, V45, V50		
<b>accessories for</b>	519212		
	<b>GEV No.</b>	519057	<b>Ref. No.</b> —
	nut thread 3/8" WS 25 H 6mm brass		
	<b>GEV No.</b>	519114	<b>Ref. No.</b> 903260
	flat gasket rubber ED ø 25mm ID ø 16.5mm thickness 2mm Qty 1 pcs		

	1		
Image not available			
<b>GEV No.</b>	519643	<b>Ref. No.</b>	905262
<b>description</b>	air trap L 91mm W 54mm H 41mm hose ø 4x7mm plastic		

<b>air trap accessories</b>			
	1		
<b>GEV No.</b>	511385	<b>Ref. No.</b>	907926
<b>description</b>	flange L 46mm W 32mm for air trap		

	1		
<b>GEV No.</b>	511197	<b>Ref. No.</b>	903261
<b>description</b>	gasket L 46mm W 33mm for air trap		
<b>For models:</b>	E1000, GLS905-GIGA, GLS925-GIGA, GLS945-GIGA, GLS945S-GIGA, N1000-SILANOS, N1300, N45, N50-TRONIC-PDS-PBS, N90		

	1		
Image not available			
<b>GEV No.</b>	519162	<b>Ref. No.</b>	904131
<b>description</b>	spring		
<b>For models:</b>	1000, 250, 400, 600, 700, Ambra, Rubinia		

<b>mechanics for flight type dishwashers</b>			
	1		
<b>GEV No.</b>	507575	<b>Ref. No.</b>	TR1130
<b>description</b>	connector for transport system L 90mm W 20mm hole ø 8.5mm		
<b>For models:</b>	LAVASTOVIGLIE-A-NASTRO-N2500, LAVASTOVIGLIE-A-NASTRO-N3500, LAVASTOVIGLIE-A-NASTRO-N5000, LAVASTOVIGLIE-A-NASTRO-N6000, LAVASTOVIGLIE-A-NASTRO-N7500, LAVASTOVIGLIE-A-NASTRO-N9000		

<b>pipes</b>			
	1		
<b>GEV No.</b>	519224	<b>Ref. No.</b>	905412
<b>description</b>	pipe		
<b>For models:</b>	600		





1

<b>GEV No.</b>	519225	<b>Ref. No.</b>	905413
<b>description</b>	pipe		
<b>For models:</b>	700		

## backflow preventers

## backflow preventers




1

<b>GEV No.</b>	518621	<b>Ref. No.</b>	907118
<b>description</b>	backflow preventer		



1

<b>GEV No.</b>	516101	<b>Ref. No.</b>	907460 TR2433	
<b>description</b>	backflow preventer dishwasher hose ø 12mm			
<b>For models:</b>	024, 030, 1000, 1300, 1300S, 600, 670-TRONIC, 700, 800, 900, A670-TRONIC, E1000, E40, E45, E50, GLB785-GIGA, GLB795-GIGA, GLS805-GIGA, GLS845-GIGA, GLS905-GIGA, GLS925-GIGA, GLS935-GIGA, GLS945-GIGA, GLS945S-GIGA, LAVASTOVIGLIE-A-NASTRO-N2500, LAVASTOVIGLIE-A-NASTRO-N3500, LAVASTOVIGLIE-A-NASTRO-N5000, LAVASTOVIGLIE-A-NASTRO-N6000, LAVASTOVIGLIE-A-NASTRO-N7500, LAVASTOVIGLIE-A-NASTRO-N9000, LAVASTOVIGLIE-A-TRAIINO, LAVASTOVIGLIE-A-TRAIINO-T1650, LAVASTOVIGLIE-A-TRAIINO-T2000, LAVASTOVIGLIE-A-TRAIINO-T3000, LP109, LP109V, LP124, LP67, LP67E, LP67E-TRONIC, LP67V, LP84, N1000-SILANOS, N1300, N45, N50, N50-TRONIC-PDS-PBS, N700F, N700FPS, N700F-PS...(Other models you can see in the webshop)			
<b>spare parts for</b>	516101			
	<b>GEV No.</b>	506367	<b>Ref. No.</b>	—
	flat gasket rubber ED ø 40mm ID ø 28mm thickness 1.8mm Qty 1 pcs			

## miscellaneous



1

<b>GEV No.</b>	850121	<b>Ref. No.</b>	904571
<b>description</b>	bracket for softener L 220mm W 40mm H 40mm for Silanos		



1

<b>GEV No.</b>	519308	<b>Ref. No.</b>	956045
<b>description</b>	bush for shaft		
<b>For models:</b>	250, 600, 700, Ambra		



1

<b>GEV No.</b>	519257	<b>Ref. No.</b>	906453
<b>description</b>	cap for microswitch		



1

<b>GEV No.</b>	519311	<b>Ref. No.</b>	956092
<b>description</b>	connection for microswitch		
<b>For models:</b>	250, 600, 700, Ambra		




1


<b>GEV No.</b>	508415	<b>Ref. No.</b>	906220
<b>description</b>	lid mounting ø 40mm for Silanos		





1


<b>GEV No.</b>	519309	<b>Ref. No.</b>	956046
<b>description</b>	nut		
<b>For models:</b>	600, 700, Ambra		

			
1			
<b>GEV No.</b>	519237	<b>Ref. No.</b>	906001
<b>description</b>	plain washer		
<b>For models:</b>	1300, 1300S, GLS945S-GIGA, N1300		

			
1			
<b>GEV No.</b>	519242	<b>Ref. No.</b>	906060
<b>description</b>	plain washer		
<b>For models:</b>	Ambra, R20, R20A, R23A, R29A		

 <p>Image not available</p>			
1			
<b>GEV No.</b>	519292	<b>Ref. No.</b>	951725
<b>description</b>	shaft for microswitch		
<b>For models:</b>	250, Ambra		

 <p>Image not available</p>			
1			
<b>GEV No.</b>	519294	<b>Ref. No.</b>	951728
<b>description</b>	shaft for microswitch		
<b>For models:</b>	600		

 <p>Image not available</p>			
1			
<b>GEV No.</b>	519295	<b>Ref. No.</b>	951729
<b>description</b>	shaft for microswitch		
<b>For models:</b>	700		

			
1			
<b>GEV No.</b>	519258	<b>Ref. No.</b>	907211
<b>description</b>	tie bar		
<b>For models:</b>	250, R29A		


door mechanics

springs


roller springs


			
1			
<b>GEV No.</b>	519340	<b>Ref. No.</b>	TR1859
<b>description</b>	roller spring		
<b>For models:</b>	LP109, LP124		

tension springs


			
1			
<b>GEV No.</b>	519164	<b>Ref. No.</b>	904134
<b>description</b>	spring		
<b>For models:</b>	1300		

linkage

			
1			
<b>GEV No.</b>	519261	<b>Ref. No.</b>	902740 907240 907241
<b>description</b>	door pin tie bar		
<b>For models:</b>	030, 400, 600, 627, 627PS, 670-TRONIC, 700, 800, 900, A670-TRONIC, E40, E45, E50, F27A, F28A, GLB785-GIGA, GLS805-GIGA, GLS845-GIGA, N700F, N700FPS, N700F-PS, N700PS, R29A, V40, V45, V50		

 <p>Image not available</p>			
1			
<b>GEV No.</b>	519305	<b>Ref. No.</b>	956001
<b>description</b>	tie bar		
<b>For models:</b>	250, 600, 700		

threaded shafts

			
1			
<b>GEV No.</b>	519228	<b>Ref. No.</b>	905424
<b>description</b>	threaded part end stop		
<b>For models:</b>	030, 600, 627, 627PS, 670-TRONIC, 700, 800, 900, A670-TRONIC, E40, E45, E50, F27A, F28A, GLB785-GIGA, GLS805-GIGA, GLS845-GIGA, N700F, N700FPS, N700F-PS, N700PS, R29A, V40, V45, V50		

## sliding plates



1

<b>GEV No.</b>	519208	<b>Ref. No.</b>	904952
<b>description</b>	sliding plate sliding plate		
<b>For models:</b>	030, 250, 400, 600, 627, 627PS, 670-TRONIC, 700, 800, 900, A670-TRONIC, E40, E45, E50, F27A, F28A, GLB785-GIGA, GLS805-GIGA, GLS845-GIGA, N700F, N700FPS, N700F-PS, N700PS, R29A, V40, V45, V50		

## hinges



1

<b>GEV No.</b>	519035	<b>Ref. No.</b>	901245
<b>description</b>	door hinge bores 3 hinge		
<b>For models:</b>	020, 024, 030, 600, 620, 627, 627PS, 670-TRONIC, 700, 800, 900, A670-TRONIC, E40, E45, E50, F19, F19A, F22, F22A, F27A, F28A, GLB615-GIGA, GLB785-GIGA, GLB795-GIGA, GLS805-GIGA, GLS845-GIGA, N700F, N700FPS, N700F-PS, N700PS, R20, R20A, R23A, R29A, Rubinia, SVELTINA, V40, V45, V50		



1

<b>GEV No.</b>	519346	<b>Ref. No.</b>	TR2447
<b>description</b>	door hinge hinge		
<b>For models:</b>	LP109, LP124, LP67, LP84		



1

<b>GEV No.</b>	502263	<b>Ref. No.</b>	901247 901249
<b>description</b>	hinge mounting pos. left L 94mm N45/N50		
<b>For models:</b>	GLS905-GIGA, GLS925-GIGA, N45, N50, N50-TRONIC-PDS-PBS, N90		



1

<b>GEV No.</b>	502262	<b>Ref. No.</b>	901246 901248
<b>description</b>	hinge mounting pos. right L 94mm N45/N50		
<b>For models:</b>	GLS905-GIGA, GLS925-GIGA, N45, N50, N50-TRONIC-PDS-PBS, N90		

## hinge pins



1

<b>GEV No.</b>	519204	<b>Ref. No.</b>	904795
<b>description</b>	hinge pin hinge pin		
<b>For models:</b>	020, 024, 030, 600, 620, 627, 627PS, 670-TRONIC, 700, 800, 900, A670-TRONIC, E40, E45, E50, F19, F19A, F22, F22A, F27A, F28A, GLB615-GIGA, GLB785-GIGA, GLB795-GIGA, GLS805-GIGA, GLS845-GIGA, N700F, N700FPS, N700F-PS, N700PS, R20, R20A, R23A, R29A, SVELTINA, V40, V45, V50		

## door bumpers



1

<b>GEV No.</b>	519229	<b>Ref. No.</b>	905430
<b>description</b>	door bumper		
<b>For models:</b>	250, 400, 600, 700		



## locks




1


<b>GEV No.</b>	507011	<b>Ref. No.</b>	3398050
<b>description</b>	door catch complete door locking catch		




			
1			
<b>GEV No.</b>	519247	<b>Ref. No.</b>	906121
<b>description</b>	door catch door locking catch		
<b>For models:</b>	020, 024, 030, 600, 620, 627, 627PS, 670-TRONIC, 700, 800, 900, A670-TRONIC, E40, E45, E50, F19, F19A, F22, F22A, F27A, F28A, GLB615-GIGA, GLB785-GIGA, GLB795-GIGA, GLS805-GIGA, GLS845-GIGA, GLS905-GIGA, GLS925-GIGA, N45, N50, N50-TRONIC-PDS-PBS, N700F, N700FPS, N700F-PS, N700PS, N90, R20, R20A, R23A, R29A, SVELTINA, V40, V45, V50		
<b>accessories for</b>	519247		
		<b>GEV No.</b>	519050
		<b>Ref. No.</b>	902023
	nut thread M12x1.75 H 4mm WS 16 SS Qty 1 pcs for snap lock		


miscellaneous

			
1			
<b>GEV No.</b>	519240	<b>Ref. No.</b>	906010
<b>description</b>	ball seating		
<b>For models:</b>	1000, 250, 400, 600, 700, Ambra		

			
Image not available			
1			
<b>GEV No.</b>	519254	<b>Ref. No.</b>	906435
<b>description</b>	cap for door inside		
<b>For models:</b>	250, 400, 600, 700, Ambra		


			
1			
<b>GEV No.</b>	504435	<b>Ref. No.</b>	908146
<b>description</b>	flat gasket plastic ED ø 18mm ID ø 9.5mm thickness 2.5mm for door hinge Qty 1 pcs		
<b>For models:</b>	GLS905-GIGA, GLS925-GIGA, N45, N50-TRONIC-PDS-PBS, N90		

			
1			
<b>GEV No.</b>	502264	<b>Ref. No.</b>	903252
<b>description</b>	gasket H 2mm L 210mm W 35mm		


			
1			
<b>GEV No.</b>	519511	<b>Ref. No.</b>	TR1212
<b>description</b>	magnet holder		
<b>For models:</b>	LAVASTOVIGLIE-A-NASTRO-N2500, LAVASTOVIGLIE-A-NASTRO-N3500, LAVASTOVIGLIE-A-NASTRO-N5000, LAVASTOVIGLIE-A-NASTRO-N6000, LAVASTOVIGLIE-A-NASTRO-N7500, LAVASTOVIGLIE-A-NASTRO-N9000, T1400, TS3700		

			
1			
<b>GEV No.</b>	519345	<b>Ref. No.</b>	TR2446
<b>description</b>	pin for hinge stainless steel L 60mm D1 ø 12mm D2 ø 25mm		
<b>For models:</b>	LP109, LP124, LP67, LP67E, LP67E-TRONIC, LP84		

			
1			
<b>GEV No.</b>	547948	<b>Ref. No.</b>	TR2008
<b>description</b>	spring holder for torsion spring		
<b>For models:</b>	LAVASTOVIGLIE-A-NASTRO-N2500, LAVASTOVIGLIE-A-NASTRO-N3500, LAVASTOVIGLIE-A-NASTRO-N5000, LAVASTOVIGLIE-A-NASTRO-N6000, LAVASTOVIGLIE-A-NASTRO-N7500, LAVASTOVIGLIE-A-NASTRO-N9000, LAVASTOVIGLIE-A-TRAINO, LAVASTOVIGLIE-A-TRAINO-T1650, LAVASTOVIGLIE-A-TRAINO-T2000, LAVASTOVIGLIE-A-TRAINO-T3000, LP67E, LP67E-TRONIC, T1400, TS3700		

			
1			
<b>GEV No.</b>	519328	<b>Ref. No.</b>	TR0931
<b>description</b>	thread block		
<b>For models:</b>	LP109, LP124, LP67, LP67E, LP67E-TRONIC, LP84		

screw connections

			
1			
<b>GEV No.</b>	519084	<b>Ref. No.</b>	902860
<b>description</b>	locknut		
<b>For models:</b>	250, Ambra, R20, R20A, R23A, R29A		



1

<b>GEV No.</b>	519054	<b>Ref. No.</b>	902070
<b>description</b>	locknut thread 1"		
<b>For models:</b>	020, 024, 030, 250, 620, 627, 627PS, Ambra, E40, E45, E50, F19, F19A, F22, F22A, F27A, F28A, GLB615-GIGA, GLB785-GIGA, GLB795-GIGA, R20, R20A, R23A, R29A, Rubinia, SVELTINA, V40, V45, V50		



1

<b>GEV No.</b>	519053	<b>Ref. No.</b>	902061
<b>description</b>	locknut thread 1/2"		
<b>For models:</b>	1000, 1300, 1300S, 600, 700, E1000, GLS935-GIGA, GLS945-GIGA, GLS945S-GIGA, LAVASTOVIGLIE-A-NASTRO-N2500, LAVASTOVIGLIE-A-NASTRO-N3500, LAVASTOVIGLIE-A-NASTRO-N5000, LAVASTOVIGLIE-A-NASTRO-N6000, LAVASTOVIGLIE-A-NASTRO-N7500, LAVASTOVIGLIE-A-NASTRO-N9000, LP109, LP109V, LP124, LP67, LP67E, LP67E-TRONIC, LP67V, LP84, N1000-SILANOS, N1300, Rubinia		



1

<b>GEV No.</b>	519312	<b>Ref. No.</b>	956112
<b>description</b>	locknut thread 1/4"		
<b>For models:</b>	250, 600, 700, Ambra		



1

<b>GEV No.</b>	519055	<b>Ref. No.</b>	902080
<b>description</b>	locknut thread 1 1/4"		
<b>For models:</b>	020, 024, 030, 1000, 1300, 1300S, 250, 400, 600, 620, 627, 627PS, 670-TRONIC, 700, 800, 900, A670-TRONIC, Ambra, E1000, F19, F19A, F22, F22A, F27A, F28A, GLB615-GIGA, GLB785-GIGA, GLB795-GIGA, GLS805-GIGA, GLS845-GIGA, GLS935-GIGA, GLS945-GIGA, GLS945S-GIGA, LAVASTOVIGLIE-A-NASTRO-N2500, LAVASTOVIGLIE-A-NASTRO-N3500, LAVASTOVIGLIE-A-NASTRO-N5000, LAVASTOVIGLIE-A-NASTRO-N6000, LAVASTOVIGLIE-A-NASTRO-N7500, LAVASTOVIGLIE-A-NASTRO-N9000, LAVASTOVIGLIE-A-TRAIINO, LAVASTOVIGLIE-A-TRAIINO-T1650, LAVASTOVIGLIE-A-TRAIINO-T2000, LAVASTOVIGLIE-A-TRAIINO-T3000, LP109, LP109V, LP124, LP67, LP67E, LP67E-TRONIC, LP67V...(Other models you can see in the webshop)		



1

<b>GEV No.</b>	519056	<b>Ref. No.</b>	902090
<b>description</b>	locknut thread 1 3/4"		
<b>For models:</b>	400, 600, 670-TRONIC, 700, A670-TRONIC, E40, E45, E50, GLS805-GIGA, GLS845-GIGA, N700F, N700FPS, N700F-PS, N700PS, V40, V45, V50		



1

<b>GEV No.</b>	519348	<b>Ref. No.</b>	TR2449
<b>description</b>	locknut thread 2"		
<b>For models:</b>	1300, 800, 900		



1

<b>GEV No.</b>	519008	<b>Ref. No.</b>	900050
<b>description</b>	locknut thread 2 1/4" Qty 1 pcs		
<b>For models:</b>	1300S, GLS945S-GIGA, N1300		



1

<b>GEV No.</b>	519245	<b>Ref. No.</b>	906093
<b>description</b>	locknut thread 3/8"		
<b>For models:</b>	250, 600, 700, Ambra		



1

<b>GEV No.</b>	519233	<b>Ref. No.</b>	905612
<b>description</b>	nut		
<b>For models:</b>	250, 600, 700, Ambra		



1

<b>GEV No.</b>	519231	<b>Ref. No.</b>	905445
<b>description</b>	nut for wash arm		
<b>For models:</b>	R29A		




1

<b>GEV No.</b>	519645	<b>Ref. No.</b>	902111
<b>description</b>	nut thread 3/8" H 14mm WS 24 plastic Qty 1 pcs		
<b>For models:</b>	620		







			
1			
<b>GEV No.</b>	519076	<b>Ref. No.</b>	902679 907846+903412+902022
<b>description</b>	screw with nut thread M10x1.5 H 17mm WS 22		
<b>For models:</b>	024, 030, 600, 700, 800, F19, F19A, F22, F22A, F27A, F28A, GLB785-GIGA, GLB795-GIGA, R20, R20A, R23A, R29A, SVELTINA		


			
1			
<b>GEV No.</b>	519088	<b>Ref. No.</b>	902891
<b>description</b>	bush for wash arm		
<b>For models:</b>	1300, 1300S, GLS945S-GIGA, N1300		


curtains


			
1			
<b>GEV No.</b>	533016	<b>Ref. No.</b>	TR0460
<b>description</b>	curtain W 640mm H 410mm plastic thickness 1.5mm warewashing		
<b>For models:</b>	LAVASTOVIGLIE-A-TRAINO, LAVASTOVIGLIE-A-TRAINO-T1650, LAVASTOVIGLIE-A-TRAINO-T2000, LAVASTOVIGLIE-A-TRAINO-T3000, T1400, TS3700		


			
1			
<b>GEV No.</b>	519167	<b>Ref. No.</b>	904281
<b>description</b>	bush for wash arm		
<b>For models:</b>	LP109, LP124, LP67, LP67E, LP67E-TRONIC, LP84		
<b>accessories for</b>	519167		
		<b>GEV No.</b>	519087
		<b>Ref. No.</b>	902890
	locknut for wash arm		


washing and rinsing systems


			
1			
<b>GEV No.</b>	519032	<b>Ref. No.</b>	900520
<b>description</b>	bush for rinse arm		
<b>For models:</b>	400, 600, 700		

			
1			
<b>GEV No.</b>	519062	<b>Ref. No.</b>	902351
<b>description</b>	cap		
<b>For models:</b>	024, 030, 620, GLB615-GIGA, GLB785-GIGA, GLB795-GIGA, SVELTINA		


			
1			
<b>GEV No.</b>	519033	<b>Ref. No.</b>	900530
<b>description</b>	bush for rinse arm		
<b>For models:</b>	LP109, LP124, LP67, LP67E, LP67E-TRONIC, LP84		

			
1			
<b>GEV No.</b>	519221	<b>Ref. No.</b>	905399
<b>description</b>	connecting fitting		
<b>For models:</b>	400, 600, 700		

			
1			
<b>GEV No.</b>	519030	<b>Ref. No.</b>	900513
<b>description</b>	bush for wash arm		
<b>For models:</b>	1000, 400, 600, 700		

 <p>Image not available</p>			
1			
<b>GEV No.</b>	519306	<b>Ref. No.</b>	956015
<b>description</b>	connecting fitting cold rinsing		
<b>For models:</b>	250, Ambra		

			
1			
<b>GEV No.</b>	519324	<b>Ref. No.</b>	TR0715
<b>description</b>	elbow wash pipe ID ø 51mm		
<b>For models:</b>	LAVASTOVIGLIE-A-NASTRO-N2500, LAVASTOVIGLIE-A-NASTRO-N3500, LAVASTOVIGLIE-A-NASTRO-N5000, LAVASTOVIGLIE-A-NASTRO-N6000, LAVASTOVIGLIE-A-NASTRO-N7500, LAVASTOVIGLIE-A-NASTRO-N9000, LAVASTOVIGLIE-A-TRAIINO, LAVASTOVIGLIE-A-TRAIINO-T1650, LAVASTOVIGLIE-A-TRAIINO-T2000, LAVASTOVIGLIE-A-TRAIINO-T3000, LP109, LP124, LP67, LP84		


			
1			
<b>GEV No.</b>	519047	<b>Ref. No.</b>	901775 901779
<b>description</b>	flange		
<b>For models:</b>	600, 627, 627PS, 700, 800, 900, E40, E45, E50, F19, F19A, F22, F22A, F27A, F28A, N50, V40, V45, V50		


			
1			
<b>GEV No.</b>	501351	<b>Ref. No.</b>	908124 908154
<b>description</b>	flange mounting pos. upper ø 91mm H 11mm ID ø 45mm hole ø 5.5mm		
<b>For models:</b>	670-TRONIC, A670-TRONIC, E1000, GLS905-GIGA, GLS925-GIGA, N1000-SILANOS, N45, N50-TRONIC-PDS-PBS, N700F, N700FPS, N700FPS, N700PS, N90		


			
1			
<b>GEV No.</b>	519122	<b>Ref. No.</b>	903351
<b>description</b>	flat gasket for rinse arm		
<b>For models:</b>	020, 024, 030, 1000, 1300, 1300S, 250, 600, 620, 700, 800, Ambra, E1000, F19, F19A, F22, F22A, F27A, F28A, GLB615-GIGA, GLB785-GIGA, GLB795-GIGA, GLS935-GIGA, GLS945-GIGA, GLS945S-GIGA, LAVASTOVIGLIE-A-NASTRO-N2500, LAVASTOVIGLIE-A-NASTRO-N3500, LAVASTOVIGLIE-A-NASTRO-N5000, LAVASTOVIGLIE-A-NASTRO-N6000, LAVASTOVIGLIE-A-NASTRO-N7500, LAVASTOVIGLIE-A-NASTRO-N9000, LAVASTOVIGLIE-A-TRAIINO, LAVASTOVIGLIE-A-TRAIINO-T1650, LAVASTOVIGLIE-A-TRAIINO-T2000, LAVASTOVIGLIE-A-TRAIINO-T3000, N1000-SILANOS, N1300, R20, R20A, R23A, R29A, SVELTINA		


			
1			
<b>GEV No.</b>	530430	<b>Ref. No.</b>	903321
<b>description</b>	gasket for rinse pipe rubber ø 33mm ID ø 24mm thickness 11mm for Silanos		
<b>For models:</b>	LAVASTOVIGLIE-A-NASTRO-N2500, LAVASTOVIGLIE-A-NASTRO-N3500, LAVASTOVIGLIE-A-NASTRO-N5000, LAVASTOVIGLIE-A-NASTRO-N6000, LAVASTOVIGLIE-A-NASTRO-N7500, LAVASTOVIGLIE-A-NASTRO-N9000, LAVASTOVIGLIE-A-TRAIINO-T2000, LAVASTOVIGLIE-A-TRAIINO-T3000		

			
1			
<b>GEV No.</b>	519478	<b>Ref. No.</b>	903379
<b>description</b>	gasket ø 14mm ID ø 9.5mm L 23mm		
<b>For models:</b>	E1000		


			
1			
<b>GEV No.</b>	507519	<b>Ref. No.</b>	TR1340
<b>description</b>	gasket silicone ED ø 18mm ID ø 12mm thickness 4mm Qty 1 pcs for rinse arm		
<b>For models:</b>	T1400, TS3700		


			
1			
<b>GEV No.</b>	519006	<b>Ref. No.</b>	900035
<b>description</b>	locknut		
<b>For models:</b>	024, 030, 1000, 600, 700, 800, 900, E40, E45, E50, F19, F19A, F22, F22A, F27A, F28A, GLB785-GIGA, GLB795-GIGA, GLS935-GIGA, N50, SVELTINA, V40, V45, V50		



			
1			
<b>GEV No.</b>	519087	<b>Ref. No.</b>	902890
<b>description</b>	locknut for wash arm		
<b>For models:</b>	1300, 1300S, GLS945S-GIGA, LP109, LP124, LP67, LP67E, LP67E-TRONIC, LP84, N1300		


			
1			
Image not available			
<b>GEV No.</b>	519313	<b>Ref. No.</b>	957014
<b>description</b>	nozzle holder		
<b>For models:</b>	250, Ambra		





 <p>1</p>			
<b>GEV No.</b>	519520	<b>Ref. No.</b>	908745
<b>description</b>	opposite support for wash arm support thread M8 D1 ø 45mm D2 ø 11.5mm D3 ø 11.5mm		
<b>For models:</b>	E1000		


 <p>1</p>			
<b>GEV No.</b>	519007	<b>Ref. No.</b>	900049
<b>description</b>	opposite support mounting pos. lower for wash arm support		
<b>For models:</b>	1300S, GLS945S-GIGA, N1300		



 <p>1</p>			
<b>GEV No.</b>	519444	<b>Ref. No.</b>	905449
<b>description</b>	opposite support mounting pos. upper/lower for wash arm support suitable for Silanos		
<b>For models:</b>	670-TRONIC, A670-TRONIC, E1000, GLS805-GIGA, GLS845-GIGA, GLS905-GIGA, GLS925-GIGA, GLS945-GIGA, N1000-SILANOS, N45, N50-TRONIC-PDS-PBS, N700F, N700FPS, N700F-PS, N700PS, N90		
<b>accessories for</b>	519444		
	<b>GEV No.</b>	519445	<b>Ref. No.</b>
			908141
	 <p>gasket D1 ø 80mm D2 ø 50mm thickness 3mm with 4 screw holes</p>		


 <p>1</p>			
<b>GEV No.</b>	519238	<b>Ref. No.</b>	906002
<b>description</b>	plain washer ID ø 15mm ED ø 33mm thickness 0.8mm SS Qty 1 pcs		
<b>For models:</b>	020, 024, 030, 600, 620, 700, 800, 900, E40, E45, E50, F19, F19A, F22, F22A, F27A, F28A, GLB785-GIGA, GLB795-GIGA, N50, SVELTINA, V40, V45, V50		


 <p>1</p>			
<b>GEV No.</b>	501349	<b>Ref. No.</b>	908456
<b>description</b>	reducer for rinse arm shaft		
<b>For models:</b>	670-TRONIC, A670-TRONIC, E1000, GLS945-GIGA, N1000-SILANOS, N700F, N700FPS, N700F-PS		


 <p>1</p>			
<b>GEV No.</b>	519197	<b>Ref. No.</b>	904752
<b>description</b>	rinse arm shaft		
<b>For models:</b>	LP109, LP124, LP67, LP84		

 <p>1</p>			
<b>GEV No.</b>	519279	<b>Ref. No.</b>	907930
<b>description</b>	rinse arm support mounting pos. upper		
<b>For models:</b>	400, 600, 700		

 <p>1</p>			
<b>GEV No.</b>	519280	<b>Ref. No.</b>	907932
<b>description</b>	rinse arm support mounting pos. upper		
<b>For models:</b>	LP109, LP124, LP67, LP84		
<b>accessories for</b>	519280		
	<b>GEV No.</b>	519510	<b>Ref. No.</b>
			TR0966
	 <p>rinse pipe mounting pos. upper/lower ø 12mm L 320mm thread 3/8"</p>		

 <p>1</p>			
<b>GEV No.</b>	519196	<b>Ref. No.</b>	904750
<b>description</b>	rinse pipe		
<b>For models:</b>	1300, 1300S		

 <p>1</p>			
<b>GEV No.</b>	519201	<b>Ref. No.</b>	904765
<b>description</b>	rinse pipe		
<b>For models:</b>	020, 024, 030, 1000, 600, 620, 627, 627PS, 700, 800, 900, E1000, E40, E45, E50, F19, F19A, F22, F22A, F27A, F28A, GLB615-GIGA, GLB785-GIGA, GLB795-GIGA, GLS935-GIGA, N50, SVELTINA, V40, V45, V50		

 <p>1</p>			
<b>GEV No.</b>	519198	<b>Ref. No.</b>	904753
<b>description</b>	rinse pipe mounting pos. lower ø 16mm L 13.5mm		
<b>For models:</b>	1300S, GLS945S-GIGA, N1300		



<b>GEV No.</b>	519510	<b>Ref. No.</b>	TR0966
<b>description</b>	rinse pipe mounting pos. upper/lower ø 12mm L 320mm thread 3/8"		
<b>For models:</b>	LP109, LP124		



<b>GEV No.</b>	501348	<b>Ref. No.</b>	906004
<b>description</b>	shim for rinse arm shaft		
<b>For models:</b>	670-TRONIC, A670-TRONIC, E1000, GLS945-GIGA, N1000-SILANOS, N700F, N700FPS, N700F-PS, N700PS		



<b>GEV No.</b>	519437	<b>Ref. No.</b>	902183
<b>description</b>	spacer piece		
<b>For models:</b>	GLS905-GIGA, GLS925-GIGA, N45, N50-TRONIC-PDS-PBS, N90		



<b>GEV No.</b>	517355	<b>Ref. No.</b>	908702
<b>description</b>	spacer piece for wash arm support ID ø 44mm ED ø 80mm thickness 18mm L 55mm plastic		
<b>For models:</b>	670-TRONIC, A670-TRONIC, GLS805-GIGA, GLS845-GIGA, N700F, N700FPS, N700F-PS, N700PS		



<b>GEV No.</b>	519085	<b>Ref. No.</b>	902880 902892
<b>description</b>	Thumb screw ø 34mm thread M6		
<b>For models:</b>	020, 024, 030, 1000, 1300, 1300S, 400, 600, 620, 627, 627PS, 670-TRONIC, 700, 800, 900, A670-TRONIC, E1000, E40, E45, E50, F19, F19A, F22, F22A, F27A, F28A, GLB615-GIGA, GLB785-GIGA, GLB795-GIGA, GLS805-GIGA, GLS845-GIGA, GLS905-GIGA, GLS925-GIGA, GLS935-GIGA, GLS945-GIGA, GLS945S-GIGA, LP109, LP124, LP67, LP67E, LP67E-TRONIC, LP84, N1000-SILANOS, N1300, N45, N50, N50-TRONIC-PDS-PBS, N700F, N700FPS, N700F-PS...(Other models you can see in the webshop)		



<b>GEV No.</b>	519457	<b>Ref. No.</b>	901651
<b>description</b>	wash arm support		
<b>For models:</b>	TS3700		



<b>GEV No.</b>	519042	<b>Ref. No.</b>	901713
<b>description</b>	wash arm support mounting pos. upper/lower		
<b>For models:</b>	250, Ambra, R23A, R29A		



<b>GEV No.</b>	519043	<b>Ref. No.</b>	901716
<b>description</b>	wash arm support mounting pos. upper/lower		
<b>For models:</b>	R20, R20A, Rubinia		



<b>GEV No.</b>	519019	<b>Ref. No.</b>	900164
<b>description</b>	wash pipe mounting pos. upper		
<b>For models:</b>	1000, GLS935-GIGA		





<b>GEV No.</b>	519458	<b>Ref. No.</b>	908747
<b>description</b>	wash pipe mounting pos. upper edition since 12/2005		
<b>For models:</b>	E1000		



<b>GEV No.</b>	519459	<b>Ref. No.</b>	908729 908730
<b>description</b>	wash pipe mounting pos. upper edition until 11/2005		
<b>For models:</b>	GLS945-GIGA, GLS945S-GIGA, N1000-SILANOS, N1300		






			
1			
<b>GEV No.</b>	519438	<b>Ref. No.</b>	903743 903744
<b>description</b>	wash pipe ø 37mm L 700mm plastic suitable for Silanos		
<b>For models:</b>	GLS905-GIGA, GLS925-GIGA, N45, N50-TRONIC-PDS-PBS, N90		


			
1			
<b>GEV No.</b>	519537	<b>Ref. No.</b>	908701
<b>description</b>	wash pipe ø 37mm L 720mm plastic suitable for Silanos		
<b>For models:</b>	670-TRONIC, A670-TRONIC, GLS805-GIGA, GLS845-GIGA, N700F, N700FPS, N700F-PS, N700PS		




washing and rinsing systems (sorted by producer)


SILANOS


			
1			
<b>GEV No.</b>	519586	<b>Ref. No.</b>	903031
<b>description</b>	rinse arm L 332mm nozzles 5 mounting ø 12mm		
<b>accessories for</b>	519586		
	<b>GEV No.</b>	524509	<b>Ref. No.</b> 908771
	rinse arm shaft mounting pos. upper/lower ø 13mm H 30mm thread 1/4"		

			
1			
<b>GEV No.</b>	519467	<b>Ref. No.</b>	907957
<b>description</b>	rinse arm L 425mm nozzles 6 mounting ø 13mm mounting pos. upper and bottom W 30mm		
<b>accessories for</b>	519467		
	<b>GEV No.</b>	519085	<b>Ref. No.</b> 902880 902892
	Thumb screw ø 34mm thread M6		
	<b>GEV No.</b>	524509	<b>Ref. No.</b> 908771
	rinse arm shaft mounting pos. upper/lower ø 13mm H 30mm thread 1/4"		


			
1			
<b>GEV No.</b>	512439	<b>Ref. No.</b>	903016
<b>description</b>	rinse arm L 428mm mounting pos. upper/lower nozzles 6 mounting ø 12/13mm		
<b>For models:</b>	600, E45, N45, V45		


			
1			
<b>GEV No.</b>	519466	<b>Ref. No.</b>	907898 907958
<b>description</b>	rinse arm L 492mm nozzles 6 mounting ø 13mm mounting pos. upper and bottom complete W 28mm		
<b>For models:</b>	A670-TRONIC, E1000, N50-TRONIC-PDS-PBS		
<b>spare parts for</b>	519466		
	<b>GEV No.</b>	519085	<b>Ref. No.</b> 902880 902892
	Thumb screw ø 34mm thread M6		
	<b>GEV No.</b>	524509	<b>Ref. No.</b> 908771
	rinse arm shaft mounting pos. upper/lower ø 13mm H 30mm thread 1/4"		


			
1			
<b>GEV No.</b>	524504	<b>Ref. No.</b>	907955
<b>description</b>	rinse arm mounting pos. upper/lower L 330mm nozzles 5 mounting ø 13mm W 40mm		
<b>For models:</b>	020, 620		

			
1			
<b>GEV No.</b>	517647	<b>Ref. No.</b>	907956
<b>description</b>	rinse arm mounting pos. upper/lower L 380mm nozzles 6 mounting ø 12mm		
<b>For models:</b>	627, 627PS		



			
1			
<b>GEV No.</b>	512412	<b>Ref. No.</b>	903028
<b>description</b>	rinse arm mounting pos. upper/lower L 493mm nozzles 6 mounting ø 12mm		


			
Image not available			
1			
<b>GEV No.</b>	519091	<b>Ref. No.</b>	902907
<b>description</b>	wash arm		
<b>For models:</b>	600, E45, V45		

			
Image not available			
1			
<b>GEV No.</b>	519097	<b>Ref. No.</b>	902960
<b>description</b>	wash arm		
<b>For models:</b>	1300, 1300S, GLS945S-GIGA, N1300		

			
1			
<b>GEV No.</b>	519110	<b>Ref. No.</b>	900048 902908
<b>description</b>	wash arm complete		
<b>For models:</b>	1000, 670-TRONIC, 700, 800, 900, A670-TRONIC, E1000, E50, GLS805-GIGA, GLS845-GIGA, GLS905-GIGA, GLS925-GIGA, GLS935-GIGA, GLS945-GIGA, N1000-SILANOS, N45, N50, N50-TRONIC-PDS-PBS, N700F, N700FPS, N700F-PS, N700PS, N90, V50		

			
1			
<b>GEV No.</b>	519107	<b>Ref. No.</b>	903104
<b>description</b>	wash arm complete with hub and pin L 365mm nozzles 8 mounting ø 16/44.5mm mounting pos. lower		
<b>For models:</b>	020, 620, 627, 627PS, F19, F19A, F22, F22A, F28A, GLB615-GIGA, SVELTINA		

			
1			
<b>GEV No.</b>	519089	<b>Ref. No.</b>	902905
<b>description</b>	wash arm L 365mm nozzles 8 mounting ø 16/45mm mounting pos. lower		
<b>For models:</b>	020, 620, 627, 627PS, F19, F19A, F22, F22A, F28A, GLB615-GIGA, SVELTINA		
<b>spare parts for</b>	519089		
	<b>GEV No.</b>	507445	<b>Ref. No.</b> 906445
end cap for wash arm			
	<b>GEV No.</b>	519165	<b>Ref. No.</b> 904277
wash arm bearing mounting pos. upper/lower ø 27mm H 31mm D1 ø 31mm D2 ø 22mm ID ø 16mm			
	<b>GEV No.</b>	519199	<b>Ref. No.</b> 904760
rinse arm shaft mounting pos. upper and bottom ø 10mm H 21.5mm thread 1/4"			
	<b>GEV No.</b>	529545	<b>Ref. No.</b> 904324
O-ring EPDM thickness 1.78mm ID ø 10.82mm Qty 1 pcs			

			
1			
<b>GEV No.</b>	519108	<b>Ref. No.</b>	903105
<b>description</b>	wash arm L 395mm nozzles 8 mounting ø 16/45mm mounting pos. lower complete with hub and pin		
<b>For models:</b>	024, 030, E40, F27A, GLB785-GIGA, GLB795-GIGA, V40		


			
1			
<b>GEV No.</b>	519090	<b>Ref. No.</b>	902906
<b>description</b>	wash arm L 395mm nozzles 8 mounting ø 16/45mm mounting pos. upper/lower		
<b>For models:</b>	024, 030, E40, F27A, GLB785-GIGA, GLB795-GIGA, V40		





 <p>1</p>			
<b>GEV No.</b>	519374	<b>Ref. No.</b>	903106 903108
<b>description</b>	wash arm L 435mm nozzles 8 mounting ø 16/45mm mounting pos. upper/lower complete		
<b>For models:</b>	600, E1000, E45, GLS905-GIGA, GLS925-GIGA, N45, N700PS, N90, V45		
<b>spare parts for</b>	519374		
	<b>GEV No.</b>	519085	<b>Ref. No.</b> 902880 902892
Thumb screw ø 34mm thread M6			
	<b>GEV No.</b>	519165	<b>Ref. No.</b> 904277
wash arm bearing mounting pos. upper/lower ø 27mm H 31mm D1 ø 31mm D2 ø 22mm ID ø 16mm			
	<b>GEV No.</b>	519169	<b>Ref. No.</b> 904292
rinse arm boss			
	<b>GEV No.</b>	519199	<b>Ref. No.</b> 904760
rinse arm shaft mounting pos. upper and bottom ø 10mm H 21.5mm thread 1/4"			


 <p>1</p>			
<b>GEV No.</b>	519095	<b>Ref. No.</b>	902950 903107
<b>description</b>	wash arm L 495mm nozzles 8 mounting ø 16/45mm mounting pos. upper/lower		
<b>For models:</b>	1000, 670-TRONIC, 700, 800, 900, A670-TRONIC, E1000, E50, GLS805-GIGA, GLS845-GIGA, GLS935-GIGA, GLS945-GIGA, N1000-SILANOS, N50, N50-TRONIC-PDS-PBS, N700F, N700FPS, N700F-PS, V50		


 <p>1</p>			
<b>GEV No.</b>	519098	<b>Ref. No.</b>	902961
<b>description</b>	wash arm L 535mm nozzles 10 mounting ø 16/60mm mounting pos. upper/lower complete		
<b>For models:</b>	1300, 1300S, GLS945S-GIGA, N1300		
<b>spare parts for</b>	519098		
	<b>GEV No.</b>	519087	<b>Ref. No.</b> 902890
locknut for wash arm			
	<b>GEV No.</b>	519088	<b>Ref. No.</b> 902891
bush for wash arm			


<b>spare parts for</b>	519098		
	<b>GEV No.</b>	519097	<b>Ref. No.</b> 902960
wash arm			

 <p>1</p>			
<b>GEV No.</b>	507445	<b>Ref. No.</b>	906445
<b>description</b>	end cap for wash arm		
<b>For models:</b>	020, 620, 627, 627PS, 670-TRONIC, A670-TRONIC, E1000, GLB615-GIGA, GLS805-GIGA, GLS845-GIGA, GLS945-GIGA, N1000-SILANOS, N50-TRONIC-PDS-PBS, N700F, N700FPS, N700F-PS, N700PS		


 <p>1</p>			
<b>GEV No.</b>	529545	<b>Ref. No.</b>	904324
<b>description</b>	O-ring EPDM thickness 1.78mm ID ø 10.82mm Qty 1 pcs		
<b>For models:</b>	020, 620, 627, 627PS, 670-TRONIC, A670-TRONIC, E1000, GLB615-GIGA, GLS805-GIGA, GLS845-GIGA, GLS945-GIGA, N1000-SILANOS, N50-TRONIC-PDS-PBS, N700F, N700FPS, N700F-PS, N700PS		


 <p>1</p>			
<b>GEV No.</b>	519337	<b>Ref. No.</b>	TR0997
<b>description</b>	wash arm		
<b>For models:</b>	LP109, LP124		


 <p>1</p>			
<b>GEV No.</b>	519335	<b>Ref. No.</b>	TR0994
<b>description</b>	wash arm L 575mm nozzles 12 mounting ø 16/61.5mm mounting pos. upper/lower		
<b>For models:</b>	LP109, LP124		


 <p>1</p>			
<b>GEV No.</b>	519334	<b>Ref. No.</b>	TR0993
<b>description</b>	wash arm L 632mm nozzles 12 mounting ø 16/61.5mm mounting pos. upper		
<b>For models:</b>	LP67, LP67E, LP67E-TRONIC, LP84		




			
1			
<b>GEV No.</b>	519336	<b>Ref. No.</b>	TR0996
<b>description</b>	wash arm L 655mm nozzles 16 mounting ø 16/63mm mounting pos. upper complete		
<b>For models:</b>	LP67, LP67E, LP67E-TRONIC, LP84		
<b>spare parts for</b>	519336		
	<b>GEV No.</b>	519087	<b>Ref. No.</b> 902890
	locknut for wash arm		
	<b>GEV No.</b>	519167	<b>Ref. No.</b> 904281
	bush for wash arm		
	<b>GEV No.</b>	519334	<b>Ref. No.</b> TR0993
	wash arm L 632mm nozzles 12 mounting ø 16/61.5mm mounting pos. upper		
	<b>GEV No.</b>	519341	<b>Ref. No.</b> TR2051
	flat gasket rubber ED ø 40mm ID ø 5.5mm thickness 2mm Qty 1 pcs		
	<b>GEV No.</b>	519472	<b>Ref. No.</b> TR3230
	end cap for wash arm ø 41mm		

			
1			
<b>GEV No.</b>	519342	<b>Ref. No.</b>	TR2054
<b>description</b>	end cap		
<b>For models:</b>	LAVASTOVIGLIE-A-TRAINO, LAVASTOVIGLIE-A-TRAINO-T1650, LAVASTOVIGLIE-A-TRAINO-T2000, LAVASTOVIGLIE-A-TRAINO-T3000, LP109, LP124, LP67, LP84		

			
1			
<b>GEV No.</b>	519472	<b>Ref. No.</b>	TR3230
<b>description</b>	end cap for wash arm ø 41mm		
<b>For models:</b>	LAVASTOVIGLIE-A-NASTRO-N2500, LAVASTOVIGLIE-A-NASTRO-N3500, LAVASTOVIGLIE-A-NASTRO-N5000, LAVASTOVIGLIE-A-NASTRO-N6000, LAVASTOVIGLIE-A-NASTRO-N7500, LAVASTOVIGLIE-A-NASTRO-N9000, LP67E, LP67E-TRONIC, T1400, TS3700		








			
1			
<b>GEV No.</b>	519341	<b>Ref. No.</b>	TR2051
<b>description</b>	flat gasket rubber ED ø 40mm ID ø 5.5mm thickness 2mm Qty 1 pcs		
<b>For models:</b>	LAVASTOVIGLIE-A-TRAINO, LAVASTOVIGLIE-A-TRAINO-T1650, LAVASTOVIGLIE-A-TRAINO-T2000, LAVASTOVIGLIE-A-TRAINO-T3000, LP109, LP124, LP67, LP67E, LP67E-TRONIC, LP84, T1400, TS3700		








			
Image not available			
1			
<b>GEV No.</b>	519011	<b>Ref. No.</b>	900115
<b>description</b>	wash arm mounting pos. lower		
<b>For models:</b>	Ambra		


			
1			
<b>GEV No.</b>	519012	<b>Ref. No.</b>	900116
<b>description</b>	wash arm mounting pos. lower H 0mm L 200mm nozzles 4 straight/short thread 3/4"		
<b>For models:</b>	250, R20, R20A, R23A, R29A, Rubinia		
<b>spare parts for</b>	519012		
	<b>GEV No.</b>	510302	<b>Ref. No.</b> 904320
	O-ring EPDM ID ø 12.42mm thickness 1.78mm Qty 1 pcs		
	<b>GEV No.</b>	519255	<b>Ref. No.</b> 906440
	end cap		


			
1			
<b>GEV No.</b>	519014	<b>Ref. No.</b>	900124
<b>description</b>	wash arm mounting pos. upper H 135mm L 225mm nozzles 3 angled		
<b>For models:</b>	250, R29A		
<b>spare parts for</b>	519014		
	<b>GEV No.</b>	510302	<b>Ref. No.</b> 904320
	O-ring EPDM ID ø 12.42mm thickness 1.78mm Qty 1 pcs		
	<b>GEV No.</b>	519038	<b>Ref. No.</b> 901701
	opposite support		
	<b>GEV No.</b>	519220	<b>Ref. No.</b> 905394
	nozzle holder		
	<b>GEV No.</b>	519255	<b>Ref. No.</b> 906440
	end cap		
	<b>GEV No.</b>	519285	<b>Ref. No.</b> 908060
	swirl hole ø 2mm H 5mm ø 13.5mm 5.5mm		
	<b>GEV No.</b>	519286	<b>Ref. No.</b> 908070
	wash jet		





			
1			
<b>GEV No.</b>	519013	<b>Ref. No.</b>	900123
<b>description</b>	wash arm mounting pos. upper H 45mm L 210mm nozzles 3 angled/ short thread 3/4" suitable for R20		
<b>For models:</b>	Ambra, R20, R20A, Rubinia		
<b>spare parts for</b>	519013		
	<b>GEV No.</b>	510302	<b>Ref. No.</b> 904320
	O-ring EPDM ID ø 12.42mm thickness 1.78mm Qty 1 pcs		
	<b>GEV No.</b>	519038	<b>Ref. No.</b> 901701
	opposite support		
	<b>GEV No.</b>	519220	<b>Ref. No.</b> 905394
	nozzle holder		
	<b>GEV No.</b>	519244	<b>Ref. No.</b> 906070
	wash jet		
	<b>GEV No.</b>	519255	<b>Ref. No.</b> 906440
	end cap		
	<b>GEV No.</b>	519285	<b>Ref. No.</b> 908060
	swirl hole ø 2mm H 5mm ø 13.5mm 5.5mm		


			
1			
<b>GEV No.</b>	519010	<b>Ref. No.</b>	900112
<b>description</b>	wash arm mounting pos. upper H 85mm L 220mm nozzles 3 angled		
<b>For models:</b>	R23A		
<b>spare parts for</b>	519010		
	<b>GEV No.</b>	510302	<b>Ref. No.</b> 904320
	O-ring EPDM ID ø 12.42mm thickness 1.78mm Qty 1 pcs		
	<b>GEV No.</b>	519038	<b>Ref. No.</b> 901701
	opposite support		
	<b>GEV No.</b>	519220	<b>Ref. No.</b> 905394
	nozzle holder		
	<b>GEV No.</b>	519244	<b>Ref. No.</b> 906070
	wash jet		
	<b>GEV No.</b>	519255	<b>Ref. No.</b> 906440
	end cap		
	<b>GEV No.</b>	519285	<b>Ref. No.</b> 908060
	swirl hole ø 2mm H 5mm ø 13.5mm 5.5mm		


			
1			
<b>GEV No.</b>	519255	<b>Ref. No.</b>	906440
<b>description</b>	end cap		
<b>For models:</b>	250, 400, 600, 700, Ambra, R20, R20A, R23A, R29A, Rubinia		


			
1			
<b>GEV No.</b>	519220	<b>Ref. No.</b>	905394
<b>description</b>	nozzle holder		
<b>For models:</b>	250, Ambra, R20, R20A, R23A, R29A		


			
1			
<b>GEV No.</b>	519038	<b>Ref. No.</b>	901701
<b>description</b>	opposite support		
<b>For models:</b>	1000, 400, 600, 700, R20, R20A, R23A, R29A, Rubinia		

			
1			
<b>GEV No.</b>	510302	<b>Ref. No.</b>	904320
<b>description</b>	O-ring EPDM ID ø 12.42mm thickness 1.78mm Qty 1 pcs		
<b>For models:</b>	250, Ambra, R20, R20A, R23A, R29A, Rubinia		

			
1			
<b>GEV No.</b>	519285	<b>Ref. No.</b>	908060
<b>description</b>	swirl hole ø 2mm H 5mm ø 13.5mm 5.5mm		
<b>For models:</b>	250, Ambra, R20, R20A, R23A, R29A, Rubinia		

			
1			
<b>GEV No.</b>	519244	<b>Ref. No.</b>	906070
<b>description</b>	wash jet		
<b>For models:</b>	R20, R20A, R23A		


			
1			
<b>GEV No.</b>	519286	<b>Ref. No.</b>	908070
<b>description</b>	wash jet		
<b>For models:</b>	Ambra, R29A, Rubinia		




1

<b>GEV No.</b>	519077	<b>Ref. No.</b>	902793
<b>description</b>	wash jet complete		
<b>For models:</b>	R20, R20A, R23A, R29A, Rubinia		

**spare parts for** 519018


	<b>GEV No.</b>	519288	<b>Ref. No.</b>	908090
				rinse jet




1


<b>GEV No.</b>	519017	<b>Ref. No.</b>	900141
<b>description</b>	rinse arm H 350mm L 235mm nozzles 5 thread M16 complete with nozzle		
<b>For models:</b>	R23A		


**spare parts for** 519017



	<b>GEV No.</b>	503042	<b>Ref. No.</b>	902100
				nut thread 3/8" H 6mm brass WS 22 Qty 1 pcs

	<b>GEV No.</b>	510177	<b>Ref. No.</b>	904392
				O-ring EPDM thickness 1.78mm ID ø 7.66mm Qty 1 pcs

	<b>GEV No.</b>	519040	<b>Ref. No.</b>	901702 901704
				opposite support for rinse jet

	<b>GEV No.</b>	519126	<b>Ref. No.</b>	903410
				gasket ED ø 13mm ID ø 8mm thickness 1.5mm Qty 1 pcs

	<b>GEV No.</b>	519287	<b>Ref. No.</b>	908080
				swirl H 15.5mm ø 10mm 2mm H1 5mm

	<b>GEV No.</b>	519288	<b>Ref. No.</b>	908090
				swirl H 15.5mm ø 10mm 2mm H1 5mm
	<b>GEV No.</b>	519288	<b>Ref. No.</b>	908090
				rinse jet





1


<b>GEV No.</b>	519370	<b>Ref. No.</b>	900147
<b>description</b>	rinse arm H 410mm L 245mm nozzles 5 thread M16		
<b>For models:</b>	R29A		

**spare parts for** 519370

	<b>GEV No.</b>	510177	<b>Ref. No.</b>	904392
				O-ring EPDM thickness 1.78mm ID ø 7.66mm Qty 1 pcs

	<b>GEV No.</b>	519040	<b>Ref. No.</b>	901702 901704
				opposite support for rinse jet

	<b>GEV No.</b>	519126	<b>Ref. No.</b>	903410
				gasket ED ø 13mm ID ø 8mm thickness 1.5mm Qty 1 pcs

	<b>GEV No.</b>	519287	<b>Ref. No.</b>	908080
				swirl H 15.5mm ø 10mm 2mm H1 5mm


	<b>GEV No.</b>	519288	<b>Ref. No.</b>	908090
				swirl H 15.5mm ø 10mm 2mm H1 5mm

Table continues overleaf




1

<b>GEV No.</b>	519015	<b>Ref. No.</b>	900130
<b>description</b>	rinse arm H 320mm L 235mm nozzles 5 thread M16		
<b>For models:</b>	Ambra		


**spare parts for** 519015


	<b>GEV No.</b>	510177	<b>Ref. No.</b>	904392
				O-ring EPDM thickness 1.78mm ID ø 7.66mm Qty 1 pcs

	<b>GEV No.</b>	519040	<b>Ref. No.</b>	901702 901704
				opposite support for rinse jet

	<b>GEV No.</b>	519287	<b>Ref. No.</b>	908080
				swirl H 15.5mm ø 10mm 2mm H1 5mm

	<b>GEV No.</b>	519288	<b>Ref. No.</b>	908090
				swirl H 15.5mm ø 10mm 2mm H1 5mm


	<b>GEV No.</b>	519288	<b>Ref. No.</b>	908090
				rinse jet





1


<b>GEV No.</b>	519018	<b>Ref. No.</b>	900145 900146
<b>description</b>	rinse arm H 320mm L 240mm nozzles 5 thread M16 complete with nozzle		
<b>For models:</b>	R20, R20A, Rubinia		

**spare parts for** 519018

	<b>GEV No.</b>	510177	<b>Ref. No.</b>	904392
				O-ring EPDM thickness 1.78mm ID ø 7.66mm Qty 1 pcs

	<b>GEV No.</b>	517386	<b>Ref. No.</b>	—
				nozzle complete for rinse arm ø 19mm H 26mm


	<b>GEV No.</b>	519040	<b>Ref. No.</b>	901702 901704
				opposite support for rinse jet

	<b>GEV No.</b>	519287	<b>Ref. No.</b>	908080
				swirl H 15.5mm ø 10mm 2mm H1 5mm

	<b>GEV No.</b>	519288	<b>Ref. No.</b>	908090
				swirl H 15.5mm ø 10mm 2mm H1 5mm








<b>spare parts for</b> 519370			
	<b>GEV No.</b>	519288	<b>Ref. No.</b> 908090
rinse jet			





<b>GEV No.</b>	519016	<b>Ref. No.</b>	900140
<b>description</b>	rinse arm H 410mm L 340mm nozzles 5 thread M16		
<b>For models:</b>	250		


<b>spare parts for</b> 519016			
	<b>GEV No.</b>	510177	<b>Ref. No.</b> 904392
O-ring EPDM thickness 1.78mm ID ø 7.66mm Qty 1 pcs			


	<b>GEV No.</b>	519040	<b>Ref. No.</b> 901702 901704
opposite support for rinse jet			


	<b>GEV No.</b>	519126	<b>Ref. No.</b> 903410
gasket ED ø 13mm ID ø 8mm thickness 1.5mm Qty 1 pcs			


	<b>GEV No.</b>	519287	<b>Ref. No.</b> 908080
swirl H 15.5mm ø 10mm 2mm H1 5mm			


	<b>GEV No.</b>	519288	<b>Ref. No.</b> 908090
rinse jet			


	<b>GEV No.</b>	519040	<b>Ref. No.</b> 901702 901704
opposite support for rinse jet			
<b>For models:</b>	250, Ambra, R20, R20A, R23A, R29A, Rubinia		

	<b>GEV No.</b>	510177	<b>Ref. No.</b> 904392
O-ring EPDM thickness 1.78mm ID ø 7.66mm Qty 1 pcs			
<b>For models:</b>	250, Ambra, R20, R20A, R23A, R29A, Rubinia		

	<b>GEV No.</b>	519288	<b>Ref. No.</b> 908090
rinse jet			
<b>For models:</b>	250, Ambra, R20, R20A, R23A, R29A		


	<b>GEV No.</b>	519078	<b>Ref. No.</b> 902795
rinse jet complete			
<b>For models:</b>	1000, R20, R20A, R23A, R29A, Rubinia		


	<b>GEV No.</b>	519039	<b>Ref. No.</b> 905401
rinse jet holder			


	<b>GEV No.</b>	519287	<b>Ref. No.</b> 908080
swirl H 15.5mm ø 10mm 2mm H1 5mm			
<b>For models:</b>	250, Ambra, R20, R20A, R23A, R29A, Rubinia		





<b>GEV No.</b>	519093	<b>Ref. No.</b>	902940
<b>description</b>	wash arm		
<b>For models:</b>	600		


<b>spare parts for</b> 519093			
	<b>GEV No.</b>	505045	<b>Ref. No.</b> 904310 904311
O-ring EPDM thickness 1.78mm ID ø 5.28mm Qty 1 pcs			


	<b>GEV No.</b>	519030	<b>Ref. No.</b> 900513
bush for wash arm			


	<b>GEV No.</b>	519038	<b>Ref. No.</b> 901701
opposite support			


	<b>GEV No.</b>	519079	<b>Ref. No.</b> 902801
wash jet mounting pos. right			


	<b>GEV No.</b>	519255	<b>Ref. No.</b> 906440
end cap			


	<b>GEV No.</b>	519275	<b>Ref. No.</b> 907720
screw for nozzle holder			


1			
<b>GEV No.</b>	519255	<b>Ref. No.</b>	906440
<b>description</b>	end cap		
<b>For models:</b>	250, 400, 600, 700, Ambra, R20, R20A, R23A, R29A, Rubinia		


1			
<b>GEV No.</b>	519038	<b>Ref. No.</b>	901701
<b>description</b>	opposite support		
<b>For models:</b>	1000, 400, 600, 700, R20, R20A, R23A, R29A, Rubinia		









1			
<b>GEV No.</b>	505045	<b>Ref. No.</b>	904310 904311
<b>description</b>	O-ring EPDM thickness 1.78mm ID ø 5.28mm Qty 1 pcs		
<b>For models:</b>	1000, 400, 600, 700		

1			
<b>GEV No.</b>	519080	<b>Ref. No.</b>	902802
<b>description</b>	wash jet mounting pos. left		
<b>For models:</b>	1000, 400, 700		

1			
<b>GEV No.</b>	519079	<b>Ref. No.</b>	902801
<b>description</b>	wash jet mounting pos. right		
<b>For models:</b>	1000, 400, 600		

1	 Image not available		
<b>GEV No.</b>	519102	<b>Ref. No.</b>	903010
<b>description</b>	rinse arm		



1	 Image not available		
<b>GEV No.</b>	519100	<b>Ref. No.</b>	903001
<b>description</b>	rinse arm complete		
<b>For models:</b>	600		


1				
<b>GEV No.</b>	519101	<b>Ref. No.</b>	903009	
<b>description</b>	rinse arm L 332mm nozzles 6 mounting ø 10mm mounting pos. upper and bottom complete with threaded shaft			
<b>For models:</b>	F19, F19A, F22, F22A, F28A, GLB615-GIGA, SVELTINA			
<b>spare parts for</b>	519101			
	<b>GEV No.</b>	510303	<b>Ref. No.</b>	904321
	O-ring EPDM thickness 1.78mm ID ø 6.75mm Qty 1 pcs			
	<b>GEV No.</b>	519081	<b>Ref. No.</b>	902816 902816+904388
	rinse jet			
	<b>GEV No.</b>	519085	<b>Ref. No.</b>	902880 902892
	Thumb screw ø 34mm thread M6			
	<b>GEV No.</b>	519169	<b>Ref. No.</b>	904292
	rinse arm boss			
	<b>GEV No.</b>	519199	<b>Ref. No.</b>	904760
	rinse arm shaft mounting pos. upper and bottom ø 10mm H 21.5mm thread 1/4"			
	<b>GEV No.</b>	519256	<b>Ref. No.</b>	906450
	end cap ø 9.5mm H 20mm			
	<b>GEV No.</b>	560266	<b>Ref. No.</b>	907651
	countersunk screw thread M4 L 8mm SS DIN 965/ISO 7046 Qty 1 pcs head ø 7.5mm			

1				
<b>GEV No.</b>	519104	<b>Ref. No.</b>	903015	
<b>description</b>	rinse arm L 378mm nozzles 6 mounting ø 10mm mounting pos. upper and bottom complete			
<b>For models:</b>	024, 030, E40, F27A, GLB785-GIGA, GLB795-GIGA, V40			
<b>spare parts for</b>	519104			
	<b>GEV No.</b>	510303	<b>Ref. No.</b>	904321
	O-ring EPDM thickness 1.78mm ID ø 6.75mm Qty 1 pcs			
	<b>GEV No.</b>	519081	<b>Ref. No.</b>	902816 902816+904388
	rinse jet			
	<b>GEV No.</b>	519085	<b>Ref. No.</b>	902880 902892
	Thumb screw ø 34mm thread M6			
	<b>GEV No.</b>	519169	<b>Ref. No.</b>	904292
	rinse arm boss			

Table continues overleaf






<b>spare parts for</b> 519104			
	<b>GEV No.</b>	519256	<b>Ref. No.</b> 906450
end cap ø 9.5mm H 20mm			
	<b>GEV No.</b>	560266	<b>Ref. No.</b> 907651
countersunk screw thread M4 L 8mm SS DIN 965/ISO 7046 Qty 1 pcs head ø 7.5mm			


			
1	<b>GEV No.</b>	519450	<b>Ref. No.</b> 903019
<b>description</b> rinse arm L 427mm nozzles 6 mounting ø 10mm mounting pos. upper complete			


			
1	<b>GEV No.</b>	519105	<b>Ref. No.</b> 903016old
<b>description</b> rinse arm L 428mm nozzles 6 mounting ø 10mm mounting pos. upper/lower complete with threaded shaft			


<b>spare parts for</b> 519105			
	<b>GEV No.</b>	510303	<b>Ref. No.</b> 904321
O-ring EPDM thickness 1.78mm ID ø 6.75mm Qty 1 pcs			
	<b>GEV No.</b>	519081	<b>Ref. No.</b> 902816 902816+904388
rinse jet			
	<b>GEV No.</b>	519085	<b>Ref. No.</b> 902880 902892
Thumb screw ø 34mm thread M6			
	<b>GEV No.</b>	519169	<b>Ref. No.</b> 904292
rinse arm boss			
	<b>GEV No.</b>	519199	<b>Ref. No.</b> 904760
rinse arm shaft mounting pos. upper and bottom ø 10mm H 21.5mm thread 1/4"			
	<b>GEV No.</b>	519256	<b>Ref. No.</b> 906450
end cap ø 9.5mm H 20mm			
	<b>GEV No.</b>	519300	<b>Ref. No.</b> 954804
rinse arm mounting pos. bottom left/upper right			
	<b>GEV No.</b>	519301	<b>Ref. No.</b> 954805
rinse arm mounting pos. upper left/bottom right			
	<b>GEV No.</b>	560266	<b>Ref. No.</b> 907651
countersunk screw thread M4 L 8mm SS DIN 965/ISO 7046 Qty 1 pcs head ø 7.5mm			

			
1	<b>GEV No.</b>	519103	<b>Ref. No.</b> 903011
<b>description</b> rinse arm L 490mm nozzles 6 mounting ø 10mm mounting pos. upper/lower complete			
<b>For models:</b> 700			

			
1	<b>GEV No.</b>	519256	<b>Ref. No.</b> 906450
<b>description</b> end cap ø 9.5mm H 20mm			
<b>For models:</b> 024, 030, 1000, 1300, 1300S, 400, 600, 670-TRONIC, 700, 800, 900, E1000, E40, E45, E50, F19, F19A, F22, F22A, F27A, F28A, GLB615-GIGA, GLB785-GIGA, GLB795-GIGA, GLS805-GIGA, GLS845-GIGA, GLS905-GIGA, GLS925-GIGA, GLS935-GIGA, GLS945-GIGA, GLS945S-GIGA, LP109, LP124, LP67, LP67E, LP67E-TRONIC, LP84, N1000-SILANOS, N1300, N45, N50, N700F, N700FPS, N700F-PS, N700PS, N90, SVELTINA, V40, V45, V50			
<b>spare parts for</b> 519256			
	<b>GEV No.</b>	510303	<b>Ref. No.</b> 904321
O-ring EPDM thickness 1.78mm ID ø 6.75mm Qty 1 pcs			

			
1	<b>GEV No.</b>	519041	<b>Ref. No.</b> 901710
<b>description</b> opposite support for rinse jet			
<b>For models:</b> 1000, 400, 600, 700			

			
1	<b>GEV No.</b>	510303	<b>Ref. No.</b> 904321
<b>description</b> O-ring EPDM thickness 1.78mm ID ø 6.75mm Qty 1 pcs			
<b>For models:</b> 024, 030, 1000, 1300, 1300S, 400, 600, 670-TRONIC, 700, 800, 900, E1000, E40, E45, E50, F19, F19A, F22, F22A, F27A, F28A, GLB615-GIGA, GLB785-GIGA, GLB795-GIGA, GLS805-GIGA, GLS845-GIGA, GLS905-GIGA, GLS925-GIGA, GLS935-GIGA, GLS945-GIGA, GLS945S-GIGA, LP109, LP124, LP67, LP67E, LP67E-TRONIC, LP84, N1000-SILANOS, N1300, N45, N50, N700F, N700FPS, N700F-PS, N700PS, N90, SVELTINA, V40, V45, V50			

			
1	<b>GEV No.</b>	519181	<b>Ref. No.</b> 904388
<b>description</b> O-ring EPDM thickness 1mm ID ø 5mm Qty 1 pcs			
<b>For models:</b> 024, 030, 1000, 1300, 1300S, 600, 670-TRONIC, 700, 800, 900, E1000, E40, E45, E50, F19, F19A, F22, F22A, F27A, F28A, GLB615-GIGA, GLB785-GIGA, GLB795-GIGA, GLS805-GIGA, GLS845-GIGA, GLS905-GIGA, GLS925-GIGA, GLS935-GIGA, GLS945-GIGA, GLS945S-GIGA, N1000-SILANOS, N1300, N45, N50, N700F, N700FPS, N700F-PS, N700PS, N90, SVELTINA, T1400, TS3700, V40, V45, V50			



1

<b>GEV No.</b>	519296	<b>Ref. No.</b>	954800
<b>description</b>	rinse arm mounting pos. bottom left/upper right		
<b>For models:</b>	F19, F19A, F22, F22A, F28A, GLB615-GIGA, SVELTINA		



2

<b>GEV No.</b>	519298	<b>Ref. No.</b>	954802
<b>description</b>	rinse arm mounting pos. bottom left/upper right		
<b>For models:</b>	024, 030, E40, F27A, GLB785-GIGA, GLB795-GIGA, V40		



1

<b>GEV No.</b>	519300	<b>Ref. No.</b>	954804
<b>description</b>	rinse arm mounting pos. bottom left/upper right		
<b>For models:</b>	600, E45, N45, V45		



1

<b>GEV No.</b>	519303	<b>Ref. No.</b>	954807
<b>description</b>	rinse arm mounting pos. left		
<b>For models:</b>	1000, 1300, 1300S, 670-TRONIC, 700, 800, 900, E1000, E50, GLS805-GIGA, GLS845-GIGA, GLS905-GIGA, GLS925-GIGA, GLS935-GIGA, GLS945-GIGA, GLS945S-GIGA, N1000-SILANOS, N1300, N50, N700F, N700FPS, N700F-PS, N700PS, N90, V50		



1

<b>GEV No.</b>	519302	<b>Ref. No.</b>	954806
<b>description</b>	rinse arm mounting pos. right		
<b>For models:</b>	1000, 1300, 1300S, 670-TRONIC, 700, 800, 900, E1000, E50, GLS805-GIGA, GLS845-GIGA, GLS905-GIGA, GLS925-GIGA, GLS935-GIGA, GLS945-GIGA, GLS945S-GIGA, N1000-SILANOS, N1300, N50, N700F, N700FPS, N700F-PS, N700PS, N90, V50		



1

<b>GEV No.</b>	519299	<b>Ref. No.</b>	954803
<b>description</b>	rinse arm mounting pos. upper left/bottom right		
<b>For models:</b>	024, 030, E40, F27A, GLB785-GIGA, GLB795-GIGA, V40		



1

<b>GEV No.</b>	519301	<b>Ref. No.</b>	954805
<b>description</b>	rinse arm mounting pos. upper left/bottom right		
<b>For models:</b>	600, E45, N45, V45		



1

<b>GEV No.</b>	519169	<b>Ref. No.</b>	904292
<b>description</b>	rinse arm boss		
<b>For models:</b>	024, 030, 1000, 1300, 1300S, 600, 670-TRONIC, 700, 800, 900, E1000, E40, E45, E50, F19, F19A, F22, F22A, F27A, F28A, GLB615-GIGA, GLB785-GIGA, GLB795-GIGA, GLS805-GIGA, GLS845-GIGA, GLS905-GIGA, GLS925-GIGA, GLS935-GIGA, GLS945-GIGA, GLS945S-GIGA, N1000-SILANOS, N1300, N45, N50, N700F, N700FPS, N700F-PS, N700PS, N90, SVELTINA, V40, V45, V50		



1

<b>GEV No.</b>	519081	<b>Ref. No.</b>	902816 902816+904388
<b>description</b>	rinse jet		
<b>For models:</b>	024, 030, 1000, 1300, 1300S, 600, 670-TRONIC, 700, 800, 900, E1000, E40, E45, E50, F19, F19A, F22, F22A, F27A, F28A, GLB615-GIGA, GLB785-GIGA, GLB795-GIGA, GLS805-GIGA, GLS845-GIGA, GLS905-GIGA, GLS925-GIGA, GLS935-GIGA, GLS945-GIGA, GLS945S-GIGA, N1000-SILANOS, N1300, N45, N50, N700F, N700FPS, N700F-PS, N700PS, N90, SVELTINA, V40, V45, V50		

<b>accessories for</b>	519081		
<b>GEV No.</b>	532536	<b>Ref. No.</b>	—
	O-ring for rinse jet		






1


<b>GEV No.</b>	519082	<b>Ref. No.</b>	902817
<b>description</b>	rinse jet		
<b>For models:</b>	600, 700		










			
1			
<b>GEV No.</b>	519327	<b>Ref. No.</b>	TR0902
<b>description</b>	rinse arm L 560mm nozzles 6 mounting ø 10mm mounting pos. upper complete		
<b>For models:</b>	LP109, LP124		
<b>spare parts for</b>	519327		
	<b>GEV No.</b>	510303	<b>Ref. No.</b> 904321
	O-ring EPDM thickness 1.78mm ID ø 6.75mm Qty 1 pcs		
	<b>GEV No.</b>	519033	<b>Ref. No.</b> 900530
	bush for rinse arm		
	<b>GEV No.</b>	519200	<b>Ref. No.</b> 904762
	rinse arm shaft		
	<b>GEV No.</b>	519256	<b>Ref. No.</b> 906450
	end cap ø 9.5mm H 20mm		
	<b>GEV No.</b>	519315	<b>Ref. No.</b> TR0003 TR0009
	rinse jet		
	<b>GEV No.</b>	519326	<b>Ref. No.</b> TR0894
	rinse arm		


<b>spare parts for</b>	519332		
	<b>GEV No.</b>	519325	<b>Ref. No.</b> TR0893
	rinse arm		

			
1			
<b>GEV No.</b>	519256	<b>Ref. No.</b>	906450
<b>description</b>	end cap ø 9.5mm H 20mm		
<b>For models:</b>	024, 030, 1000, 1300, 1300S, 400, 600, 670-TRONIC, 700, 800, 900, E1000, E40, E45, E50, F19, F19A, F22, F22A, F27A, F28A, GLB615-GIGA, GLB785-GIGA, GLB795-GIGA, GLS805-GIGA, GLS845-GIGA, GLS905-GIGA, GLS925-GIGA, GLS935-GIGA, GLS945-GIGA, GLS945S-GIGA, LP109, LP124, LP67, LP67E, LP67E-TRONIC, LP84, N1000-SILANOS, N1300, N45, N50, N700F, N700FPS, N700F-PS, N700PS, N90, SVELTINA, V40, V45, V50		
<b>spare parts for</b>	519256		
	<b>GEV No.</b>	510303	<b>Ref. No.</b> 904321
	O-ring EPDM thickness 1.78mm ID ø 6.75mm Qty 1 pcs		


			
1			
<b>GEV No.</b>	510303	<b>Ref. No.</b>	904321
<b>description</b>	O-ring EPDM thickness 1.78mm ID ø 6.75mm Qty 1 pcs		
<b>For models:</b>	024, 030, 1000, 1300, 1300S, 400, 600, 670-TRONIC, 700, 800, 900, E1000, E40, E45, E50, F19, F19A, F22, F22A, F27A, F28A, GLB615-GIGA, GLB785-GIGA, GLB795-GIGA, GLS805-GIGA, GLS845-GIGA, GLS905-GIGA, GLS925-GIGA, GLS935-GIGA, GLS945-GIGA, GLS945S-GIGA, LP109, LP124, LP67, LP67E, LP67E-TRONIC, LP84, N1000-SILANOS, N1300, N45, N50, N700F, N700FPS, N700F-PS, N700PS, N90, SVELTINA, V40, V45, V50		


			
1			
<b>GEV No.</b>	519332	<b>Ref. No.</b>	TR0960
<b>description</b>	rinse arm L 625mm nozzles 6 mounting ø 10mm mounting pos. upper complete		
<b>For models:</b>	LP67, LP67E, LP67E-TRONIC, LP84		
<b>spare parts for</b>	519332		
	<b>GEV No.</b>	510303	<b>Ref. No.</b> 904321
	O-ring EPDM thickness 1.78mm ID ø 6.75mm Qty 1 pcs		
	<b>GEV No.</b>	519033	<b>Ref. No.</b> 900530
	bush for rinse arm		
	<b>GEV No.</b>	519200	<b>Ref. No.</b> 904762
	rinse arm shaft		
	<b>GEV No.</b>	519256	<b>Ref. No.</b> 906450
	end cap ø 9.5mm H 20mm		
	<b>GEV No.</b>	519315	<b>Ref. No.</b> TR0003 TR0009
	rinse jet		

			
Image not available			
1			
<b>GEV No.</b>	519325	<b>Ref. No.</b>	TR0893
<b>description</b>	rinse arm		
<b>For models:</b>	LP67, LP67E, LP67E-TRONIC, LP84		

			
Image not available			
1			
<b>GEV No.</b>	519326	<b>Ref. No.</b>	TR0894
<b>description</b>	rinse arm		
<b>For models:</b>	LP109, LP124		




1			
<b>GEV No.</b>	519315	<b>Ref. No.</b>	TR0003 TR0009
<b>description</b>	rinse jet		
<b>For models:</b>	LAVASTOVIGLIE-A-NASTRO-N2500, LAVASTOVIGLIE-A-NASTRO-N3500, LAVASTOVIGLIE-A-NASTRO-N5000, LAVASTOVIGLIE-A-NASTRO-N6000, LAVASTOVIGLIE-A-NASTRO-N7500, LAVASTOVIGLIE-A-NASTRO-N9000, LAVASTOVIGLIE-A-TRAINO, LAVASTOVIGLIE-A-TRAINO-T1650, LAVASTOVIGLIE-A-TRAINO-T2000, LAVASTOVIGLIE-A-TRAINO-T3000, LP109, LP124, LP67, LP67E, LP67E-TRONIC, LP84, T1400, TS3700		


1			
<b>GEV No.</b>	519560	<b>Ref. No.</b>	900134
<b>description</b>	wash arm L 200mm W 45mm nozzles 3		


1			
<b>GEV No.</b>	519566	<b>Ref. No.</b>	900133
<b>description</b>	wash arm mounting pos. upper H 45mm L 210mm nozzles 3 angled/short thread 3/4" suitable for R20/R23/R29		


## miscellaneous

1			
<b>GEV No.</b>	507444	<b>Ref. No.</b>	906451
<b>description</b>	end cap for rinse arm		


1			
<b>GEV No.</b>	517778	<b>Ref. No.</b>	TR3227
<b>description</b>	end cap for wash arm mounting pos. upper/lower H 14mm Qty 1 pcs WS 30		
<b>For models:</b>	LAVASTOVIGLIE-A-NASTRO-N2500, LAVASTOVIGLIE-A-NASTRO-N3500, LAVASTOVIGLIE-A-NASTRO-N5000, LAVASTOVIGLIE-A-NASTRO-N6000, LAVASTOVIGLIE-A-NASTRO-N7500, LAVASTOVIGLIE-A-NASTRO-N9000, LAVASTOVIGLIE-A-TRAINO, LAVASTOVIGLIE-A-TRAINO-T1650, LAVASTOVIGLIE-A-TRAINO-T2000, LAVASTOVIGLIE-A-TRAINO-T3000		


1			
<b>GEV No.</b>	519568	<b>Ref. No.</b>	TR0032
<b>description</b>	nozzle holder ø 42mm		

1			
<b>GEV No.</b>	519567	<b>Ref. No.</b>	TR0030
<b>description</b>	opposite support H 22mm ø 31mm		


1			
<b>GEV No.</b>	519569	<b>Ref. No.</b>	TR3350
<b>description</b>	rinse jet		
<b>For models:</b>	T1400, TS3700		


1			
<b>GEV No.</b>	519293	<b>Ref. No.</b>	TR0179
<b>description</b>	rinse jet for rinse arm ø 15mm H 12.5mm		
<b>For models:</b>	LAVASTOVIGLIE-A-NASTRO-N2500, LAVASTOVIGLIE-A-NASTRO-N3500, LAVASTOVIGLIE-A-NASTRO-N5000, LAVASTOVIGLIE-A-NASTRO-N6000, LAVASTOVIGLIE-A-NASTRO-N7500, LAVASTOVIGLIE-A-NASTRO-N9000, LAVASTOVIGLIE-A-TRAINO, LAVASTOVIGLIE-A-TRAINO-T2000, LAVASTOVIGLIE-A-TRAINO-T3000, TS3700		


1			
<b>GEV No.</b>	504468	<b>Ref. No.</b>	TR0172
<b>description</b>	rinse jet ø 12.5mm H 9.5mm		


1			
<b>GEV No.</b>	501350	<b>Ref. No.</b>	905388
<b>description</b>	opposite support mounting pos. lower		
<b>For models:</b>	670-TRONIC, A670-TRONIC, E1000, GLS805-GIGA, GLS845-GIGA, GLS905-GIGA, GLS925-GIGA, GLS945-GIGA, N1000-SILANOS, N45, N50-TRONIC-PDS-PBS, N700F, N700FPS, N700F-PS, N700PS, N90		










			
1			
<b>GEV No.</b>	519065	<b>Ref. No.</b>	908744
<b>description</b>	wash arm support		


			
1			
<b>GEV No.</b>	519501	<b>Ref. No.</b>	900041 905557
<b>description</b>	wash arm support for dishwasher mounting pos. lower thread 57 ø 44mm D1 ø 22mm D2 ø 28mm H 55mm		
<b>For models:</b>	N50		


			
1			
<b>GEV No.</b>	519352	<b>Ref. No.</b>	900032
<b>description</b>	wash arm support mounting pos. lower		
<b>For models:</b>	600, 700		

			
1			
<b>GEV No.</b>	519351	<b>Ref. No.</b>	900031
<b>description</b>	wash arm support mounting pos. lower D1 ø 32mm D2 ø 39mm D3 ø 42mm L1 120mm L2 136mm usable height 79mm		
<b>For models:</b>	024, 030, 1000, 800, 900, E40, E45, E50, F19, F19A, F22, F22A, F27A, F28A, GLB785-GIGA, GLB795-GIGA, GLS935-GIGA, SVELTINA, V40, V45, V50		



			
1			
<b>GEV No.</b>	524505	<b>Ref. No.</b>	905558
<b>description</b>	wash arm support mounting pos. lower H 136mm		
<b>For models:</b>	020, 620		
<b>accessories for</b>	524505		
	<b>GEV No.</b>	519117	<b>Ref. No.</b>
			903301 903302
	flat gasket rubber ED ø 60mm ID ø 47mm thickness 3mm Qty 1 pcs		
	<b>GEV No.</b>	519201	<b>Ref. No.</b>
			904765
	rinse pipe		




			
1			
<b>GEV No.</b>	519166	<b>Ref. No.</b>	904278 905555
<b>description</b>	wash arm support mounting pos. lower H 75mm		
<b>For models:</b>	1300S, 620, 627, 627PS, GLB615-GIGA		
<b>accessories for</b>	519166		
	<b>GEV No.</b>	519006	<b>Ref. No.</b>
			900035
	locknut		
	<b>GEV No.</b>	519117	<b>Ref. No.</b>
			903301 903302
	flat gasket rubber ED ø 60mm ID ø 47mm thickness 3mm Qty 1 pcs		
	<b>GEV No.</b>	519201	<b>Ref. No.</b>
			904765
	rinse pipe		



			
1			
<b>GEV No.</b>	519416	<b>Ref. No.</b>	905556
<b>description</b>	wash arm support mounting pos. lower usable height 104mm		


			
1			
<b>GEV No.</b>	519168	<b>Ref. No.</b>	904290
<b>description</b>	wash arm support mounting pos. upper		
<b>For models:</b>	1000, 400, 600, 700, GLS935-GIGA		


			
1			
<b>GEV No.</b>	519373	<b>Ref. No.</b>	900033
<b>description</b>	wash arm support mounting pos. upper		
<b>For models:</b>	600, 627, 627PS, 700, 800, 900, E40, E45, E50, F19, F19A, F22, F22A, F27A, F28A, N50, V40, V45, V50		
<b>accessories for</b>	519373		
	<b>GEV No.</b>	519047	<b>Ref. No.</b>
			901775 901779
	flange		
	<b>GEV No.</b>	519120	<b>Ref. No.</b>
			903330
	gasket D1 ø 90mm D2 ø 57mm thickness 3mm with 4 screw holes wash arm support equiv. no. 903330 suitable for Silanos		
	<b>GEV No.</b>	519201	<b>Ref. No.</b>
			904765
	rinse pipe		


			
1			
<b>GEV No.</b>	519519	<b>Ref. No.</b>	908743
<b>description</b>	wash arm support mounting pos. upper		
<b>For models:</b>	E1000		
<b>accessories for</b>	519519		
	<b>GEV No.</b>	519520	<b>Ref. No.</b> 908745
	opposite support for wash arm support thread M8 D1 ø 45mm D2 ø 11.5mm D3 ø 11.5mm		
	<b>GEV No.</b>	550797	<b>Ref. No.</b> 903413
	gasket for wash arm support L 105mm W 65mm		


			
1			
<b>GEV No.</b>	524033	<b>Ref. No.</b>	908700
<b>description</b>	wash arm support mounting pos. upper		
<b>For models:</b>	E1000, GLS945-GIGA, N1000-SILANOS		
<b>accessories for</b>	524033		
	<b>GEV No.</b>	501351	<b>Ref. No.</b> 908124 908154
	flange mounting pos. upper ø 91mm H 11mm ID ø 45mm hole ø 5.5mm		
	<b>GEV No.</b>	519165	<b>Ref. No.</b> 904277
	wash arm bearing mounting pos. upper/lower ø 27mm H 31mm D1 ø 31mm D2 ø 22mm ID ø 16mm		
	<b>GEV No.</b>	524273	<b>Ref. No.</b> 908707
	rinse arm shaft mounting pos. upper ø 16mm H 84mm thread 1/4"		


			
1			
<b>GEV No.</b>	524035	<b>Ref. No.</b>	908743 old version
<b>description</b>	wash arm support mounting pos. upper		
<b>accessories for</b>	524035		
	<b>GEV No.</b>	550797	<b>Ref. No.</b> 903413
	gasket for wash arm support L 105mm W 65mm		

			
1			
<b>GEV No.</b>	519376	<b>Ref. No.</b>	905456
<b>description</b>	wash arm support mounting pos. upper for pipe ø 37mm hose ø 14mm		
<b>For models:</b>	670-TRONIC, A670-TRONIC, GLS805-GIGA, GLS845-GIGA, GLS905-GIGA, GLS925-GIGA, N45, N50-TRONIC-PDS-PBS, N700F, N700FPS, N700F-PS, N700PS, N90		

			
1			
<b>GEV No.</b>	517645	<b>Ref. No.</b>	908732
<b>description</b>	wash arm support mounting pos. upper ø 60mm H 364mm ID ø 57mm		
<b>For models:</b>	GLS945S-GIGA, LP67E, LP67E-TRONIC, N1300		

			
1			
<b>GEV No.</b>	519120	<b>Ref. No.</b>	903330
<b>description</b>	gasket D1 ø 90mm D2 ø 57mm thickness 3mm with 4 screw holes wash arm support equiv. no. 903330 suitable for Silanos		
<b>For models:</b>	400, 600, 627, 627PS, 700, 800, 900, E40, E45, E50, F19, F19A, F22, F22A, F27A, F28A, N50, V40, V45, V50		


			
1			
<b>GEV No.</b>	519124	<b>Ref. No.</b>	903381
<b>description</b>	gasket D2 ø 51mm thickness 4mm with 4 screw holes wash arm support equiv. no. 903381 suitable for Silanos L 85mm W 85mm hole ø 51mm		
<b>For models:</b>	1300, 1300S, GLS945-GIGA, GLS945S-GIGA, LAVASTOVIGLIE-A-NASTRO-N2500, LAVASTOVIGLIE-A-NASTRO-N3500, LAVASTOVIGLIE-A-NASTRO-N5000, LAVASTOVIGLIE-A-NASTRO-N6000, LAVASTOVIGLIE-A-NASTRO-N7500, LAVASTOVIGLIE-A-NASTRO-N9000, LAVASTOVIGLIE-A-TRAINO, LAVASTOVIGLIE-A-TRAINO-T1650, LAVASTOVIGLIE-A-TRAINO-T2000, LAVASTOVIGLIE-A-TRAINO-T3000, LP109, LP124, LP67, LP67E, LP67E-TRONIC, LP84, N1000-SILANOS, N1300, T1400, TS3700		


			
1			
<b>GEV No.</b>	550797	<b>Ref. No.</b>	903413
<b>description</b>	gasket for wash arm support L 105mm W 65mm		
<b>For models:</b>	E1000, N1000-SILANOS, N1300		

			
1			
<b>GEV No.</b>	519086	<b>Ref. No.</b>	902888 902890+902891
<b>description</b>	wash arm bearing ID ø 16mm ED ø 50mm		
<b>For models:</b>	1300S		
<b>spare parts for</b>	519086		
	<b>GEV No.</b>	519087	<b>Ref. No.</b> 902890
	locknut for wash arm		
	<b>GEV No.</b>	519088	<b>Ref. No.</b> 902891
	bush for wash arm		





			
1			
<b>GEV No.</b>	519165	<b>Ref. No.</b>	904277
<b>description</b>	wash arm bearing mounting pos. upper/lower ø 27mm H 31mm D1 ø 31mm D2 ø 22mm ID ø 16mm		
<b>For models:</b>	020, 024, 030, 1000, 600, 620, 627, 627PS, 670-TRONIC, 700, 800, 900, A670-TRONIC, E1000, E40, E45, E50, F19, F19A, F22, F22A, F27A, F28A, GLB615-GIGA, GLB785-GIGA, GLB795-GIGA, GLS805-GIGA, GLS845-GIGA, GLS905-GIGA, GLS925-GIGA, GLS935-GIGA, GLS945-GIGA, N1000-SILANOS, N45, N50, N50-TRONIC-PDS-PBS, N700F, N700F-PS, N700F-PS, N700PS, N90, SVELTINA, V40, V45, V50		


			
1			
<b>GEV No.</b>	524272	<b>Ref. No.</b>	904799
<b>description</b>	rinse arm shaft mounting pos. upper ø 16mm H 70mm thread 1/4"		
<b>For models:</b>	670-TRONIC, A670-TRONIC, GLS805-GIGA, GLS845-GIGA, GLS905-GIGA, GLS925-GIGA, N45, N50-TRONIC-PDS-PBS, N700F, N700FPS, N700F-PS, N700PS, N90		

			
1			
<b>GEV No.</b>	524273	<b>Ref. No.</b>	908707
<b>description</b>	rinse arm shaft mounting pos. upper ø 16mm H 84mm thread 1/4"		
<b>For models:</b>	E1000, GLS945-GIGA, N1000-SILANOS		

rinse arm shafts

			
1			
<b>GEV No.</b>	519200	<b>Ref. No.</b>	904762
<b>description</b>	rinse arm shaft		
<b>For models:</b>	LP109, LP124, LP67, LP67E, LP67E-TRONIC, LP84		


			
1			
<b>GEV No.</b>	524509	<b>Ref. No.</b>	908771
<b>description</b>	rinse arm shaft mounting pos. upper/lower ø 13mm H 30mm thread 1/4"		
<b>For models:</b>	020, 620, A670-TRONIC, E1000, N50-TRONIC-PDS-PBS		

			
1			
<b>GEV No.</b>	517648	<b>Ref. No.</b>	908705
<b>description</b>	rinse arm shaft mounting pos. lower ø 15mm H 160mm thread 1/4" thread L 12mm		
<b>For models:</b>	670-TRONIC, A670-TRONIC, GLS805-GIGA, GLS845-GIGA, N700F, N700FPS, N700F-PS, N700PS		


knobs


producer-specific knobs

SILANOS

			
1			
<b>GEV No.</b>	524034	<b>Ref. No.</b>	908734
<b>description</b>	rinse arm shaft mounting pos. lower ø 16mm H 100mm		
<b>For models:</b>	E1000, GLS945-GIGA, N1000-SILANOS		

			
1			
<b>GEV No.</b>	110528	<b>Ref. No.</b>	903970 903972
<b>description</b>	knob thermostat t.max. 300°C temperature range 50-300°C ø 50mm shaft ø 6x4.6mm shaft flat upper black H 25mm		
<b>For models:</b>	PIASTRA-DOPPIA, PIASTRA-DOPPIA-1-2-LISCIA-SOTTO, PIASTRA-DOPPIA-LISCIA, PIASTRA-DOPPIA-LISCIA-SOTTO, PIASTRA-DOPPIA-RIGATA, PIASTRA-MEDIA, PIASTRA-MEDIA-1-2-LISCIA, PIASTRA-MEDIA-LISCIA, PIASTRA-MEDIA-RIGATA, PIASTRA-SINGOLA, PIASTRA-SINGOLA-1-2-LISCIA, PIASTRA-SINGOLA-LISCIA, PIASTRA-SINGOLA-RIGATA		

			
1			
<b>GEV No.</b>	519199	<b>Ref. No.</b>	904760
<b>description</b>	rinse arm shaft mounting pos. upper and bottom ø 10mm H 21.5mm thread 1/4"		
<b>For models:</b>	024, 030, 1000, 1300, 1300S, 400, 600, 620, 627, 627PS, 670-TRONIC, 700, 800, 900, E1000, E40, E45, E50, F19, F19A, F22, F22A, F27A, F28A, GLB615-GIGA, GLB785-GIGA, GLB795-GIGA, GLS805-GIGA, GLS845-GIGA, GLS905-GIGA, GLS925-GIGA, GLS935-GIGA, GLS945-GIGA, GLS945S-GIGA, N1000-SILANOS, N1300, N45, N50, N700F, N700F-PS, N700F-PS, N700PS, N90, SVELTINA, V40, V45, V50		

			
1			
<b>GEV No.</b>	110527	<b>Ref. No.</b>	903973
<b>description</b>	knob zero mark t.max.°C ø 40mm shaft ø 6x4.6mm shaft flat lower black		



1

<b>GEV No.</b>	111793	<b>Ref. No.</b>	903940
<b>description</b>	knob zero mark t.max.°C temperature range°C ø 44mm shaft ø 6x4.6mm shaft flat lower black		
<b>For models:</b>	F6, FA3		

## handles and hand wheels

### handle rails

#### SILANOS



1

<b>GEV No.</b>	524271	<b>Ref. No.</b>	903933
<b>description</b>	handle rail L 512mm W 28mm H 40mm dark blue Qty 1 pcs		
<b>For models:</b>	A670-TRONIC, GLS805-GIGA, GLS845-GIGA, N45, N700F, N700FPS, N700F-PS, N700PS		
<b>accessories for</b>	524271		
	<b>GEV No.</b>	697926	<b>Ref. No.</b> 901657
	sticker for handle rail L 460mm		



1

<b>GEV No.</b>	511195	<b>Ref. No.</b>	903934
<b>description</b>	handle rail L 562mm W 40mm suitable for Silanos blue hole distance 257/393/493mm		
<b>For models:</b>	GLS905-GIGA, GLS925-GIGA, N50, N50-TRONIC-PDS-PBS, N90		

### handle rails



1

<b>GEV No.</b>	524271	<b>Ref. No.</b>	903933
<b>description</b>	handle rail L 512mm W 28mm H 40mm dark blue Qty 1 pcs		
<b>For models:</b>	A670-TRONIC, GLS805-GIGA, GLS845-GIGA, N45, N700F, N700FPS, N700F-PS, N700PS		
<b>accessories for</b>	524271		
	<b>GEV No.</b>	697926	<b>Ref. No.</b> 901657
	sticker for handle rail L 460mm		



1

<b>GEV No.</b>	511195	<b>Ref. No.</b>	903934
<b>description</b>	handle rail L 562mm W 40mm suitable for Silanos blue hole distance 257/393/493mm		
<b>For models:</b>	GLS905-GIGA, GLS925-GIGA, N50, N50-TRONIC-PDS-PBS, N90		

## locks

### snap locks

#### universal



Image not available

1

<b>GEV No.</b>	519246	<b>Ref. No.</b>	906101
<b>description</b>	snap lock		
<b>For models:</b>	250, 400, 600, 700, Ambra		

## hinges

### door bearing



Image not available

1

<b>GEV No.</b>	519203	<b>Ref. No.</b>	904790
<b>description</b>	bolt for door hinge		
<b>For models:</b>	250, 400, 600, 700, Ambra		

## pullouts

### rollers

#### rollers



1

<b>GEV No.</b>	692465	<b>Ref. No.</b>	908704
<b>description</b>	roller rollerø 33mm B1 8mm A 33mm B 8mm C 14.5mm D M8mm E 11.5mm plastic tread plastic bearing ball bearing thread M8x1.25 thread L 20mm Qty 1 pcs		
<b>For models:</b>	GLS945-GIGA, GLS945S-GIGA, LP67E, LP67E-TRONIC, N1000-SILANOS, N1300		





## equipment feet and end caps

### equipment feet

#### with screw mounting



1

<b>GEV No.</b>	701304	<b>Ref. No.</b>	905016
<b>description</b>	equipment foot tube ø 52mm thread M10 thread L 18mm H 130-190mm SS size 2" Qty 1 pcs WS 44		
<b>For models:</b>	GLS925-GIGA, N90		

#### screw-in feet



1

<b>GEV No.</b>	513284	<b>Ref. No.</b>	907142
<b>description</b>	equipment foot thread M8 thread L 20mm ø 30mm H 12mm Qty 1 pcs		
<b>For models:</b>	020, 620, 627, 627PS		

## baskets

### warewashing baskets

#### plastic baskets round



1

<b>GEV No.</b>	970828	<b>Ref. No.</b>	901281
<b>description</b>	mix basket ED ø 360mm H 165mm		

#### steel wire baskets square

##### mix baskets




1

<b>GEV No.</b>	971029 <sup>1</sup>	<b>Ref. No.</b>	901390
<b>description</b>	mix basket L 450mm W 450mm H 120mm mesh type wide-meshed		

<sup>1</sup>wide-meshed

#### plastic baskets square

##### mix baskets



1

<b>GEV No.</b>	971098	<b>Ref. No.</b>	901526
<b>description</b>	mix basket L 350mm W 350mm H 120mm		



1

<b>GEV No.</b>	971078	<b>Ref. No.</b>	908926
<b>description</b>	mix basket L 400mm W 400mm H 150mm		



1

<b>GEV No.</b>	970695	<b>Ref. No.</b>	901504
<b>description</b>	mix basket L 450mm W 450mm H 106mm		

#### plate baskets



1

<b>GEV No.</b>	970694	<b>Ref. No.</b>	901505 901600
<b>description</b>	plate basket L 450mm W 450mm H 106mm plates 14		

### accessories


#### cutlery inserts



1

<b>GEV No.</b>	976013	<b>Ref. No.</b>	901620 901621
<b>description</b>	cutlery insert L 105mm W 105mm ømm H 140mm		

plate inserts



<b>GEV No.</b>	970044	<b>Ref. No.</b>	903520
<b>description</b>	plate insert L 345mm W 100mm plates 17		


**gaskets**

O-rings


EPDM



<b>GEV No.</b>	510302	<b>Ref. No.</b>	904320
<b>description</b>	O-ring EPDM ID $\varnothing$ 12.42mm thickness 1.78mm Qty 1 pcs		
<b>For models:</b>	250, Ambra, R20, R20A, R23A, R29A, Rubinia		




<b>GEV No.</b>	529545	<b>Ref. No.</b>	904324
<b>description</b>	O-ring EPDM thickness 1.78mm ID $\varnothing$ 10.82mm Qty 1 pcs		
<b>For models:</b>	020, 620, 627, 627PS, 670-TRONIC, A670-TRONIC, E1000, GLB615-GIGA, GLS805-GIGA, GLS845-GIGA, GLS945-GIGA, N1000-SILANOS, N50-TRONIC-PDS-PBS, N700F, N700FPS, N700F-PS, N700PS		




<b>GEV No.</b>	505045	<b>Ref. No.</b>	904310 904311
<b>description</b>	O-ring EPDM thickness 1.78mm ID $\varnothing$ 5.28mm Qty 1 pcs		
<b>For models:</b>	1000, 400, 600, 700		



<b>GEV No.</b>	510303	<b>Ref. No.</b>	904321
<b>description</b>	O-ring EPDM thickness 1.78mm ID $\varnothing$ 6.75mm Qty 1 pcs		
<b>For models:</b>	024, 030, 1000, 1300, 1300S, 400, 600, 670-TRONIC, 700, 800, 900, E1000, E40, E45, E50, F19, F19A, F22, F22A, F27A, F28A, GLB615-GIGA, GLB785-GIGA, GLB795-GIGA, GLS805-GIGA, GLS845-GIGA, GLS905-GIGA, GLS925-GIGA, GLS935-GIGA, GLS945-GIGA, GLS945S-GIGA, LP109, LP124, LP67, LP67E, LP67E-TRONIC, LP84, N1000-SILANOS, N1300, N45, N50, N700F, N700FPS, N700F-PS, N700PS, N90, SVELTINA, V40, V45, V50		




<b>GEV No.</b>	510177	<b>Ref. No.</b>	904392
<b>description</b>	O-ring EPDM thickness 1.78mm ID $\varnothing$ 7.66mm Qty 1 pcs		
<b>For models:</b>	250, Ambra, R20, R20A, R23A, R29A, Rubinia		




<b>GEV No.</b>	519181	<b>Ref. No.</b>	904388
<b>description</b>	O-ring EPDM thickness 1mm ID $\varnothing$ 5mm Qty 1 pcs		
<b>For models:</b>	024, 030, 1000, 1300, 1300S, 600, 670-TRONIC, 700, 800, 900, E1000, E40, E45, E50, F19, F19A, F22, F22A, F27A, F28A, GLB615-GIGA, GLB785-GIGA, GLB795-GIGA, GLS805-GIGA, GLS845-GIGA, GLS905-GIGA, GLS925-GIGA, GLS935-GIGA, GLS945-GIGA, GLS945S-GIGA, N1000-SILANOS, N1300, N45, N50, N700F, N700FPS, N700F-PS, N700PS, N90, SVELTINA, T1400, TS3700, V40, V45, V50		



<b>GEV No.</b>	511508	<b>Ref. No.</b>	906222
<b>description</b>	O-ring EPDM thickness 2.62mm ID $\varnothing$ 12.37mm Qty 10 pcs		



<b>GEV No.</b>	528333	<b>Ref. No.</b>	904390
<b>description</b>	O-ring EPDM thickness 2.62mm ID $\varnothing$ 13.1mm Qty 1 pcs		
<b>For models:</b>	1000, 400, 600, 700, GLS935-GIGA		



<b>GEV No.</b>	504590	<b>Ref. No.</b>	904330
<b>description</b>	O-ring EPDM thickness 2.62mm ID $\varnothing$ 18.72mm Qty 1 pcs		
<b>For models:</b>	1000, 250, 400, 600, 700, Ambra, LAVASTOVIGLIE-A-NASTRO-N2500, LAVASTOVIGLIE-A-NASTRO-N3500, LAVASTOVIGLIE-A-NASTRO-N5000, LAVASTOVIGLIE-A-NASTRO-N6000, LAVASTOVIGLIE-A-NASTRO-N7500, LAVASTOVIGLIE-A-NASTRO-N9000, LAVASTOVIGLIE-A-TRAINO, LAVASTOVIGLIE-A-TRAINO-T1650, LAVASTOVIGLIE-A-TRAINO-T2000, LAVASTOVIGLIE-A-TRAINO-T3000, LP109, LP109V, LP124, LP67, LP67E, LP67E-TRONIC, LP67V, LP84, R20, R20A, R23A, R29A, Rubinia, T1400, TS3700		



<b>GEV No.</b>	510893	<b>Ref. No.</b>	904391
<b>description</b>	O-ring EPDM thickness 2.62mm ID $\varnothing$ 9.92mm Qty 1 pcs		
<b>For models:</b>	024, 030, 250, 400, Ambra, F19, F19A, F22, F22A, F27A, F28A, GLB785-GIGA, GLB795-GIGA, R20, R20A, R23A, R29A, SVELTINA		

<b>GEV No.</b>	519179	<b>Ref. No.</b>	904380
<b>description</b>	O-ring EPDM thickness 3.53mm ID $\varnothing$ 41.28mm Qty 1 pcs		
<b>For models:</b>	020, 024, 030, 1000, 1300, 1300S, 250, 400, 600, 620, 627, 627PS, 670-TRONIC, 700, 800, 900, A670-TRONIC, Ambra, E1000, F19, F19A, F22, F22A, F27A, F28A, GLB615-GIGA, GLB785-GIGA, GLB795-GIGA, GLS805-GIGA, GLS845-GIGA, GLS935-GIGA, GLS945-GIGA, GLS945S-GIGA, LAVASTOVIGLIE-A-NASTRO-N2500, LAVASTOVIGLIE-A-NASTRO-N3500, LAVASTOVIGLIE-A-NASTRO-N5000, LAVASTOVIGLIE-A-NASTRO-N6000, LAVASTOVIGLIE-A-NASTRO-N7500, LAVASTOVIGLIE-A-NASTRO-N9000, LAVASTOVIGLIE-A-TRAIINO, LAVASTOVIGLIE-A-TRAIINO-T1650, LAVASTOVIGLIE-A-TRAIINO-T2000, LAVASTOVIGLIE-A-TRAIINO-T3000, LP109, LP109V, LP124, LP67, LP67E, LP67E-TRONIC, LP67V...(Other models you can see in the webshop)		

<b>GEV No.</b>	511322	<b>Ref. No.</b>	904340 904430
<b>description</b>	O-ring EPDM thickness 3.53mm ID $\varnothing$ 20.22mm Qty 1 pcs		
<b>For models:</b>	020, 024, 030, 1000, 250, 400, 600, 620, 627, 627PS, 700, 800, A670-TRONIC, Ambra, E1000, F19, F19A, F22, F22A, F27A, F28A, GLB615-GIGA, GLB785-GIGA, GLB795-GIGA, GLS805-GIGA, GLS845-GIGA, GLS905-GIGA, GLS925-GIGA, GLS945-GIGA, GLS945S-GIGA, LAVASTOVIGLIE-A-NASTRO-N2500, LAVASTOVIGLIE-A-NASTRO-N3500, LAVASTOVIGLIE-A-NASTRO-N5000, LAVASTOVIGLIE-A-NASTRO-N6000, LAVASTOVIGLIE-A-NASTRO-N7500, LAVASTOVIGLIE-A-NASTRO-N9000, N1000-SILANOS, N1300, N45, N50, N50-TRONIC-PDS-PBS, N700F, N700FPS, N700F-PS, N700PS, N90, R20, R20A, R23A, R29A...(Other models you can see in the webshop)		


<b>GEV No.</b>	511331	<b>Ref. No.</b>	904395 TR0189
<b>description</b>	O-ring EPDM thickness 3.53mm ID $\varnothing$ 53.57mm Qty 1 pcs		
<b>For models:</b>	1000, 1300S, E1000, GLS935-GIGA, GLS945-GIGA, GLS945S-GIGA, LAVASTOVIGLIE-A-NASTRO-N2500, LAVASTOVIGLIE-A-NASTRO-N3500, LAVASTOVIGLIE-A-NASTRO-N5000, LAVASTOVIGLIE-A-NASTRO-N6000, LAVASTOVIGLIE-A-NASTRO-N7500, LAVASTOVIGLIE-A-NASTRO-N9000, LAVASTOVIGLIE-A-TRAIINO-T1650, LAVASTOVIGLIE-A-TRAIINO-T2000, LAVASTOVIGLIE-A-TRAIINO-T3000, LP109, LP124, LP67, LP84, N1000-SILANOS, N1300		

<b>GEV No.</b>	501352	<b>Ref. No.</b>	904404
<b>description</b>	O-ring EPDM thickness 3.53mm ID $\varnothing$ 21.82mm Qty 1 pcs		
<b>For models:</b>	670-TRONIC, GLS805-GIGA, GLS845-GIGA, GLS905-GIGA, GLS925-GIGA, N45, N50-TRONIC-PDS-PBS, N700F, N700FPS, N700F-PS, N90		

<b>GEV No.</b>	521120	<b>Ref. No.</b>	907981
<b>description</b>	O-ring EPDM thickness 5.34mm ID $\varnothing$ 37.47mm Qty 1 pcs		
<b>For models:</b>	024, 030, 1000, 1300, 1300S, 400, 600, 620, 627, 627PS, 670-TRONIC, 700, 800, A670-TRONIC, F19, F19A, F22, F22A, F27A, F28A, GLB785-GIGA, GLB795-GIGA, GLS905-GIGA, GLS925-GIGA, GLS935-GIGA, LAVASTOVIGLIE-A-NASTRO-N2500, LAVASTOVIGLIE-A-NASTRO-N3500, LAVASTOVIGLIE-A-NASTRO-N5000, LAVASTOVIGLIE-A-NASTRO-N6000, LAVASTOVIGLIE-A-NASTRO-N7500, LAVASTOVIGLIE-A-NASTRO-N9000, LAVASTOVIGLIE-A-TRAIINO, LAVASTOVIGLIE-A-TRAIINO-T1650, LAVASTOVIGLIE-A-TRAIINO-T2000, LAVASTOVIGLIE-A-TRAIINO-T3000, LP109, LP124, LP67, LP84, N45, N50, N50-TRONIC-PDS-PBS, N90, Rubinia, SVELTINA, T1400, TS3700		

<b>GEV No.</b>	510072	<b>Ref. No.</b>	904350
<b>description</b>	O-ring EPDM thickness 3.53mm ID $\varnothing$ 32.93mm Qty 1 pcs		
<b>For models:</b>	020, 024, 030, 250, 620, 627, 627PS, Ambra, E40, E45, E50, F19, F19A, F22, F22A, F27A, F28A, GLB615-GIGA, GLB785-GIGA, GLB795-GIGA, R20, R20A, R23A, R29A, Rubinia, SVELTINA, V40, V45, V50		


<b>GEV No.</b>	510409	<b>Ref. No.</b>	TR0115
<b>description</b>	O-ring EPDM thickness 5.34mm ID $\varnothing$ 56.52mm Qty 1 pcs		




<b>GEV No.</b>	510551	<b>Ref. No.</b>	904374 904397
<b>description</b>	pump cover gasket ID ø 158.3mm pump type 1214/1293/1225/2243/1226/1204/3473/1241 thickness 3.53mm EPDM Qty 1 pcs		

sealing washers


fibre gaskets



<b>GEV No.</b>	519440	<b>Ref. No.</b>	903412
<b>description</b>	flat gasket ED ø 24mm ID ø 10.2mm thickness 1mm Qty 1 pcs		



<b>GEV No.</b>	519125	<b>Ref. No.</b>	903400
<b>description</b>	flat gasket FIBER ED ø 18mm ID ø 10mm thickness 1.5mm Qty 1 pcs equiv. no. 903400		
<b>For models:</b>	250, Ambra		




<b>GEV No.</b>	510405	<b>Ref. No.</b>	903300
<b>description</b>	flat gasket fibre ED ø 56mm ID ø 42mm thickness 2mm for thread 1¼" Qty 1 pcs		
<b>For models:</b>	1000, 600, 700		




<b>GEV No.</b>	519126	<b>Ref. No.</b>	903410
<b>description</b>	gasket ED ø 13mm ID ø 8mm thickness 1.5mm Qty 1 pcs		
<b>For models:</b>	1000, 250, Ambra, LAVASTOVIGLIE-A-NASTRO-N2500, LAVASTOVIGLIE-A-NASTRO-N3500, LAVASTOVIGLIE-A-NASTRO-N5000, LAVASTOVIGLIE-A-NASTRO-N6000, LAVASTOVIGLIE-A-NASTRO-N7500, LAVASTOVIGLIE-A-NASTRO-N9000, LAVASTOVIGLIE-A-TRAINO, LAVASTOVIGLIE-A-TRAINO-T3000, LP109, LP124, LP67, LP84, R20, R20A, R23A, R29A, Rubinia, T1400, TS3700		


rubber gaskets




<b>GEV No.</b>	511649	<b>Ref. No.</b>	903263
<b>description</b>	flat gasket rubber ED ø 20mm ID ø 12mm thickness 2mm Qty 1 pcs		
<b>For models:</b>	020, 620		




<b>GEV No.</b>	511936	<b>Ref. No.</b>	904991
<b>description</b>	flat gasket rubber ED ø 25mm ID ø 16.5mm thickness 1.8mm Qty 1 pcs warewashing		
<b>For models:</b>	020, 600, 620, 627, 627PS, 670-TRONIC, 700, 800, 900, A670-TRONIC, E40, E45, E50, GLB615-GIGA, GLS805-GIGA, GLS845-GIGA, GLS905-GIGA, GLS925-GIGA, LAVASTOVIGLIE-A-NASTRO-N2500, LAVASTOVIGLIE-A-NASTRO-N3500, LAVASTOVIGLIE-A-NASTRO-N5000, LAVASTOVIGLIE-A-NASTRO-N6000, LAVASTOVIGLIE-A-NASTRO-N7500, LAVASTOVIGLIE-A-NASTRO-N9000, N45, N50, N50-TRONIC-PDS-PBS, N700F, N700FPS, N700F-PS, N700PS, N90, V40, V45, V50		




<b>GEV No.</b>	519114	<b>Ref. No.</b>	903260
<b>description</b>	flat gasket rubber ED ø 25mm ID ø 16.5mm thickness 2mm Qty 1 pcs		
<b>For models:</b>	024, 030, 1300, 250, 400, 600, 620, 627, 627PS, 670-TRONIC, 700, 800, 900, A670-TRONIC, Ambra, E40, E45, E50, F19, F19A, F22, F22A, F27A, F28A, GLB615-GIGA, GLB785-GIGA, GLB795-GIGA, GLS805-GIGA, GLS845-GIGA, LAVASTOVIGLIE-A-NASTRO-N2500, LAVASTOVIGLIE-A-NASTRO-N3500, LAVASTOVIGLIE-A-NASTRO-N5000, LAVASTOVIGLIE-A-NASTRO-N6000, LAVASTOVIGLIE-A-NASTRO-N7500, LAVASTOVIGLIE-A-NASTRO-N9000, LAVASTOVIGLIE-A-TRAINO, LAVASTOVIGLIE-A-TRAINO-T1650, LAVASTOVIGLIE-A-TRAINO-T2000, LAVASTOVIGLIE-A-TRAINO-T3000, LP109, LP109V, LP124, LP67, LP67E, LP67E-TRONIC, LP67V, LP84, N700F, N700FPS, N700F-PS...(Other models you can see in the webshop)		




<b>GEV No.</b>	519113	<b>Ref. No.</b>	903250
<b>description</b>	flat gasket rubber ED ø 28mm ID ø 19mm thickness 3mm Qty 1 pcs		
<b>For models:</b>	1000, 1300, 1300S, 250, 400, 600, 700, Ambra, E1000, GLS935-GIGA, GLS945-GIGA, GLS945S-GIGA, LAVASTOVIGLIE-A-NASTRO-N2500, LAVASTOVIGLIE-A-NASTRO-N3500, LAVASTOVIGLIE-A-NASTRO-N5000, LAVASTOVIGLIE-A-NASTRO-N6000, LAVASTOVIGLIE-A-NASTRO-N7500, LAVASTOVIGLIE-A-NASTRO-N9000, LAVASTOVIGLIE-A-TRAINO, LAVASTOVIGLIE-A-TRAINO-T1650, LAVASTOVIGLIE-A-TRAINO-T2000, LAVASTOVIGLIE-A-TRAINO-T3000, LP109, LP109V, LP124, LP67, LP67E, LP67E-TRONIC, LP67V, LP84, N1000-SILANOS, N1300, Rubinia, T1400, TS3700		





<b>GEV No.</b>	519341	<b>Ref. No.</b>	TR2051
<b>description</b>	flat gasket rubber ED ø 40mm ID ø 5.5mm thickness 2mm Qty 1 pcs		
<b>For models:</b>	LAVASTOVIGLIE-A-TRAINO, LAVASTOVIGLIE-A-TRAINO-T1650, LAVASTOVIGLIE-A-TRAINO-T2000, LAVASTOVIGLIE-A-TRAINO-T3000, LP109, LP124, LP67, LP67E, LP67E-TRONIC, LP84, T1400, TS3700		





<b>GEV No.</b>	519115	<b>Ref. No.</b>	903280
<b>description</b>	flat gasket rubber ED ø 48mm ID ø 32mm thickness 3mm Qty 1 pcs		
<b>For models:</b>	1000, 400, 600, 700, Rubinia		


			
1			
<b>GEV No.</b>	519123	<b>Ref. No.</b>	903360
<b>description</b>	flat gasket rubber ED ø 50mm ID ø 40mm thickness 4.5mm Qty 1 pcs suitable for Silanos		
<b>For models:</b>	250, 600, 700, Ambra		


			
1			
<b>GEV No.</b>	519119	<b>Ref. No.</b>	903325
<b>description</b>	flat gasket rubber ED ø 58mm ID ø 42mm thickness 3mm Qty 1 pcs		
<b>For models:</b>	400, 600, 700, LAVASTOVIGLIE-A-NASTRO-N2500, LAVASTOVIGLIE-A-NASTRO-N3500, LAVASTOVIGLIE-A-NASTRO-N5000, LAVASTOVIGLIE-A-NASTRO-N6000, LAVASTOVIGLIE-A-NASTRO-N7500, LAVASTOVIGLIE-A-NASTRO-N9000		


			
1			
<b>GEV No.</b>	519117	<b>Ref. No.</b>	903301 903302
<b>description</b>	flat gasket rubber ED ø 60mm ID ø 47mm thickness 3mm Qty 1 pcs		
<b>For models:</b>	020, 024, 030, 600, 620, 627, 627PS, 700, 800, 900, E40, E45, E50, F19, F19A, F22, F22A, F27A, F28A, GLB615-GIGA, GLB785-GIGA, GLB795-GIGA, N50, SVELTINA, V40, V45, V50		


			
1			
<b>GEV No.</b>	519118	<b>Ref. No.</b>	903320
<b>description</b>	flat gasket rubber ED ø 70mm ID ø 52mm thickness 3mm Qty 1 pcs		
<b>For models:</b>	400, 600, 670-TRONIC, 700, A670-TRONIC, E40, E45, E50, GLS805-GIGA, GLS845-GIGA, N700F, N700FPS, N700F-PS, N700PS, V40, V45, V50		

			
1			
<b>GEV No.</b>	519347	<b>Ref. No.</b>	TR2448
<b>description</b>	flat gasket rubber ED ø 80mm ID ø 60mm thickness 3mm Qty 1 pcs equiv. no. TR2448 suitable for Silanos		
<b>For models:</b>	1300, 1300S, 800, 900, GLS9455-GIGA, N1300		

			
1			
<b>GEV No.</b>	519121	<b>Ref. No.</b>	903340
<b>description</b>	flat gasket rubber ED ø 80mm ID ø 67mm thickness 3mm Qty 1 pcs suitable for Silanos		
<b>For models:</b>	250, 400, Ambra, F22A, F27A, F28A, R20A, R23A, R29A		

<p>plastic gaskets</p> 			
1			
<b>GEV No.</b>	504435	<b>Ref. No.</b>	908146
<b>description</b>	flat gasket plastic ED ø 18mm ID ø 9.5mm thickness 2.5mm for door hinge Qty 1 pcs		
<b>For models:</b>	GLS905-GIGA, GLS925-GIGA, N45, N50-TRONIC-PDS-PBS, N90		

<p>paper gasket</p> 			
1			
<b>GEV No.</b>	511650	<b>Ref. No.</b>	903403
<b>description</b>	flat gasket paper ED ø 24mm ID ø 10.5mm thickness 1mm Qty 1 pcs warewashing		
<b>For models:</b>	020, 620, 627, 627PS, 670-TRONIC, GLB615-GIGA, GLS805-GIGA, GLS845-GIGA, N700F, N700FPS, N700F-PS, N700PS		

<p>silicone gaskets</p> 			
1			
<b>GEV No.</b>	507519	<b>Ref. No.</b>	TR1340
<b>description</b>	gasket silicone ED ø 18mm ID ø 12mm thickness 4mm Qty 1 pcs for rinse arm		
<b>For models:</b>	T1400, TS3700		

			
1			
<b>GEV No.</b>	507520	<b>Ref. No.</b>	903404
<b>description</b>	gasket silicone ED ø 38mm ID ø 30mm thickness 4mm Qty 1 pcs for wash arm		
<b>For models:</b>	LAVASTOVIGLIE-A-NASTRO-N2500, LAVASTOVIGLIE-A-NASTRO-N3500, LAVASTOVIGLIE-A-NASTRO-N5000, LAVASTOVIGLIE-A-NASTRO-N6000, LAVASTOVIGLIE-A-NASTRO-N7500, LAVASTOVIGLIE-A-NASTRO-N9000, LAVASTOVIGLIE-A-TRAINO-T1650, LAVASTOVIGLIE-A-TRAINO-T2000, LAVASTOVIGLIE-A-TRAINO-T3000, LP67E, LP67E-TRONIC, T1400, TS3700		

<p>special gaskets</p>			
<p>miscellaneous</p> 			
1			
<b>GEV No.</b>	530430	<b>Ref. No.</b>	903321
<b>description</b>	gasket for rinse pipe rubber ø 33mm ID ø 24mm thickness 11mm for Silanos		
<b>For models:</b>	LAVASTOVIGLIE-A-NASTRO-N2500, LAVASTOVIGLIE-A-NASTRO-N3500, LAVASTOVIGLIE-A-NASTRO-N5000, LAVASTOVIGLIE-A-NASTRO-N6000, LAVASTOVIGLIE-A-NASTRO-N7500, LAVASTOVIGLIE-A-NASTRO-N9000, LAVASTOVIGLIE-A-TRAINO-T2000, LAVASTOVIGLIE-A-TRAINO-T3000		



gaskets for wash arm support




1

<b>GEV No.</b>	506223	<b>Ref. No.</b>	905257
<b>description</b>	gasket D1 ø 110mm D2 ø 82mm thickness 3mm with 4 screw holes flange		
<b>For models:</b>	GLS905-GIGA, GLS925-GIGA, N45, N50, N50-TRONIC-PDS-PBS, N90		



1

<b>GEV No.</b>	519445	<b>Ref. No.</b>	908141
<b>description</b>	gasket D1 ø 80mm D2 ø 50mm thickness 3mm with 4 screw holes		
<b>For models:</b>	670-TRONIC, A670-TRONIC, E1000, GLS805-GIGA, GLS845-GIGA, GLS905-GIGA, GLS925-GIGA, GLS945-GIGA, N1000-SILANOS, N45, N50-TRONIC-PDS-PBS, N700F, N700FPS, N700F-PS, N700PS, N90		



1

<b>GEV No.</b>	700174	<b>Ref. No.</b>	904100
<b>description</b>	torsion spring ø 20mm L2 42mm wire gauge ø 3.5mm mounting pos. right L1 56mm L3 38mm Qty 301209 pcs for contact grill		
<b>For models:</b>	PIASTRA-MEDIA, PIASTRA-MEDIA-1-2-LISCIA, PIASTRA-MEDIA-LISCIA, PIASTRA-MEDIA-RIGATA		



1

<b>GEV No.</b>	700175	<b>Ref. No.</b>	904101
<b>description</b>	torsion spring ø 20mm L2 57mm wire gauge ø 3.6mm mounting pos. left L1 22mm L3 18mm		
<b>For models:</b>	PIASTRA-MEDIA, PIASTRA-MEDIA-1-2-LISCIA, PIASTRA-MEDIA-LISCIA, PIASTRA-MEDIA-RIGATA		

compression springs




Image not available

1

<b>GEV No.</b>	519161	<b>Ref. No.</b>	904079
<b>description</b>	spring		
<b>For models:</b>	250, 600, 700, Ambra		




Image not available

1

<b>GEV No.</b>	519162	<b>Ref. No.</b>	904131
<b>description</b>	spring		
<b>For models:</b>	1000, 250, 400, 600, 700, Ambra, Rubinia		


springs

torsion springs



1

<b>GEV No.</b>	700173	<b>Ref. No.</b>	904081
<b>description</b>	torsion spring ø 19mm L2 47mm wire gauge ø 3mm mounting pos. left L1 48mm L3 36mm for contact grill		
<b>For models:</b>	PIASTRA-DOPPIA, PIASTRA-DOPPIA-1-2-LISCIA-SOTTO, PIASTRA-DOPPIA-LISCIA, PIASTRA-DOPPIA-LISCIA-SOTTO, PIASTRA-DOPPIA-RIGATA, PIASTRA-SINGOLA, PIASTRA-SINGOLA-1-2-LISCIA, PIASTRA-SINGOLA-LISCIA, PIASTRA-SINGOLA-RIGATA		



1

<b>GEV No.</b>	700172	<b>Ref. No.</b>	904080
<b>description</b>	torsion spring ø 19mm L2 47mm wire gauge ø 3mm mounting pos. right L1 48mm L3 36mm		
<b>For models:</b>	PIASTRA-DOPPIA, PIASTRA-DOPPIA-1-2-LISCIA-SOTTO, PIASTRA-DOPPIA-LISCIA, PIASTRA-DOPPIA-LISCIA-SOTTO, PIASTRA-DOPPIA-RIGATA, PIASTRA-SINGOLA, PIASTRA-SINGOLA-1-2-LISCIA, PIASTRA-SINGOLA-LISCIA, PIASTRA-SINGOLA-RIGATA		



roller springs


roller springs



<b>GEV No.</b>	519339	<b>Ref. No.</b>	TR1858
<b>description</b>	roller spring		
<b>For models:</b>	LP67, LP67E, LP67E-TRONIC, LP84		



<b>GEV No.</b>	519340	<b>Ref. No.</b>	TR1859
<b>description</b>	roller spring		
<b>For models:</b>	LP109, LP124		



<b>GEV No.</b>	519616	<b>Ref. No.</b>	TR1853
<b>description</b>	roller spring W 40mm ID ø 36mm lug length 50mm		
<b>For models:</b>	LAVASTOVIGLIE-A-TRAINO, LAVASTOVIGLIE-A-TRAINO-T1650, LAVASTOVIGLIE-A-TRAINO-T2000, LAVASTOVIGLIE-A-TRAINO-T3000, T1400, TS3700		



<b>GEV No.</b>	519619	<b>Ref. No.</b>	TR1866
<b>description</b>	roller spring with holder W 40mm ID ø 36.5mm lug length 60mm mounting distance 18mm bore ø 5mm		
<b>For models:</b>	T1400, TS3700		

tension springs



<b>GEV No.</b>	519443	<b>Ref. No.</b>	904051 908041 908042 908043
<b>description</b>	tension spring ø 11.5mm total length 220mm wire gauge ø 2mm		
<b>For models:</b>	GLS905-GIGA, GLS925-GIGA, N45, N50, N50-TRONIC-PDS-PBS, N90		



<b>GEV No.</b>	519163	<b>Ref. No.</b>	904133 904137
<b>description</b>	tension spring ø 38.5mm total length 394mm wire gauge ø 6.5mm for hood		
<b>For models:</b>	1000, 1300, 1300S, E1000, GLS935-GIGA, GLS945-GIGA, GLS945S-GIGA, N1000-SILANOS, N1300		

dosing pumps

peristaltic dosing pumps

BORES

built-in version

with frequency control



<b>GEV No.</b>	361406 <sup>1</sup>	<b>Ref. No.</b>	901998	
<b>description</b>	dosing pump BORES frequency control 1l/h 230VAC rinse aid hose ø 4x6mm hose silicone type Mybo built-in version with integrated non-return valve CODE PBEM1.0			
<b>spare parts for</b>	361406			
	<b>GEV No.</b>	361233	<b>Ref. No.</b>	—
	roller assembly rinse aid hose type silicone pump type PROTHO/MYBO			
	<b>GEV No.</b>	361234	<b>Ref. No.</b>	—
	cover pump type PROTHO/MYBO hose type			
	<b>GEV No.</b>	361291	<b>Ref. No.</b>	—
	pump hose PROTHO/MYBO rinse aid hose ø 2x6mm hose type silicone			
	<b>GEV No.</b>	361410	<b>Ref. No.</b>	—
	pump head pump type PROTHO/MYBO hose type silicone rinse aid hose ø 3x7mm			
<b>accessories for</b>	361406			
	<b>GEV No.</b>	361142	<b>Ref. No.</b>	—
	mounting set detergent hose type 4x6mm hose length 2m PVC 2x hose/container filter/tank intake transparent			
	<b>GEV No.</b>	520090	<b>Ref. No.</b>	—
	PVC hose ID ø 4mm ED ø 6mm L 2m thickness 1mm t.max. 60°C transparent			
	<b>GEV No.</b>	520091	<b>Ref. No.</b>	—
	nylon hose ID ø 4mm ED ø 6mm L 2m thickness 1mm operating p. 10bar burst p. 50bar t.max. 100°C transparent			

<sup>1</sup>with integrated back flow preventer





**GERMAC**






built-in version

with frequency control




<b>GEV No.</b>	361802	<b>Ref. No.</b>	902344
<b>description</b>	dosing pump frequency control 0.7l/h 230VAC rinse aid hose ø 4mm hose silicone type G302E connection angled		
<b>spare parts for</b>	361802		
	<b>GEV No.</b>	361822	<b>Ref. No.</b> 908323
	pump hose GERMAC rinse aid hose type silicone hose ø 4mm for model DC035DP/DC070DP with screw connection		





<b>GEV No.</b>	361518	<b>Ref. No.</b>	922344
<b>description</b>	dosing pump GERMAC frequency control 0.7l/h 230VAC rinse aid hose ø 4x6mm hose silicone type G302 4W built-in version 50/60Hz dimensions 67x72x101mm		
<b>spare parts for</b>	361518		
	<b>GEV No.</b>	361555	<b>Ref. No.</b> —
	pump hose GERMAC rinse aid hose type silicone hose ø 4x6mm for model G42/G302		
	<b>GEV No.</b>	361557	<b>Ref. No.</b> —
	control PCB type G300/G302/G305 GERMAC		
	<b>GEV No.</b>	361589	<b>Ref. No.</b> —
	roller assembly GERMAC suitable for G42/43/45/53/54/55/300/302/305/705		
<b>accessories for</b>	361518		
	<b>GEV No.</b>	520090	<b>Ref. No.</b> —
	PVC hose ID ø 4mm ED ø 6mm L 2m thickness 1mm t.max. 60°C transparent		
	<b>GEV No.</b>	520091	<b>Ref. No.</b> —
	nylon hose ID ø 4mm ED ø 6mm L 2m thickness 1mm operating p. 10bar burst p. 50bar t.max. 100°C transparent		



<b>GEV No.</b>	361862	<b>Ref. No.</b>	902340
<b>description</b>	dosing pump GERMAC frequency control 3l/h 230VAC detergent hose ø 4mm hose type angled connection hose thermoplastic type G300E 4W 90°		
<b>spare parts for</b>	361862		
	<b>GEV No.</b>	361926	<b>Ref. No.</b> 907287
	pump hose GERMAC detergent hose type TP hose ø 4mm for model DC035DP/DC070DP with screw connection		

**spare parts**

	<b>GEV No.</b>	361926	<b>Ref. No.</b> 907287
	pump hose GERMAC detergent hose type TP hose ø 4mm for model DC035DP/DC070DP with screw connection		

	<b>GEV No.</b>	361822	<b>Ref. No.</b> 908323
	pump hose GERMAC rinse aid hose type silicone hose ø 4mm for model DC035DP/DC070DP with screw connection		


**SEKO**

built-in version

with frequency control



<b>GEV No.</b>	361513	<b>Ref. No.</b>	902051
<b>description</b>	dosing pump SEKO frequency control 0.7l/h 230VAC rinse aid hose ø 4x6mm hose type silicone type NBR 0.7 8W counter pressure 0.1 bar		
<b>For models:</b>	N50-TRONIC-PDS-PBS		

1

<b>GEV No.</b>	362002	<b>Ref. No.</b>	902052
<b>description</b>	dosing pump SEKO frequency control 2.8l/h 230VAC detergent hose ø 5mm hose type hose Santoprene screw type NBR 3		
<b>For models:</b>	N50-TRONIC-PDS-PBS		


with time control



1

<b>GEV No.</b>	361894	<b>Ref. No.</b>	902058 902062
<b>description</b>	dosing pump SEKO time control 0.7l/h 230VAC rinse aid hose ø 4x6/6mm hose Sekobril suction level 1.5m type NBM 0.7 0-30s 3.5W		
<b>spare parts for</b>	361894		
	<b>GEV No.</b>	<b>Ref. No.</b>	—
	361135		
	pump hose SEKO rinse aid hose ø 3x8mm hose ø 4x6mm hose type D hose Sekobril		
	<b>GEV No.</b>	<b>Ref. No.</b>	—
	361136		
	roller assembly for dosing pump hole ø 4.8x4mm		

spare parts




1










<b>GEV No.</b>	361836	<b>Ref. No.</b>	907277
<b>description</b>	pump hose SEKO rinse aid hose ø 4x8.6mm hose ø 4x6mm hose type silicone		











membrane dosing pumps


self-priming  
LANG






1

<b>GEV No.</b>	361032	<b>Ref. No.</b>	902270
<b>description</b>	dosing pump type N6 membrane dosing pump rinse aid pressure connection ø angled, 4x6mm suction connection ø angled, 4x6mm		
<b>For models:</b>	400		
<b>spare parts for</b>	361032		
	<b>GEV No.</b>	<b>Ref. No.</b>	—
	361079		
	spring for type N5/N6 for ball		
	<b>GEV No.</b>	<b>Ref. No.</b>	—
	361080		
	O-ring EPDM thickness 2mm ID ø 16mm Qty 1 pcs		
	<b>GEV No.</b>	<b>Ref. No.</b>	—
	361085		
	O-ring EPDM thickness 2mm ID ø 8mm Qty 1 pcs		
	<b>GEV No.</b>	<b>Ref. No.</b>	—
	361309		
	ball for type N5/N6		
	<b>GEV No.</b>	<b>Ref. No.</b>	—
	361310		
	bracket for type N6 ball guide		
	<b>GEV No.</b>	<b>Ref. No.</b>	—
	361311		
	O-ring EPDM thickness 2mm ID ø 6mm Qty 1 pcs for type N6		
	<b>GEV No.</b>	<b>Ref. No.</b>	—
	361314		
	valve ring for type N6 holder for O-ring		
	<b>GEV No.</b>	<b>Ref. No.</b>	—
	361317		
	sealing disc for type N6		
	<b>GEV No.</b>	<b>Ref. No.</b>	—
	361886		
	non-return valve inletmm outletmm outlet ø 12.4mm L 12.7mm		

			
1			
<b>GEV No.</b>	361575	<b>Ref. No.</b>	902199
<b>description</b>	dosing pump type N6 rinse aid pressure connection ø straight, 4x6mm suction connection ø angled, 6mm LANG		
<b>For models:</b>	024, 030, 1000, 1300, 1300S, 600, 700, 800, 900, E40, E45, E50, F19, F19A, F22, F22A, F27A, F28A, GLB785-GIGA, GLB795-GIGA, GLS935-GIGA, R20, R20A, R23A, R29A, SVELTINA, V40, V45, V50		
<b>spare parts for</b>	361575		
	<b>GEV No.</b>	361079	<b>Ref. No.</b> —
	spring for type N5/N6 for ball		
	<b>GEV No.</b>	361080	<b>Ref. No.</b> —
	O-ring EPDM thickness 2mm ID ø 16mm Qty 1 pcs		
	<b>GEV No.</b>	361085	<b>Ref. No.</b> —
	O-ring EPDM thickness 2mm ID ø 8mm Qty 1 pcs		
	<b>GEV No.</b>	361309	<b>Ref. No.</b> —
	ball for type N5/N6		
	<b>GEV No.</b>	361310	<b>Ref. No.</b> —
	bracket for type N6 ball guide		
	<b>GEV No.</b>	361311	<b>Ref. No.</b> —
	O-ring EPDM thickness 2mm ID ø 6mm Qty 1 pcs for type N6		
	<b>GEV No.</b>	361314	<b>Ref. No.</b> —
	valve ring for type N6 holder for O-ring		
	<b>GEV No.</b>	361317	<b>Ref. No.</b> —
	sealing disc for type N6		
	<b>GEV No.</b>	361886	<b>Ref. No.</b> —
	non-return valve inletmm outletmm outlet ø 12.4mm L 12.7mm		

<b>SEKO</b>			
			
Image not available			
1			
<b>GEV No.</b>	362031	<b>Ref. No.</b>	902201
<b>description</b>	dosing pump type DIB E rinse aid pump rate 0-5cm <sup>3</sup> per stroke pressure connection ø 4x6mm suction connection ø 4x6mm suction connection SEKO supporting pressure closed		

<b>various</b>			
			
1			
<b>GEV No.</b>	361015	<b>Ref. No.</b>	902203
<b>description</b>	dosing pump membrane dosing pump rinse aid inlet 6x8mm outlet 4x6mm pressure connection ø 4x6mm suction connection ø 6x8mm		
<b>For models:</b>	250, 600, 700, Ambra, N50		
<b>spare parts for</b>	361015		
	<b>GEV No.</b>	361132	<b>Ref. No.</b> —
	membrane dosing pump		
	<b>GEV No.</b>	510298	<b>Ref. No.</b> —
	lip valve dosing pump suitable for DB2/DS5		











<b>self-priming with supporting pressure</b>			
<b>GERMAC</b>			
<b>type 2001</b>			
			
1			
<b>GEV No.</b>	361545	<b>Ref. No.</b>	902013 902018
<b>description</b>	dosing pump type 2001 rinse aid inlet 4x6mm outlet M10x1 suction connection ø 4x6mm supporting pressure 11mm rebound ball PTFE 1mm GERMAC CODE VNR/U3		
<b>For models:</b>	020, 620, 627, 627PS, 670-TRONIC, A670-TRONIC, E1000, GLB615-GIGA, GLS805-GIGA, GLS845-GIGA, GLS905-GIGA, GLS925-GIGA, GLS945-GIGA, GLS945S-GIGA, N1000-SILANOS, N1300, N45, N700F, N700FPS, N700F-PS, N700PS, N90, PIASTRA-DOPPIA		
<b>spare parts for</b>	361545		
	<b>GEV No.</b>	361551	<b>Ref. No.</b> —
	compression spring wire gauge ø 1mm		
	<b>GEV No.</b>	361700	<b>Ref. No.</b> —
	hose connector rotary hose ø 4x6mm plastic connection M10x1		
	<b>GEV No.</b>	361702	<b>Ref. No.</b> —
	hose connector brass hose ø 4x6mm		
	<b>GEV No.</b>	361705	<b>Ref. No.</b> —
	gasket for hose connector M12x1		
	<b>GEV No.</b>	510298	<b>Ref. No.</b> —
	lip valve dosing pump suitable for DB2/DS5		
<b>accessories for</b>	361545		
	<b>GEV No.</b>	361142	<b>Ref. No.</b> —
	mounting set detergent hose type 4x6mm hose length 2m PVC 2x hose/container filter/tank intake transparent		


Table continues overleaf






accessories for		361545		
	GEV No.	361550	Ref. No.	—
hose connector hose ø 4x6mm				
	GEV No.	361553	Ref. No.	—
membrane EPDM				
	GEV No.	361701	Ref. No.	—
hose connector thread M10x1 grommet ø 7.5mm				
	GEV No.	361703	Ref. No.	—
hose connector thread M10x1 brass pipe connection ø 4x6mmmm				
	GEV No.	361704	Ref. No.	—
hose connector brass straight thread M12x1 hose ø 11mm Qty 1 pcs				
	GEV No.	510296	Ref. No.	—
membrane silicone				
	GEV No.	520090	Ref. No.	—
PVC hose ID ø 4mm ED ø 6mm L 2m thickness 1mm t.max. 60°C transparent				
	GEV No.	520091	Ref. No.	—
nylon hose ID ø 4mm ED ø 6mm L 2m thickness 1mm operating p. 10bar burst p. 50bar t.max. 100°C transparent				


T-pieces				
without non-return valve				
				
1				
GEV No.	512093	Ref. No.	905408	
description T-piece connection 1: 12mm connection 2: 4mm				
For models: 620, 627, 627PS, E1000, GLB615-GIGA, GLS805-GIGA, GLS845-GIGA, GLS905-GIGA, GLS925-GIGA, GLS945-GIGA, GLS9455-GIGA, N1000-SILANOS, N1300, N45, N50-TRONIC-PDS-PBS, N700F, N700FPS, N700F-PS, N700PS, N90				
accessories for 512093				
	GEV No.	361083	Ref. No.	—
union nut T1: M10x1 for hose 6mm				

			
1			
GEV No.	519217	Ref. No.	905381
description T-piece plastic hose ø 12-9-12mm 3-way hose ø 12-9-12mmmm			
For models: 1000, 1300, 1300S, 600, 670-TRONIC, 700, 800, 900, E40, E45, E50, GLS935-GIGA, N50, V40, V45, V50			

accessories



container filters			
			
1			
GEV No.	361062	Ref. No.	902568
description container filter hose ø 4mm			
For models: 1000, 1300, 1300S, E1000, F19, F19A, F22, F22A, F27A, F28A, GLS935-GIGA, GLS9455-GIGA, N1000-SILANOS, N1300, R20, R20A, R23A, R29A			

			
1			
GEV No.	361251	Ref. No.	902569
description container filter hose ø 4mm			
For models: 600, 700, Rubinia			

tank inlets			
			
1			
GEV No.	361856	Ref. No.	902366
description tank inlet stainless steel M12 hose ø 4/5/6mm			


hoses

supply hoses

PVC supply hoses				
				
1				
GEV No.	520460	Ref. No.	907348	
description supply hose PVC straight-curved DN12 connections 3/4" L 1500mm operating p. 10bar burst p. 32bar t.max. 90°C blue approval WRAS				
accessories for 520460				
	GEV No.	520053	Ref. No.	—
screen connection 3/4" D1 ø 26mm D2 ø 15mm Qty 10 pcs rubber thickness 8mm				
	GEV No.	520054	Ref. No.	—
flat gasket rubber ED ø 23.5mm ID ø 14mm thickness 2.3mm Qty 10 pcs				



<b>GEV No.</b>	520010	<b>Ref. No.</b>	907344
<b>description</b>	supply hose PVC straight-curved DN13 connections 3/4" L 1500mm operating p. 10bar burst p. 32bar t.max. 90°C blue approval VDE flat seal		
<b>For models:</b>	020, 024, 030, 600, 620, 627, 627PS, 670-TRONIC, 700, 800, 900, A670-TRONIC, E40, E45, E50, F19, F19A, F22, F22A, F27A, F28A, GLB615-GIGA, GLB785-GIGA, GLB795-GIGA, GLS805-GIGA, GLS845-GIGA, GLS905-GIGA, GLS925-GIGA, N45, N50, N50-TRONIC-PDS-PBS, N700F, N700FPS, N700F-PS, N700PS, N90, R20, R20A, R23A, R29A, SVELTINA, V40, V45, V50		
<b>accessories for</b>	520010		
	<b>GEV No.</b>	520053	<b>Ref. No.</b> —
	screen connection 3/4" D1 ø 26mm D2 ø 15mm Qty 10 pcs rubber thickness 8mm		
	<b>GEV No.</b>	520054	<b>Ref. No.</b> —
	flat gasket rubber ED ø 23.5mm ID ø 14mm thickness 2.3mm Qty 10 pcs		



<b>GEV No.</b>	520011	<b>Ref. No.</b>	907345
<b>description</b>	supply hose PVC straight-curved DN13 connections 3/4" L 2000mm operating p. 10bar burst p. 32bar t.max. 90°C approval VDE flat seal		

drain hoses






Image not available


<b>GEV No.</b>	530921	<b>Ref. No.</b>	907446
<b>description</b>	drain hose 3/4" L 1500mm A int. ø 29mm A ext. ø 34mm B int. ø 21mm B ext. ø 26mm outer hose ø 24mm		
<b>For models:</b>	ROLLY-8L		



<b>GEV No.</b>	530571	<b>Ref. No.</b>	907440
<b>description</b>	drain hose DN24 L 1500mm straight ø inside 24mm straight ext. ø 29mm elbow ø inside 29mm elbow ext. ø 35mm outer hose ø 28mm		
<b>For models:</b>	020, 024, 030, 620, 627, 627PS, E40, E45, E50, F19, F19A, F22, F22A, F27A, F28A, GLB615-GIGA, GLB785-GIGA, GLB795-GIGA, N50, R20, R20A, R23A, R29A, SVELTINA, V40, V45, V50		




<b>GEV No.</b>	519272	<b>Ref. No.</b>	907450 907451
<b>description</b>	drain hose DN24 L 1500mm straight ø inside 32mm straight ext. ø 35mm elbow ø inside 40mm elbow ext. ø 46mm outer hose ø 38mm		
<b>For models:</b>	1000, 1300, 1300S, 600, 670-TRONIC, 700, 800, 900, A670-TRONIC, E1000, GLS805-GIGA, GLS845-GIGA, GLS935-GIGA, GLS945-GIGA, GLS945S-GIGA, N1000-SILANOS, N1300, N700F		



<b>GEV No.</b>	519456	<b>Ref. No.</b>	907439
<b>description</b>	drain hose L 1500mm D1 ø 21mm D2 ø 21mm		
<b>For models:</b>	627PS, N700FPS, N700F-PS, N700PS, Rubinia		

industrial hoses


nylon hoses




<b>GEV No.</b>	520032	<b>Ref. No.</b>	907260
<b>description</b>	nylon hose ID ø 4mm ED ø 6mm L 5m thickness 1mm operating p. 10bar burst p. 50bar t.max. 100°C blue		
<b>For models:</b>	GLS805-GIGA, GLS845-GIGA, N700F		

PVC hoses


PVC hoses without fabric



<b>GEV No.</b>	570027	<b>Ref. No.</b>	902046
<b>description</b>	PVC hose ID ø 4mm ED ø 7mm L 100m thickness 1.5mm t.max. 60°C transparent		



<b>GEV No.</b>	520027	<b>Ref. No.</b>	907270
<b>description</b>	PVC hose ID ø 4mm ED ø 7mm L 10m thickness 1.5mm t.max. 60°C transparent		





<b>GEV No.</b>	520381	<b>Ref. No.</b>	907271
<b>description</b>	PVC hose ID ø 5mm ED ø 8mm L 2m thickness 1.5mm t.max. 60°C blue		
<b>For models:</b>	LP109, LP109V, LP124, LP67, LP67E, LP67E-TRONIC, LP67V, LP84		

**silicone hoses**  
without fabric



<b>GEV No.</b>	530410	<b>Ref. No.</b>	907272 907279
<b>description</b>	silicone hose ID ø 4mm ED ø 7mm L 2m thickness 1.5mm t.max. 200°C transparent		
<b>For models:</b>	020, 024, 030, 1000, 1300, 1300S, 600, 620, 627, 627PS, 670-TRONIC, 700, 800, 900, A670-TRONIC, E1000, F19, F19A, F22, GLB615-GIGA, GLB785-GIGA, GLB795-GIGA, GLS805-GIGA, GLS845-GIGA, GLS905-GIGA, GLS925-GIGA, GLS935-GIGA, GLS945-GIGA, GLS945S-GIGA, LAVASTOVIGLIE-A-NASTRO-N2500, LAVASTOVIGLIE-A-NASTRO-N3500, LAVASTOVIGLIE-A-NASTRO-N5000, LAVASTOVIGLIE-A-NASTRO-N6000, LAVASTOVIGLIE-A-NASTRO-N7500, LAVASTOVIGLIE-A-NASTRO-N9000, LAVASTOVIGLIE-A-TRAIINO, LAVASTOVIGLIE-A-TRAIINO-T1650, LAVASTOVIGLIE-A-TRAIINO-T2000, LAVASTOVIGLIE-A-TRAIINO-T3000, N1000-SILANOS, N1300, N45, N50-TRONIC-PDS-PBS, N700F, N700FPS, N700F-PS, N700PS, N90, R20, R20A...(Other models you can see in the webshop)		



<b>GEV No.</b>	519150	<b>Ref. No.</b>	903751
<b>description</b>	formed hose dishwasher straight equiv. no. 903751		
<b>For models:</b>	600, 700, E45, E50, V45, V50		



<b>GEV No.</b>	519321	<b>Ref. No.</b>	TR0475
<b>description</b>	formed hose ext. ø 60 ID ø 50mm L 500mm dishwasher straight equiv. no. TR0475		
<b>For models:</b>	1300S, LAVASTOVIGLIE-A-NASTRO-N2500, LAVASTOVIGLIE-A-NASTRO-N3500, LAVASTOVIGLIE-A-NASTRO-N5000, LAVASTOVIGLIE-A-NASTRO-N6000, LAVASTOVIGLIE-A-NASTRO-N7500, LAVASTOVIGLIE-A-NASTRO-N9000, LAVASTOVIGLIE-A-TRAIINO, LAVASTOVIGLIE-A-TRAIINO-T1650, LAVASTOVIGLIE-A-TRAIINO-T2000, LAVASTOVIGLIE-A-TRAIINO-T3000		

**formed hoses**

straight




Image not available

<b>GEV No.</b>	519323	<b>Ref. No.</b>	TR0710
<b>description</b>	formed hose		
<b>For models:</b>	LP109, LP124, LP67, LP67E, LP67E-TRONIC, LP84		



<b>GEV No.</b>	517777	<b>Ref. No.</b>	908922
<b>description</b>	formed hose hose int. ø 27mm L 54mm black Qty 1		



<b>GEV No.</b>	519130	<b>Ref. No.</b>	903667
<b>description</b>	formed hose dishwasher straight equiv. no. 903667		
<b>For models:</b>	E40, LAVASTOVIGLIE-A-NASTRO-N2500, LAVASTOVIGLIE-A-NASTRO-N3500, LAVASTOVIGLIE-A-NASTRO-N5000, LAVASTOVIGLIE-A-NASTRO-N6000, LAVASTOVIGLIE-A-NASTRO-N7500, LAVASTOVIGLIE-A-NASTRO-N9000, V40		



<b>GEV No.</b>	519392	<b>Ref. No.</b>	903756
<b>description</b>	formed hose L 61mm dishwasher straight hose ext. ø 50mm hose int. ø 38mm		
<b>For models:</b>	670-TRONIC, A670-TRONIC, GLS805-GIGA, GLS845-GIGA, GLS905-GIGA, GLS925-GIGA, GLS945-GIGA, N1000-SILANOS, N45, N50-TRONIC-PDS-PBS, N700F, N700FPS, N700F-PS, N700PS, N90		



form L



<b>GEV No.</b>	519127	<b>Ref. No.</b>	903660
<b>description</b>	formed hose		
<b>For models:</b>	250, Ambra		



<b>GEV No.</b>	519136	<b>Ref. No.</b>	903690
<b>description</b>	formed hose		
<b>For models:</b>	1300, 800, 900		



<b>GEV No.</b>	519149	<b>Ref. No.</b>	903750
<b>description</b>	formed hose		
<b>For models:</b>	800, 900		



<b>GEV No.</b>	519152	<b>Ref. No.</b>	903780
<b>description</b>	formed hose		
<b>For models:</b>	600		



<b>GEV No.</b>	519153	<b>Ref. No.</b>	903790
<b>description</b>	formed hose		
<b>For models:</b>	700		



<b>GEV No.</b>	519155	<b>Ref. No.</b>	903820
<b>description</b>	formed hose		
<b>For models:</b>	250		



<b>GEV No.</b>	519156	<b>Ref. No.</b>	903840
<b>description</b>	formed hose		
<b>For models:</b>	600		



<b>GEV No.</b>	519157	<b>Ref. No.</b>	903850
<b>description</b>	formed hose		
<b>For models:</b>	700		



<b>GEV No.</b>	519158	<b>Ref. No.</b>	903851
<b>description</b>	formed hose		
<b>For models:</b>	E40, E45, E50, LP67E, LP67E-TRONIC		




<b>GEV No.</b>	519137	<b>Ref. No.</b>	903701
<b>description</b>	formed hose D1 ø 75mm D2 ø 59mm L 220mm curved		
<b>For models:</b>	1000, GLS935-GIGA, LP67E, LP67E-TRONIC, T1400, TS3700		





			
1			
<b>GEV No.</b>	524274	<b>Ref. No.</b>	903713
<b>description</b>	formed hose end piece A ext. ø 36mm end piece A int. ø 27mm AD2 ø 37mm ø end piece B 28mm for pump L 187mm L-shape Qty 1 black		


			
1			
<b>GEV No.</b>	519563	<b>Ref. No.</b>	908136
<b>description</b>	formed hose end piece A ext. ø 56mm end piece A int. ø 45mm AD2 ø 56mm ø end piece B 44mm L 160mm Qty 1 L-shape		
<b>For models:</b>	GLS905-GIGA, GLS925-GIGA, N50-TRONIC-PDS-PBS, N90		

 Image not available			
1			
<b>GEV No.</b>	503190	<b>Ref. No.</b>	903694
<b>description</b>	formed hose L 120mm supply EPDM warewashing 45 ED ø 56mm		


			
1			
<b>GEV No.</b>	519160	<b>Ref. No.</b>	903876
<b>description</b>	formed hose L 150mm warewashing L-shape equiv. no. 903876 W 110mm hose int. ø 40mm		
<b>For models:</b>	600, 700, GLS805-GIGA, GLS845-GIGA, N700F, N700PS		


 Image not available			
1			
<b>GEV No.</b>	506280	<b>Ref. No.</b>	909371
<b>description</b>	formed hose L 190mm EPDM warewashing black		

 Image not available			
1			
<b>GEV No.</b>	505410	<b>Ref. No.</b>	903672
<b>description</b>	formed hose L 70mm warewashing ID ø 27mm ED ø 37mm		


			
1			
<b>GEV No.</b>	519430	<b>Ref. No.</b>	903758
<b>description</b>	formed hose warewashing L-shape		
<b>For models:</b>	A670-TRONIC, N50		

			
1			
<b>GEV No.</b>	519128	<b>Ref. No.</b>	903665
<b>description</b>	formed hose warewashing L-shape equiv. no. 903665		
<b>For models:</b>	024, 030, F27A, GLB785-GIGA, GLB795-GIGA, SVELTINA		

			
1			
<b>GEV No.</b>	519132	<b>Ref. No.</b>	903674
<b>description</b>	formed hose warewashing L-shape equiv. no. 903674		
<b>For models:</b>	020, 024, 030, 620, 627, 627PS, F19, F19A, F22, F22A, F27A, F28A, GLB615-GIGA, GLB785-GIGA, GLB795-GIGA, R20, R20A, R23A, R29A, SVELTINA		

			
1			
<b>GEV No.</b>	519139	<b>Ref. No.</b>	903704
<b>description</b>	formed hose warewashing L-shape equiv. no. 903690		
<b>For models:</b>	1300S		



1

<b>GEV No.</b>	519151	<b>Ref. No.</b>	903761 908713
<b>description</b>	formed hose warewashing L-shape equiv. no. 903761		
<b>For models:</b>	1300, GLS9455-GIGA, N1300		



1

<b>GEV No.</b>	519159	<b>Ref. No.</b>	903875
<b>description</b>	formed hose warewashing L-shape equiv. no. 903875		
<b>For models:</b>	600, 670-TRONIC, 700, GLS805-GIGA, GLS845-GIGA, N700F, N700FPS, N700F-PS, N700PS		

form S



1

<b>GEV No.</b>	519129	<b>Ref. No.</b>	903666
<b>description</b>	formed hose S-shape warewashing equiv. no. 903666		
<b>For models:</b>	E40, V40		



1

<b>GEV No.</b>	519131	<b>Ref. No.</b>	903668
<b>description</b>	formed hose S-shape warewashing equiv. no. 903668		
<b>For models:</b>	020, 620, 627, 627PS, F19, F19A, F22, F22A, F28A, GLB615-GIGA		



1


<b>GEV No.</b>	519138	<b>Ref. No.</b>	903703
<b>description</b>	formed hose S-shape warewashing equiv. no. 903703		
<b>For models:</b>	E45		



1

<b>GEV No.</b>	519148	<b>Ref. No.</b>	903737
<b>description</b>	formed hose S-shape warewashing equiv. no. 903737		
<b>For models:</b>	R20, R20A, R23A, R29A		

form U



1

<b>GEV No.</b>	519142	<b>Ref. No.</b>	903721
<b>description</b>	formed hose		
<b>For models:</b>	F19, F19A, F22, F22A		





Image not available


1


<b>GEV No.</b>	519143	<b>Ref. No.</b>	903722
<b>description</b>	formed hose		
<b>For models:</b>	F28A		





 <p>Image not available</p>			
1			
<b>GEV No.</b>	519146	<b>Ref. No.</b>	903725
<b>description</b>	formed hose		
<b>For models:</b>	627, 627PS, E40, F27A, V40		

			
2			
<b>GEV No.</b>	519147	<b>Ref. No.</b>	903726
<b>description</b>	formed hose		
<b>For models:</b>	700, 800, 900		

<p>miscellaneous</p>  <p>Image not available</p>			
1			
<b>GEV No.</b>	519140	<b>Ref. No.</b>	903710
<b>description</b>	formed hose		
<b>For models:</b>	Ambra		


 <p>Image not available</p>			
1			
<b>GEV No.</b>	519141	<b>Ref. No.</b>	903720
<b>description</b>	formed hose		
<b>For models:</b>	250		

<p>for dishwashers</p> <p>miscellaneous</p>  <p>Image not available</p>			
1			
<b>GEV No.</b>	503190	<b>Ref. No.</b>	903694
<b>description</b>	formed hose L 120mm supply EPDM warewashing 45 ED ø 56mm		

 <p>Image not available</p>			
1			
<b>GEV No.</b>	506280	<b>Ref. No.</b>	909371
<b>description</b>	formed hose L 190mm EPDM warewashing black		

			
1			
<b>GEV No.</b>	519448	<b>Ref. No.</b>	907295
<b>description</b>	hose D1 ø 12mm D2 ø 19.5mm		
<b>For models:</b>	020, 024, 030, 1000, 1300, 1300S, 250, 600, 620, 627, 627PS, 670-TRONIC, 700, 800, 900, A670-TRONIC, Ambra, E1000, E40, E45, E50, GLB615-GIGA, GLB785-GIGA, GLB795-GIGA, GLS805-GIGA, GLS845-GIGA, GLS905-GIGA, GLS925-GIGA, GLS935-GIGA, GLS945-GIGA, GLS945S-GIGA, N1000-SILANOS, N1300, N45, N50, N50-TRONIC-PDS-PBS, N700F, N700FPS, N700F-PS, N700PS, N90, SVELTINA, V40, V45, V50		

			
1			
<b>GEV No.</b>	530590	<b>Ref. No.</b>	907359
<b>description</b>	hose ED ø 15mm ID ø 8mm equiv. no. 200117 Qty supplied by meter		
<b>For models:</b>	1000, 1300, 1300S, 600, 670-TRONIC, 700, 800, 900, E40, E45, E50, F19, GLS935-GIGA, N50, V40, V45, V50		

			
1			
<b>GEV No.</b>	530432	<b>Ref. No.</b>	907360
<b>description</b>	pressure hose ED ø 17mm ID ø 10mm L 1000mm operating p. 10bar burst p. 25bar temp.-resist. 110°C		
<b>For models:</b>	020, 024, 030, 1000, 250, 600, 620, 627, 627PS, 700, 800, 900, E40, E45, E50, F19, F19A, F22, F22A, F27A, F28A, GLB615-GIGA, GLB785-GIGA, GLB795-GIGA, N50, R20, R20A, R23A, R29A, SVELTINA, V40, V45, V50		



## fittings, hose and pipe connectors

### hose connectors

#### without screw connection



1			
<b>GEV No.</b>	519227	<b>Ref. No.</b>	905423
<b>description</b>	hose connector plastic ø 8/12mm L 81mm T-piece		
<b>For models:</b>	E40, E45, E50, LAVASTOVIGLIE-A-NASTRO-N2500, LAVASTOVIGLIE-A-NASTRO-N3500, LAVASTOVIGLIE-A-NASTRO-N5000, LAVASTOVIGLIE-A-NASTRO-N6000, LAVASTOVIGLIE-A-NASTRO-N7500, LAVASTOVIGLIE-A-NASTRO-N9000		



1			
<b>GEV No.</b>	519644	<b>Ref. No.</b>	905434
<b>description</b>	T-piece plastic		
<b>For models:</b>	020, 620, A670-TRONIC		



1			
<b>GEV No.</b>	519216	<b>Ref. No.</b>	905382
<b>description</b>	T-piece plastic hose ø 12-12-12mm 3-way		
<b>For models:</b>	020, 024, 030, 1000, 1300S, 600, 620, 627, 627PS, 670-TRONIC, 700, 800, 900, A670-TRONIC, E1000, E40, E45, E50, F19, F19A, F22, F22A, F27A, F28A, GLB615-GIGA, GLB785-GIGA, GLB795-GIGA, GLS805-GIGA, GLS845-GIGA, GLS905-GIGA, GLS925-GIGA, GLS935-GIGA, GLS945S-GIGA, N1000-SILANOS, N1300, N45, N50, N50-TRONIC-PDS-PBS, N700F, N700FPS, N700F-PS, N700PS, N90, R20, R20A, R23A, R29A, SVELTINA, V40, V45...(Other models you can see in the webshop)		



1			
<b>GEV No.</b>	519217	<b>Ref. No.</b>	905381
<b>description</b>	T-piece plastic hose ø 12-9-12mm 3-way hose ø 12-9-12mmmm		
<b>For models:</b>	1000, 1300, 1300S, 600, 670-TRONIC, 700, 800, 900, E40, E45, E50, GLS935-GIGA, N50, V40, V45, V50		

### fittings

#### double nipples



1			
<b>GEV No.</b>	520664	<b>Ref. No.</b>	TR2319
<b>description</b>	double nipple brass thread 1/2" - 1/2" Qty 1 pcs		



1			
<b>GEV No.</b>	520168	<b>Ref. No.</b>	TR2322
<b>description</b>	double nipple nickel-plated brass thread 1/2" - 1/2" Qty 1 pcs		

#### angle pieces



1			
<b>GEV No.</b>	520821	<b>Ref. No.</b>	908120
<b>description</b>	angle piece thread 1/4" IT - 1/4" IT nickel-plated brass		
<b>For models:</b>	024, 030, 1000, 1300, 1300S, E1000, GLB785-GIGA, GLB795-GIGA, GLS935-GIGA, GLS945-GIGA, GLS945S-GIGA, LP67E, LP67E-TRONIC, N1000-SILANOS, N1300, SVELTINA		

#### T-pieces

##### miscellaneous



1			
<b>GEV No.</b>	519218	<b>Ref. No.</b>	905386
<b>description</b>	T-piece		
<b>For models:</b>	600, 700		



miscellaneous



Image not available

<b>GEV No.</b>	519306	<b>Ref. No.</b>	956015
<b>description</b>	connecting fitting cold rinsing		
<b>For models:</b>	250, Ambra		

hose connectors

plastic



<b>GEV No.</b>	519277	<b>Ref. No.</b>	907908
<b>description</b>	hose connector plastic angled thread 1/4" hose ø 10mm Qty 1 pcs		
<b>For models:</b>	800, 900		

brass



<b>GEV No.</b>	504862	<b>Ref. No.</b>	907890
<b>description</b>	hose connector brass straight thread 3/4" hose ø 20mm Qty 1 pcs		
<b>For models:</b>	LAVASTOVIGLIE-A-NASTRO-N2500, LAVASTOVIGLIE-A-NASTRO-N3500, LAVASTOVIGLIE-A-NASTRO-N5000, LAVASTOVIGLIE-A-NASTRO-N6000, LAVASTOVIGLIE-A-NASTRO-N7500, LAVASTOVIGLIE-A-NASTRO-N9000, LAVASTOVIGLIE-A-TRAINO, LAVASTOVIGLIE-A-TRAINO-T1650, LAVASTOVIGLIE-A-TRAINO-T2000, LAVASTOVIGLIE-A-TRAINO-T3000, LP109, LP109V, LP124, LP67, LP67E, LP67V, LP84, T1400, TS3700		

nickel-plated brass



<b>GEV No.</b>	519239	<b>Ref. No.</b>	905452 905453 908100 908101
<b>description</b>	hose connector nickel-plated brass thread 1/4" hose ø 11mm Qty 1 pcs		
<b>For models:</b>	020, 620, E1000, GLB615-GIGA, GLS945-GIGA, GLS945S-GIGA, N1000-SILANOS, N1300		

producer-specific



<b>GEV No.</b>	519278	<b>Ref. No.</b>	907920
<b>description</b>	hose connector		
<b>For models:</b>	LAVASTOVIGLIE-A-NASTRO-N2500, LAVASTOVIGLIE-A-NASTRO-N3500, LAVASTOVIGLIE-A-NASTRO-N5000, LAVASTOVIGLIE-A-NASTRO-N6000, LAVASTOVIGLIE-A-NASTRO-N7500, LAVASTOVIGLIE-A-NASTRO-N9000, LAVASTOVIGLIE-A-TRAINO, LAVASTOVIGLIE-A-TRAINO-T3000, R20, R20A, R23A, R29A, Rubinia		



<b>GEV No.</b>	519290	<b>Ref. No.</b>	908121
<b>description</b>	hose connector		
<b>For models:</b>	1000, 1300, 1300S, E1000, GLS935-GIGA, GLS945-GIGA, GLS945S-GIGA, LP67E, LP67E-TRONIC, N1000-SILANOS, N1300		



<b>GEV No.</b>	519291	<b>Ref. No.</b>	906003
<b>description</b>	hose connector		
<b>For models:</b>	024, 030, F19, F19A, F22, F22A, F27A, F28A, GLB785-GIGA, GLB795-GIGA, GLS805-GIGA, GLS845-GIGA, N700F, SVELTINA		






<b>GEV No.</b>	519223	<b>Ref. No.</b>	905410
<b>description</b>	hose connector for drain		
<b>For models:</b>	600, 700, LAVASTOVIGLIE-A-NASTRO-N2500, LAVASTOVIGLIE-A-NASTRO-N3500, LAVASTOVIGLIE-A-NASTRO-N5000, LAVASTOVIGLIE-A-NASTRO-N6000, LAVASTOVIGLIE-A-NASTRO-N7500, LAVASTOVIGLIE-A-NASTRO-N9000, TS3700		



<b>GEV No.</b>	519281	<b>Ref. No.</b>	907942
<b>description</b>	hose connector thread 1/8" grommet ø 8mm		
<b>For models:</b>	1000, 1300		



			
1			
<b>GEV No.</b>	512093	<b>Ref. No.</b>	905408
<b>description</b>	T-piece connection 1: 12mm connection 2: 4mm		
<b>For models:</b>	620, 627, 627PS, E1000, GLB615-GIGA, GLS805-GIGA, GLS845-GIGA, GLS905-GIGA, GLS925-GIGA, GLS945-GIGA, GLS945S-GIGA, N1000-SILANOS, N1300, N45, N50-TRONIC-PDS-PBS, N700F, N700FPS, N700F-PS, N700PS, N90		
<b>accessories for</b>	512093		
	<b>GEV No.</b>	361083	<b>Ref. No.</b> —
	union nut T1: M10x1 for hose 6mm		

			
1			
<b>GEV No.</b>	519226	<b>Ref. No.</b>	905416
<b>description</b>	T-piece plastic		
<b>For models:</b>	600, 700		

## water cycle components

### pressure reduction valves

#### pressure reduction valves

##### universal

			
1			
<b>GEV No.</b>	520298	<b>Ref. No.</b>	TR0371
<b>description</b>	pressure reduction valve Caleffi series 5332 connection 1/2" default setting 3bar setting range 1-6bar p max 16bar t.max. 40°C with manometer chrome-plated brass WRAS/ACS		
<b>For models:</b>	LAVASTOVIGLIE-A-NASTRO-N2500, LAVASTOVIGLIE-A-NASTRO-N3500, LAVASTOVIGLIE-A-NASTRO-N5000, LAVASTOVIGLIE-A-NASTRO-N6000, LAVASTOVIGLIE-A-NASTRO-N7500, LAVASTOVIGLIE-A-NASTRO-N9000, LAVASTOVIGLIE-A-TRAINO, LAVASTOVIGLIE-A-TRAINO-T1650, LAVASTOVIGLIE-A-TRAINO-T2000, LAVASTOVIGLIE-A-TRAINO-T3000, LP109, LP109V, LP124, LP67, LP67E, LP67E-TRONIC, LP67V, LP84, TS3700		
<b>spare parts for</b>	520298		
	<b>GEV No.</b>	542230	<b>Ref. No.</b> —
	manometer ø 50mm pressure range 0 up to 10bar connection lower thread 1/4"		

## ancillary products

### clamps

#### hose clamps

##### DIN 3017 - W2

			
1			
<b>GEV No.</b>	520115	<b>Ref. No.</b>	902460
<b>description</b>	hose clamp ø 25-40mm width 9mm Qty 10 pcs DIN 3017		
<b>For models:</b>	020, 024, 030, 1000, 1300S, 600, 620, 627, 627PS, 700, 800, 900, E40, E45, E50, F19, F19A, F22, F22A, F27A, F28A, GLB615-GIGA, GLB785-GIGA, GLB795-GIGA, GLS905-GIGA, GLS925-GIGA, GLS935-GIGA, LAVASTOVIGLIE-A-NASTRO-N2500, LAVASTOVIGLIE-A-NASTRO-N3500, LAVASTOVIGLIE-A-NASTRO-N5000, LAVASTOVIGLIE-A-NASTRO-N6000, LAVASTOVIGLIE-A-NASTRO-N7500, LAVASTOVIGLIE-A-NASTRO-N9000, LAVASTOVIGLIE-A-TRAINO, LAVASTOVIGLIE-A-TRAINO-T2000, LAVASTOVIGLIE-A-TRAINO-T3000, LP67E, LP67E-TRONIC, N45, N50, N50-TRONIC-PDS-PBS, N700FPS, N700F-PS, N700PS, N90, R20, R20A, R23A, R29A, SVELTINA...(Other models you can see in the webshop)		

			
1			
<b>GEV No.</b>	520116	<b>Ref. No.</b>	902441
<b>description</b>	hose clamp ø 32-50mm width 9mm Qty 5 pcs DIN 3017		
<b>For models:</b>	020, 024, 030, 1000, 1300, 600, 620, 627, 627PS, 670-TRONIC, 700, 800, 900, A670-TRONIC, E1000, E40, E45, E50, F19, F19A, F22, F22A, F27A, F28A, GLB615-GIGA, GLB785-GIGA, GLB795-GIGA, GLS805-GIGA, GLS845-GIGA, GLS905-GIGA, GLS925-GIGA, GLS945-GIGA, GLS945S-GIGA, N1000-SILANOS, N1300, N45, N50, N50-TRONIC-PDS-PBS, N700F, N700FPS, N700F-PS, N700PS, N90, R20, R20A, R23A, R29A, SVELTINA, V40, V45...(Other models you can see in the webshop)		

			
1			
<b>GEV No.</b>	520117	<b>Ref. No.</b>	902480
<b>description</b>	hose clamp stainless steel ø 40-60mm width 9mm Qty 5 pcs DIN 3017		
<b>For models:</b>	670-TRONIC, A670-TRONIC, E1000, GLS805-GIGA, GLS845-GIGA, GLS945-GIGA, GLS945S-GIGA, N1000-SILANOS, N1300, N700F, N700F-PS, N700F-PS, N700PS		





DIN 3017 - W4



<b>GEV No.</b>	520120	<b>Ref. No.</b>	902440
<b>description</b>	hose clamp SS W4 ø 12-20mm width 9mm Qty 1 pcs DIN 3017		
<b>For models:</b>	020, 024, 030, 1000, 1300, 1300S, 250, 400, 600, 620, 627, 627PS, 670-TRONIC, 700, 800, 900, A670-TRONIC, Ambra, E1000, E40, E45, E50, F19, F19A, F22, F22A, F27A, F28A, GLB615-GIGA, GLB785-GIGA, GLB795-GIGA, GLS805-GIGA, GLS845-GIGA, GLS905-GIGA, GLS925-GIGA, GLS935-GIGA, GLS945-GIGA, GLS945S-GIGA, N1000-SILANOS, N1300, N45, N50, N50-TRONIC-PDS-PBS, N700F, N700FPS, N700F-PS, N700PS, N90, R20, R20A...(Other models you can see in the webshop)		



<b>GEV No.</b>	520121	<b>Ref. No.</b>	902450
<b>description</b>	hose clamp SS W4 ø 16-27mm width 9mm Qty 1 pcs DIN 3017		

double wire clamps



<b>GEV No.</b>	513268	<b>Ref. No.</b>	902425
<b>description</b>	hose clamp ø 8-10mm wire gauge ø 1mm Qty 1 pcs		

measuring equipment

thermometers

built-in thermometers



<b>GEV No.</b>	541086	<b>Ref. No.</b>	907090
<b>description</b>	thermometer mounting measurements 58x25.5mm 0 up to +120°C capillary pipe 2000mm probe ø 6mm probe L 23mm		
<b>For models:</b>	1000, 1300, 1300S, GLS935-GIGA, GLS945-GIGA, GLS945S-GIGA, N1000-SILANOS, N1300, T1400		

fastening material

screws

sheet metal screws



<b>GEV No.</b>	560109	<b>Ref. No.</b>	907690
<b>description</b>	sheet metal screws ø 4.2mm L 16mm SS Qty 20 pcs DIN 7981/ISO 7049 head ø 8.2mm oval head		

countersunk screws



<b>GEV No.</b>	560266	<b>Ref. No.</b>	907651
<b>description</b>	countersunk screw thread M4 L 8mm SS DIN 965/ISO 7046 Qty 1 pcs head ø 7.5mm		
<b>For models:</b>	024, 030, 1000, 1300, 1300S, 600, 670-TRONIC, 700, 800, 900, E1000, E40, E45, E50, F19, F19A, F22, F22A, F27A, F28A, GLB615-GIGA, GLB785-GIGA, GLB795-GIGA, GLS805-GIGA, GLS845-GIGA, GLS905-GIGA, GLS925-GIGA, GLS935-GIGA, GLS945-GIGA, GLS945S-GIGA, N1000-SILANOS, N1300, N45, N50, N700F, N700FPS, N700F-PS, N700PS, N90, SVELTINA, V40, V45, V50		



<b>GEV No.</b>	560267	<b>Ref. No.</b>	907871
<b>description</b>	countersunk screw thread M5 L 25mm SS DIN 965/ISO 7046 Qty 1 pcs intake Phillips		
<b>For models:</b>	670-TRONIC, GLS805-GIGA, GLS845-GIGA, N700F, N700FPS, N700F-PS, N700PS		

oval head screws



<b>GEV No.</b>	560569	<b>Ref. No.</b>	907785
<b>description</b>	oval head screw thread M6 internal thread L 13mm head ø 16mm stainless steel Qty 1 pcs ø 9x13mm		
<b>For models:</b>	1000, 1300, 1300S, E1000, GLS935-GIGA, N1000-SILANOS, N1300		

hexagonal screws



<b>GEV No.</b>	560309	<b>Ref. No.</b>	907846
<b>description</b>	hexagonal screw thread M10 thread L 16mm SS WS 17 Qty 1 pcs DIN 933 / ISO 4017		



<b>GEV No.</b>	560539	<b>Ref. No.</b>	907845
<b>description</b>	hexagonal screw thread M10 thread L 42mm SS WS 17 Qty 1 pcs head thickness 6.5mm DIN 933 / ISO 4017		
<b>For models:</b>	T1400, TS3700		



<b>GEV No.</b>	560086	<b>Ref. No.</b>	907780
<b>description</b>	hexagonal screw thread M6 thread L 10mm SS WS 10 Qty 20 pcs DIN 933 / ISO 4017		
<b>For models:</b>	600, 627, 627PS, 700, 800, 900, A670-TRONIC, E1000, E40, E45, E50, F19, F19A, F22, F22A, F27A, F28A, GLS945-GIGA, N1000-SILANOS, V40, V45, V50		



<b>GEV No.</b>	560464	<b>Ref. No.</b>	907820
<b>description</b>	hexagonal screw thread M8 thread L 12mm SS WS 13 Qty 1 pcs head thickness 5mm DIN 933 / ISO 4017		
<b>For models:</b>	020, 024, 030, 1000, 1300, 1300S, 250, 400, 600, 620, 627, 627PS, 700, 800, A670-TRONIC, Ambra, E1000, F19, F19A, F22, F22A, F27A, F28A, GLB615-GIGA, GLB785-GIGA, GLB795-GIGA, GLS805-GIGA, GLS845-GIGA, GLS905-GIGA, GLS925-GIGA, GLS935-GIGA, GLS945-GIGA, GLS945S-GIGA, N1000-SILANOS, N1300, N45, N50, N50-TRONIC-PDS-PBS, N700F, N700FPS, N700F-PS, N700PS, N90, R20, R20A, R23A, R29A, Rubinia, SVELTINA		

side bolts



<b>GEV No.</b>	519276	<b>Ref. No.</b>	907860
<b>description</b>	side bolts thread M5 L 12mm		
<b>For models:</b>	600, 700, Ambra		

miscellaneous



<b>GEV No.</b>	519275	<b>Ref. No.</b>	907720
<b>description</b>	screw for nozzle holder		
<b>For models:</b>	1000, 250, 400, 600, 700, Ambra, Rubinia		

nuts

hexagonal nuts

DIN 934 / ISO 4032/8673



<b>GEV No.</b>	560197	<b>Ref. No.</b>	902022 902025
<b>description</b>	nut thread M10 H 8mm WS 17 SS DIN/ISO DIN 934 / ISO 4032/8673 Qty 1 pcs		
<b>For models:</b>	020, 1000, 1300, 1300S, 620, 627, 627PS, 670-TRONIC, A670-TRONIC, E1000, GLB615-GIGA, GLS805-GIGA, GLS845-GIGA, GLS935-GIGA, LAVASTOVIGLIE-A-NASTRO-N2500, LAVASTOVIGLIE-A-NASTRO-N3500, LAVASTOVIGLIE-A-NASTRO-N5000, LAVASTOVIGLIE-A-NASTRO-N6000, LAVASTOVIGLIE-A-NASTRO-N7500, LAVASTOVIGLIE-A-NASTRO-N9000, LP109, LP124, LP67, LP67E, LP67E-TRONIC, LP84, N700F, N700FPS, N700F-PS, N700PS, R29A, T1400, TS3700		



<b>GEV No.</b>	505200	<b>Ref. No.</b>	902037
<b>description</b>	nut thread M12x1.75 H 10mm WS 19 SS DIN/ISO DIN 934 / ISO 4032/8673 Qty 1 pcs		
<b>For models:</b>	020		



<b>GEV No.</b>	519051	<b>Ref. No.</b>	902030
<b>description</b>	nut thread M4 H 3.2mm WS 7 SS DIN/ISO DIN 934 / ISO 4032/8673 Qty 20 pcs		
<b>For models:</b>	1000, 250, 600, 700, Ambra		



DIN 985			
1			
<b>GEV No.</b>	560142	<b>Ref. No.</b>	902040
<b>description</b>	hexagonal nut thread M6 H 6mm SS WS 10 Qty 20 pcs DIN/ISO DIN 985 self-locking		
<b>For models:</b>	030, 250, 400, 600, 627, 627PS, 670-TRONIC, 700, 800, 900, A670-TRONIC, E40, E45, E50, F27A, F28A, GLB785-GIGA, GLS805-GIGA, GLS845-GIGA, LP109, LP124, LP67, LP84, N700F, N700FPS, N700F-PS, N700PS, R29A, V40, V45, V50		

hexagonal nuts metric (without norm)			
1			
<b>GEV No.</b>	519059	<b>Ref. No.</b>	902130
<b>description</b>	locknut thread 1"		
<b>For models:</b>	1000, 400, 600, 700, GLS935-GIGA		

1			
<b>GEV No.</b>	519056	<b>Ref. No.</b>	902090
<b>description</b>	locknut thread 1 3/4"		
<b>For models:</b>	400, 600, 670-TRONIC, 700, A670-TRONIC, E40, E45, E50, GLS805-GIGA, GLS845-GIGA, N700F, N700FPS, N700F-PS, N700PS, V40, V45, V50		

1			
<b>GEV No.</b>	519348	<b>Ref. No.</b>	TR2449
<b>description</b>	locknut thread 2"		
<b>For models:</b>	1300, 800, 900		

1			
	Image not available		
<b>GEV No.</b>	519245	<b>Ref. No.</b>	906093
<b>description</b>	locknut thread 3/8"		
<b>For models:</b>	250, 600, 700, Ambra		

1			
<b>GEV No.</b>	519050	<b>Ref. No.</b>	902023
<b>description</b>	nut thread M12x1.75 H 4mm WS 16 SS Qty 1 pcs for snap lock		
<b>For models:</b>	020, 024, 030, 600, 620, 627, 627PS, 670-TRONIC, 700, 800, 900, A670-TRONIC, E40, E45, E50, F19, F19A, F22, F22A, F27A, F28A, GLB615-GIGA, GLB785-GIGA, GLB795-GIGA, GLS805-GIGA, GLS845-GIGA, GLS905-GIGA, GLS925-GIGA, N45, N50, N50-TRONIC-PDS-PBS, N700F, N700FPS, N700F-PS, N700PS, N90, R20, R20A, R23A, R29A, SVELTINA, V40, V45, V50		

hexagonal nuts inch thread			
1			
<b>GEV No.</b>	519310	<b>Ref. No.</b>	905422 956053
<b>description</b>	nut thread 1" Qty 1 pcs		
<b>For models:</b>	1000, 400, 600, 700		

1			
<b>GEV No.</b>	519058	<b>Ref. No.</b>	902110
<b>description</b>	nut thread 1/2" H 8mm SS WS 28 Qty 1 pcs		
<b>For models:</b>	250, 400, 600, 700, Ambra, LAVASTOVIGLIE-A-TRAINO, LAVASTOVIGLIE-A-TRAINO-T1650, LAVASTOVIGLIE-A-TRAINO-T2000, LAVASTOVIGLIE-A-TRAINO-T3000, T1400, TS3700		

1			
<b>GEV No.</b>	507518	<b>Ref. No.</b>	904526 904534
<b>description</b>	nut thread 1/4" H 5mm WS 17 SS Qty 1 pcs		
<b>For models:</b>	R20, R20A		

1			
<b>GEV No.</b>	503042	<b>Ref. No.</b>	902100
<b>description</b>	nut thread 3/8" H 6mm brass WS 22 Qty 1 pcs		
<b>For models:</b>	024, 030, 1000, 1300, 250, 400, 600, 620, 627, 627PS, 670-TRONIC, 700, 800, 900, Ambra, E40, E45, E50, F19, F19A, F22, F22A, F27A, F28A, GLB615-GIGA, GLB785-GIGA, GLB795-GIGA, GLS805-GIGA, GLS845-GIGA, LAVASTOVIGLIE-A-NASTRO-N2500, LAVASTOVIGLIE-A-NASTRO-N3500, LAVASTOVIGLIE-A-NASTRO-N5000, LAVASTOVIGLIE-A-NASTRO-N6000, LAVASTOVIGLIE-A-NASTRO-N7500, LAVASTOVIGLIE-A-NASTRO-N9000, LAVASTOVIGLIE-A-TRAINO, LAVASTOVIGLIE-A-TRAINO-T1650, LAVASTOVIGLIE-A-TRAINO-T2000, LAVASTOVIGLIE-A-TRAINO-T3000, LP109, LP109V, LP124, LP67, LP67E, LP67E-TRONIC, LP67V, LP84, N50, N700F, N700FPS...(Other models you can see in the webshop)		

1			
<b>GEV No.</b>	506024	<b>Ref. No.</b>	902104
<b>description</b>	nut thread 3/8" H 6mm SS WS 22 Qty 1 pcs		
<b>For models:</b>	020, 620, 627, 627PS, A670-TRONIC, GLB615-GIGA, GLS805-GIGA, GLS845-GIGA, GLS905-GIGA, GLS925-GIGA, N45, N50-TRONIC-PDS-PBS, N700F, N700FPS, N700F-PS, N700PS, N90		

## miscellaneous



1

<b>GEV No.</b>	519233	<b>Ref. No.</b>	905612
<b>description</b>	nut		
<b>For models:</b>	250, 600, 700, Ambra		



1

<b>GEV No.</b>	519309	<b>Ref. No.</b>	956046
<b>description</b>	nut		
<b>For models:</b>	600, 700, Ambra		

## washers

## spring rings



1

<b>GEV No.</b>	519235	<b>Ref. No.</b>	905941
<b>description</b>	lock washer		
<b>For models:</b>	1000, 1300, 1300S, E1000, GLS935-GIGA, GLS945-GIGA, GLS945S-GIGA, LP109, LP124, LP67, LP67E, LP67E-TRONIC, LP84, N1000-SILANOS, N1300, R29A		



1

<b>GEV No.</b>	560124	<b>Ref. No.</b>	905940
<b>description</b>	lock washer ID ø 8.3mm ED ø 15mm SS DIN127 Qty 20 pcs for thread M8		
<b>For models:</b>	1000, 1300, 1300S, E1000, GLS935-GIGA, LAVASTOVIGLIE-A-TRAINO, LAVASTOVIGLIE-A-TRAINO-T1650, LAVASTOVIGLIE-A-TRAINO-T2000, LAVASTOVIGLIE-A-TRAINO-T3000, LP109, LP124, LP67, LP84, T1400, TS3700		

## washers

## DIN 125A



1

<b>GEV No.</b>	560312	<b>Ref. No.</b>	906055
<b>description</b>	plain washer ID ø 10.5mm ED ø 20mm thickness 2mm SS Qty 1 pcs DIN 125A for thread M10		
<b>For models:</b>	020, 1000, 1300, 1300S, 620, 627, 627PS, 670-TRONIC, A670-TRONIC, E1000, GLB615-GIGA, GLS805-GIGA, GLS845-GIGA, GLS935-GIGA, GLS945-GIGA, GLS945S-GIGA, N1000-SILANOS, N1300, N700F, N700F-PS, N700F-PS, N700PS		

## miscellaneous



1

<b>GEV No.</b>	519242	<b>Ref. No.</b>	906060
<b>description</b>	plain washer		
<b>For models:</b>	Ambra, R20, R20A, R23A, R29A		



1

<b>GEV No.</b>	519241	<b>Ref. No.</b>	906050
<b>description</b>	plain washer for roller spring		
<b>For models:</b>	1000, 1300, 1300S, E1000, GLS935-GIGA, LP67E, LP67E-TRONIC, T1400, TS3700		



1

<b>GEV No.</b>	519238	<b>Ref. No.</b>	906002
<b>description</b>	plain washer ID ø 15mm ED ø 33mm thickness 0.8mm SS Qty 1 pcs		
<b>For models:</b>	020, 024, 030, 600, 620, 700, 800, 900, E40, E45, E50, F19, F19A, F22, F22A, F27A, F28A, GLB785-GIGA, GLB795-GIGA, N50, SVELTINA, V40, V45, V50		

## tooth lock washers

## miscellaneous



1

<b>GEV No.</b>	519234	<b>Ref. No.</b>	905900
<b>description</b>	tooth lock washer		
<b>For models:</b>	250, Ambra, R20, R20A, R23A, R29A		



fasteners

clamps

hose clamps

DIN 3017 - W2



1	<b>GEV No.</b>	520115	<b>Ref. No.</b>	902460
	<b>description</b>	hose clamp ø 25-40mm width 9mm Qty 10 pcs DIN 3017		
<b>For models:</b>	020, 024, 030, 1000, 1300S, 600, 620, 627, 627PS, 700, 800, 900, E40, E45, E50, F19, F19A, F22, F22A, F27A, F28A, GLB615-GIGA, GLB785-GIGA, GLB795-GIGA, GLS905-GIGA, GLS925-GIGA, GLS935-GIGA, LAVASTOVIGLIE-A-NASTRO-N2500, LAVASTOVIGLIE-A-NASTRO-N3500, LAVASTOVIGLIE-A-NASTRO-N5000, LAVASTOVIGLIE-A-NASTRO-N6000, LAVASTOVIGLIE-A-NASTRO-N7500, LAVASTOVIGLIE-A-NASTRO-N9000, LAVASTOVIGLIE-A-TRAINO, LAVASTOVIGLIE-A-TRAINO-T2000, LAVASTOVIGLIE-A-TRAINO-T3000, LP67E, LP67E-TRONIC, N45, N50, N50-TRONIC-PDS-PBS, N700FPS, N700F-PS, N700PS, N90, R20, R20A, R23A, R29A, SVELTINA...(Other models you can see in the webshop)			



2	<b>GEV No.</b>	520116	<b>Ref. No.</b>	902441
	<b>description</b>	hose clamp ø 32-50mm width 9mm Qty 5 pcs DIN 3017		
<b>For models:</b>	020, 024, 030, 1000, 1300, 600, 620, 627, 627PS, 670-TRONIC, 700, 800, 900, A670-TRONIC, E1000, E40, E45, E50, F19, F19A, F22, F22A, F27A, F28A, GLB615-GIGA, GLB785-GIGA, GLB795-GIGA, GLS805-GIGA, GLS845-GIGA, GLS905-GIGA, GLS925-GIGA, GLS945-GIGA, GLS945S-GIGA, N1000-SILANOS, N1300, N45, N50, N50-TRONIC-PDS-PBS, N700F, N700FPS, N700F-PS, N700PS, N90, R20, R20A, R23A, R29A, SVELTINA, V40, V45...(Other models you can see in the webshop)			



1	<b>GEV No.</b>	520117	<b>Ref. No.</b>	902480
	<b>description</b>	hose clamp stainless steel ø 40-60mm width 9mm Qty 5 pcs DIN 3017		
<b>For models:</b>	670-TRONIC, A670-TRONIC, E1000, GLS805-GIGA, GLS845-GIGA, GLS945-GIGA, GLS945S-GIGA, N1000-SILANOS, N1300, N700F, N700F-PS, N700PS			

DIN 3017 - W4




1	<b>GEV No.</b>	520120	<b>Ref. No.</b>	902440
	<b>description</b>	hose clamp SS W4 ø 12-20mm width 9mm Qty 1 pcs DIN 3017		
<b>For models:</b>	020, 024, 030, 1000, 1300, 1300S, 250, 400, 600, 620, 627, 627PS, 670-TRONIC, 700, 800, 900, A670-TRONIC, Ambra, E1000, E40, E45, E50, F19, F19A, F22, F22A, F27A, F28A, GLB615-GIGA, GLB785-GIGA, GLB795-GIGA, GLS805-GIGA, GLS845-GIGA, GLS905-GIGA, GLS925-GIGA, GLS935-GIGA, GLS945-GIGA, GLS945S-GIGA, N1000-SILANOS, N1300, N45, N50, N50-TRONIC-PDS-PBS, N700F, N700FPS, N700F-PS, N700PS, N90, R20, R20A...(Other models you can see in the webshop)			



1	<b>GEV No.</b>	520121	<b>Ref. No.</b>	902450
	<b>description</b>	hose clamp SS W4 ø 16-27mm width 9mm Qty 1 pcs DIN 3017		

double wire clamps



1	<b>GEV No.</b>	513268	<b>Ref. No.</b>	902425
	<b>description</b>	hose clamp ø 8-10mm wire gauge ø 1mm Qty 1 pcs		

retaining rings

DIN 471



1	<b>GEV No.</b>	519248	<b>Ref. No.</b>	906160
	<b>description</b>	retaining ring shaft ø 10mm thickness 1mm SS DIN 471		
<b>For models:</b>	250, Ambra			



1	<b>GEV No.</b>	692708	<b>Ref. No.</b>	TR0321
	<b>description</b>	retaining ring shaft ø 7mm thickness 1mm DIN 471		
<b>For models:</b>	LAVASTOVIGLIE-A-TRAINO, LAVASTOVIGLIE-A-TRAINO-T1650, LAVASTOVIGLIE-A-TRAINO-T2000, LAVASTOVIGLIE-A-TRAINO-T3000, T1400, TS3700			



DIN 472



Image not available

1

<b>GEV No.</b>	519249	<b>Ref. No.</b>	906200
<b>description</b>	retaining ring DIN 472		
<b>For models:</b>	250, 600, 700, Ambra		

<b>B</b>			
bi-metal thermostats		7, 7	
booster pumps II		36	
<b>C</b>			
cable glands		37	
cables		37	
cam switches		13	
clamps		98, 103	
coil heating elements		4	
condensators & interference suppression filters		36	
contactors		19	
container filters		89	
control equipment		14	
control thermostats		8, 8	
countersunk screws		99	
<b>D</b>			
dosing pumps		85	
double nipples		96	
double wire clamps		99, 103	
drain hoses		90	
drain pumps		35	
<b>E</b>			
electric accessories		37	
electronic controllers		21	
<b>F</b>			
fasteners		103	
fastening material		99	
filters		36	
fittings		96	
formed hoses		91	
fuses		37	
<b>G</b>			
gaskets for wash arm support		84	
<b>H</b>			
heating elements		3	
heating elements for contact grills		3	
hexagonal nuts		100	
hexagonal screws		100	
hose clamps		98, 103	
hose connectors		96, 97	
hoses		89	
<b>I</b>			
immersion heating elements		4	
indicator lights		15	
indicator lights (complete)		16	
industrial hoses			90
<b>L</b>			
lamps			15
<b>M</b>			
magnetic switches			13
measuring equipment			99
mechanical timers			18
<b>N</b>			
nuts			100
nylon hoses			90
<b>O</b>			
operating capacitors			36
O-rings			80
oval head screws			99
<b>P</b>			
plunger sockets			9
pressure reduction valves			98, 98
pressure switches			26
probes			21
programme timers			17
pumps			27
push/momentary push switches			10
PVC hoses			90
PVC supply hoses			89
<b>Q</b>			
quartz heating elements			3
<b>R</b>			
relays			20
retaining rings			103
ribbon cables			37
rocker/momentary rocker switches			9
<b>S</b>			
safety bi-metal thermostats			7
safety thermostats			9
screws			99
sealing washers			82
sheet metal screws			99
side bolts			100
silicone hoses			91
snap locks			78
solenoid valves			24
spring rings			102
supply hoses			89
switches and momentary switches			9
system switches (ROLD)			11

**T**

tank inlets	89
terminals	37
thermostats	7
threaded cable glands	37
timers	17
tooth lock washers	102
transformers	20

**W**

wash and rinse pumps	27
washers	102
water cycle components	98